



File No.: 3400-02-2022.1 (Hornby
Rogers Cell Tower Proposal)

DATE OF MEETING: June 16, 2023
TO: Hornby Island Local Trust Committee
FROM: Margot Thomaidis, Planner 2
Northern Team
SUBJECT: Rogers Cell Tower Proposal – Update for Information

Rogers (the proponent) is proposing the construction of a 63-metre tall self-support cell tower on Provincial Crown land on Hornby Island. From June 2022 to January 2023, they carried out pre-consultation with relevant agencies and public consultation to adhere to the Federal department of Innovation Science and Economic Development (ISED) Canada's *Radiocommunication and Broadcasting Antenna Systems Client Protocol Circular CPC 2-0-03 (CPC)*.

The *CPC* lays out the minimum public consultation process for antenna installations as a default process while anticipating that local land-use authorities, such as Islands Trust, may augment the process by developing their own protocol with consultation requirements that go beyond the minimum default process. The LTC adopted such a protocol in September 2022, the *Hornby Model Strategy for Antenna Systems* (see Attachment 2).

Due to the timing of adoption of the *Model Strategy* when Rogers' application process was already underway, the consultation guidelines contained in the *Strategy* were not applied to Rogers' initial pre-consultation and public consultation activities. At the January 20, 2023 regular business meeting, the Hornby Island Local Trust Committee (LTC) directed staff to work with Rogers to prepare a report including an analysis on consultation that Rogers had completed to date and comparison with the *Model Strategy*.

To initiate this analysis, staff asked Rogers to prepare a summary of public consultation and correspondence to date. Staff recently received this summary and are now sharing it with the LTC for information only.

The package received from Rogers (Attachment 1) contains the following:

- A summary of Rogers' land use proposal (Pages 1-4)
- A high level summary of Rogers' consultation process and results to date (Pages 5-6)
- Appendix A: a copy of the provincial *Land Use Operational Policy for Communication Sites*
- Appendix B: a copy of pre-consultation emails between Rogers and Islands Trust staff
- Appendix C: pre-consultation email messages with Rogers and BC Government staff
- Appendix D: a copy of Rogers' mail-out consultation package
- Appendix E: copies of the various newspaper notices that Rogers issued
- Appendix F: a copy of the slides from the digital public meeting that Rogers hosted
- Appendix G: redacted public comments

Staff are analysing this summary and comparing it with the *Model Strategy*. A staff report summarizing this information will be prepared for discussion at a future LTC meeting.

Rogers’ Provincial Crown land application process is still underway and additional public consultation and First Nation consultation is required as part of that process, in order to adhere to the province’s *Land Use Operational Policy for Communication Sites*.

Upon completion of the procedures outlined in the Provincial *Policy*, Rogers will summarize the results of all consultation and request a motion or letter of land use concurrence via the relevant land use authority in order to satisfy MFLNRO and ISED requirements. Through the province’s referral process, the Islands Trust will receive a referral and be asked to formally respond.

NEXT STEPS

No formal responses or land use decisions are being requested at this time. The LTC may receive this information, evaluate the materials, make comments, or raise concerns that it wishes the proponent to address at this stage in the process, prior to additional consultation.

| | | |
|---------------|--|--------------|
| Submitted By: | Margot Thomaidis, Planner 2 | June 5, 2023 |
| Concurrence: | Renée Jamurat, RPP MCIP, Regional Planning Manager | June 5, 2023 |

ATTACHMENTS

1. Public Consultation Summary for Rogers’ Proposed Communication Site on Hornby Island
2. Model Strategy for Antenna Systems – Hornby Island Local Trust Committee

May 3rd, 2023

Public Consultation Summary for Rogers' Proposed Communication Site on Hornby Island

SitePath Consulting Ltd. ("SitePath") is representing Rogers Communications Inc. ("Rogers") in consulting the Hornby Island community regarding a proposed telecommunications installation on Provincial Crown land.

Rogers Site: W6420 - Hornby Island
Prepared By: SitePath Consulting Ltd., representing Rogers
Brian Gregg, Land Use Consultant
Property: Provincial Crown land on the west side of Central Road
Coordinates: 49.535055, -124.672134
Land Use Authority: Ministry of Forests, Lands and Natural Resource Operations (MFLNRO)
(BC Government)


Objective

- In order to provide dependable wireless service for residents and businesses on Hornby Island Rogers Communications is proposing to build a 63.0-meter tall self-support tower on Provincial Crown land on the west side of Central Road.
- The proposed facility will deliver reliable voice and data services throughout Hornby Island--a community that currently lacks reliable wireless connectivity in most areas.
- The proposed facility will support economic development, remote working capabilities as well as improve public safety given that greater than 80% of calls to emergency responders including 911 are now placed via cell phones.
- Rogers extensively pre-consulted key stakeholders including relevant First Nations, emergency responders and the MFLNRO to identify a responsible location for the proposed infrastructure that aligns with the Hornby Island Land Use Bylaw and Islands Trust protocols.

Description of Proposed Site

- Rogers is proposing the construction of a 63.0 meter tall self-support tower structure on Provincial Crown land on the west side of Central Road.
- The approximate coordinates of the tower are as follows: 49.535055, -124.672134.
- If constructed, all of the equipment necessary to operate this facility will reside within a fenced compound located at the base of the tower.
- The subject property was selected for the following reasons:
 - **Pre-consultation:** Rogers pre-consulted key stakeholders including relevant First Nations, emergency responders, the MFLNRO (BC Government) and Islands Trust staff to identify a responsible location for the proposed infrastructure that aligns with the Hornby Island Land Use Bylaw and Islands Trust protocols.
 - **Land Use:** According to the Hornby Island Land Use Bylaw, the proposed tower is to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations as evidenced by the existing radiocommunication facilities on directly adjacent properties at the local radio station and fire hall. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation). Adjacent land uses include the Hornby Island Fire Rescue property, the CHFR Hornby Community Radio Society property including an existing radiocommunication facility, the Hornby Island Recycling Depot, the Hornby Island Road Maintenance Yard, Joe King Ball Park and other mixed commercial and public service uses. Please refer to figure 1 below for additional land use context.

Figure 1 - Land Use Context




ADJACENT LAND USES


- Hornby Island Fire Rescue property
- CHFR Hornby Community Radio Society including an existing radiocommunication facility
- Hornby Island Recycling Depot
- Hornby Island Road Maintenance Yard
- Joe King Ball Park
- Provincial Crown land
- Other mixed commercial and public service uses.

- **Supporting Infrastructure:** The subject location is directly adjacent to existing access and power, thereby minimizing the need for Rogers to clear trees for the construction of a road and power line.
 - **Access:** Rogers does not require a new road in order to access the proposed facility. Specifically, the site will be accessed from Central Road (public road) and via an upgrade to an existing approximately 120-meter long road that connects the proposed tower site to Central Road. The existing road will require brushing and minor grading. Rogers will not block the existing trail network in the area.
 - **Power:** A 110 m long power line running from an existing power pole on the south side of Central Road will be required. The power line will start at an existing BC Hydro distribution pole and will run for approximately 32 meters south to the existing road and continue southwest toward the tower site in an underground PVC conduit.
- **Aesthetics:** The proposed tower is setback into a large vacant lot and mature tree screening will minimize the visibility of the lower portion of the tower from most vantage points.
- **Network Architecture Needs:** The proposed facility will tie into Rogers' existing network and will deliver reliable connectivity to the majority of households on Hornby Island.
- **Co-location Viability:** Rogers has expressed a willingness to co-operate with co-location requests in accordance with Innovation, Science and Economic Development (ISED) Canada protocols and has specifically advised TELUS regarding this proposed facility at the suggestion of numerous local stakeholders including the Islands Trust. In response to receiving preliminary co-location inquiries, Rogers has also expressed to a number of local emergency service providers that it would be willing to explore hosting emergency communications equipment on the tower structure.

Aerial Photo



Site Plan (for discussion purposes only)




Existing Structures

- Rogers confirms that there no existing antenna support structures of a suitable height or location that it can co-locate on in the Hornby Island community.
- The proposed facility will enable opportunities for tower sharing or co-location applications by third party service providers.

Visibility

- The proposed tower location will be visible within the community; however, Rogers is proposing a self-support lattice tower structure of the minimum height required to see over the adjacent trees and deliver reliable service to the majority of Hornby Island.
- Rogers is proposing to site the tower in a location that is respectfully setback from adjacent uses. There are no immediately adjacent residential uses at the time of this proposal.
- Mature trees on the subject property will offer some screening from various vantage points.

Elevation Plan - Tower Profile (for discussion purposes only)



Consultation Process & Summary

BC Government Land Use Operational Policy for Communication Sites, the ISED Default Consultation Process and the Islands Trust Model Strategy for Antenna Systems

Rogers began pre-consulting the Islands Trust Planning Department staff regarding this proposal on June 10th, 2022. At that time, the Islands Trust Planning Manager (who has since departed the organization) correctly advised Rogers that the Hornby Island Local Trust Committee (LTC) had not formally adopted the Islands Trust *Model Strategy for Antenna Systems*. It was therefore determined that the ISED Default Consultation Process would be applicable to Rogers' proposal; however, in addition to the baseline federal consultation requirements it was recommended that Rogers also host a digital public meeting as way to welcome broader community engagement. Rogers agreed that it would adhere to the ISED Default Process and add a public meeting component as well as seek ways to voluntarily align with the *Model Strategy for Antenna Systems* given that the model strategy is largely aligned with the ISED protocols in terms of consultation requirements.

Another critical consideration is that Rogers' proposed facility is on Provincial Crown land and given that the BC Government is the applicable land use authority for this proposal Rogers is required to adhere to the province's tower siting policy known as the *Land Use Operational Policy for Communication Sites*. More information on the province's policy can be found in **Appendix A**.

Notwithstanding the foregoing, Rogers has completed the following steps in order to meet and exceed the requirements stipulated in the above referenced protocols.

- ***Pre-consultation with Key Stakeholders – June-July, 2022***
 - **Islands Trust Planning Department Staff:** Prior to finalizing any proposed tower siting option, Rogers pre-consulted Islands Trust Planning Department staff. The initial pre-consultation correspondence commenced on June 10, 2022 and by June 14, 2022 Islands Trust confirmed that the ISED Default Consultation Process would be applicable as the LTC had not yet adopted any additional consultation procedures. Please refer to **Appendix B**.
 - **BC Government (MFLNRO Staff):** Rogers engaged in detailed discussions with MFLNRO staff to explore several tower siting options including on Crown Grant lands at the Hornby Island Fire Hall property and several adjacent crown land options. Upon a thorough review, MFLNRO staff advised Rogers that the current proposed location appeared to be the most supportable as there were no concerns, overlapping tenure applications or any other foreseeable issues. Please refer to **Appendix C**.
 - **Fire Department and Comox Valley Regional District (CVRD) Staff:** Rogers also engaged in detailed discussions with CVRD and Hornby Island Fire Department staff to explore whether it may be viable to site a tower at the local fire hall. Although this option was explored in earnest, it was determined by MFLNRO staff that Rogers would not be authorized to secure the necessary land rights to use space within the Crown Grant property.
- ***Crown Land Application – August, 2022***

Rogers submitted its application via Front Counter BC on August 17th, 2022. Concurrently, Rogers sent referrals to approximately twelve (12) First Nations as identified via the BC Government First Nation Consultation Areas Database. Rogers' application is still under review and the notification, consultation and referral process outlined in the above referenced *Land Use Operational Policy for Communication Sites* will be adhered to in due course once Rogers is prompted to do so by MFLNRO staff.

- **Public Consultation and Notification**

Rogers has completed the following consultation and notification processes:

- **Mail-out Notification** – On November 14th, 2022 notification packages welcoming public input until January 13, 2023 (greater than the required 30 day comment period) were sent to all property owners/occupants within a radius of three times the proposed tower height. The package included an invitation to a digital public meeting. The address list for the mail-out was reviewed by MFLNRO staff, Islands Trust staff and ISED. Please refer to **Appendix D** for a copy of the mail-out package.
- **Newspaper Notification** - Rogers posted public notices in four (4) publications including: a) *The Islands Grapevine* on November 24th and December 1st, 2022; b) *The Comox Valley Record* on November 23rd and November 30th, 2022; c) the December issue of *The First Edition*; and d) the November 30th edition of the *Hornby Tribune*. Please refer to **Appendix E** for copies of the newspaper notices.
- **Public information meeting** – On December 8th, 2022, Rogers hosted a digital public information meeting via Microsoft Teams as a courtesy in order to provide a broader opportunity for public engagement. The meeting was well attended by approximately thirty-one (31) community members who logged in. Please refer to **Appendix F** for a copy of the slides that were shared at the digital public meeting.

In addition to completing the above processes, as outlined above, Rogers will upon request from MFLNRO staff subsequently complete the duplicative notification procedures as set forth in the province's tower siting policy known as the *Land Use Operational Policy for Communication Sites*. This will entail a duplicative or additional newspaper notification and another round of direct referrals to the relevant First Nations and other stakeholders by MFLNRO staff. Upon completion of the procedures outlined in the province's *Land Use Operational Policy for Communication Sites*, Rogers will summarize the results of the consultation and request a motion or letter of land use concurrence via the relevant land use authority in order to satisfy MFLNRO and ISED requirements. Through the province's consultation process, the Islands Trust will receive a referral and Rogers respectfully requests support from the Island's Trust.

Public Comments

During the initial public comment period as stipulated in the above referenced ISED Default Consultation Process and Islands Trust *Model Strategy for Antenna Systems*, Rogers directly received comments from a total of one hundred and twenty-one (121) community members. Of the comments received:

- **thirty-five (35) or 28.93% indicated support for the proposal;**
- **forty (40) or 33.06% did not state support or opposition and rather asked for information such as login details for the digital public meeting;**
- **and forty-six (46) or 38.02% stated concerns or opposition to the proposal.**
- **In sum, the majority of commenters (61.99%) either indicated support or were seeking information about the proposal and did not state a position, whereas a minority of commenters (38.02%) indicated concerns or non-support.**

The primary reasons for support included public safety and a need to support emergency response services as well as a desire for improved connectivity throughout the community. Primary reasons for non-support include perceived health impacts or a desire to debate Health Canada's Safety Code 6 (this subject is outside the scope of this consultation as per ISED protocols), aesthetic concerns, a view that there should be no such facility anywhere on Hornby Island, environmental preservation considerations, the siting of the facility and whether it may impact alternative uses such as a housing project on the subject property, concerns about the consultation process amongst other concerns. In the spirit of full transparency, copies of all correspondence received and responses provided with personal contact information redacted is included in the **Appendix G** of this document.

Please feel free to contact the undersigned if there are any questions regarding this report.



Brian Gregg | SitePath Consulting Ltd.
Agent of Rogers Communications Inc.

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com



Land Use Operational Policy Communication Sites

| | |
|---|--|
| NAME OF POLICY: | Communication Sites |
| APPLICATION: | Applies to Crown land used for communication use as defined herein, including but not limited to radio, television, microwave, and satellite facilities and related works. Applies on Crown land located in provincial forest except for communication sites used for operational purposes by the Ministry of Forests, Lands, Natural Resource Operations and Rural Development. |
| ISSUANCE: | Assistant Deputy Minister, Rural Development, Lands and Innovation |
| IMPLEMENTATION: | Ministry of Forests, Lands, Natural Resource Operations and Rural Development |
| REFERENCES: | <i>Land Act</i> (Ch. 245, R.S.B.C., 1996) <i>Business Corporations Act</i> (Ch. 57 R.S.B.C, 2002) |
| RELATIONSHIP TO PREVIOUS POLICY: | This policy replaces the previous Communication Sites policy dated May 26, 2011. |

Dave Peterson, ADM
Rural Development, Lands and Innovation
Ministry of Forests, Lands, Natural Resource
Operations and Rural Development.

January 21, 2019

Date:

EFFECTIVE DATE: January 21, 2019

FILE: 12250-00

| APPROVED AMENDMENTS: | | |
|-----------------------------|--------------------------------|---|
| Effective Date | Briefing Note /Approval | Summary of Changes: |
| June 17, 2022 | BN 270324 | Moved general information regarding insurance and financial securities to the Insurance and Financial Securities Procedure. |
| | | |

Table of Contents

1. POLICY APPLICATION 1

2. PRINCIPLES AND GOALS 1

3. DEFINITIONS AND ABBREVIATIONS 1

4. APPLICANT ELIGIBILITY 1

5. FORM OF LAND ALLOCATION 1

 5.1 Licence of Occupation 2

 5.2 Lease 2

 5.3 Statutory Right of Way 2

 5.4 Sale 2

 5.5 Withdrawals and *Land Act* Transfers 2

6. PRICING POLICY 3

7. ALLOCATION PROCESSES 3

 7.1 Applications 3

 7.1.1 Application Package and Communication Site Inventory 3

 7.1.2 Referrals 4

 7.1.3 Designation of Sites for Communication Purposes 4

 7.1.4 Interim Consents 4

8. TENURE ADMINISTRATION 4

 8.1 Assignment and Sub-Tenuring 4

 8.1.1 Sub-tenuring Procedures 4

 8.1.2 Overlapping Tenures 5

 8.2 Monitoring and Enforcement 5

 8.2.1 Updating the Communications Site Inventory 5

 8.2.2 Site Inspections 5

9. VARIANCE 6

APPENDIX 1. COMMUNICATION SITES POLICY SUMMARY 7

1. POLICY APPLICATION

This policy applies to the disposition of Crown land for communication site purposes including, but not limited to all types of radio, television, microwave, satellite, and cellular transmission and/or receiving stations.

This policy does not apply to communications sites within Provincial Forest that are used solely for forest operational purposes, and therefore authorized under forest legislation.

This policy does not apply to uses ancillary to the communication site, such as roads and utility lines, that are authorized in accordance with other Crown land use policies.

2. PRINCIPLES AND GOALS

For information on Crown land allocation principles see [Crown Land Allocation Principles](#).

Strategic Principles

- To encourage efficient administration of Crown land used for communication purposes.
- To ensure diligent use of Crown land.
- To secure a fair return to the Crown for the use of Crown land for communication purposes.
- To minimize the potential negative impacts of communication use on other legitimate users and the natural environment.
- To coordinate Crown land administration with the requirements of other provincial and federal agencies with responsibility for communication licensing and/or administration.

Sharing of Tenured Communication Sites

Sharing of communication sites is encouraged. A communication site tenure holder may permit a secondary user to occupy a Crown land site pursuant this policy. For the purposes of this policy secondary user means any party, other than the tenure holder, who occupies a Crown land site for communication use purposes including corporate affiliates and third parties.

Site Designation under Section 17 of the *Land Act*

Mountain tops having strategic value for communication purposes will normally be designated for communication use pursuant to Section 17 of the *Land Act*.

3. DEFINITIONS AND ABBREVIATIONS

For a glossary of definitions and abbreviations see [Glossary and Abbreviations](#).

For definitions of Communication Site User Categories see the [Pricing Policy](#).

4. APPLICANT ELIGIBILITY

For standard policy information on eligibility see [Eligibility and Restrictions](#).

Federal and provincial government agencies requiring Crown land for communication site purposes may also apply under this policy.

5. FORM OF LAND ALLOCATION

For standard policy information on forms of allocation see [Form of Crown Land Allocation](#).

Refer to Appendix 1 for a summary of the forms and terms of Crown land allocation available for communication sites.

5.1 Licence of Occupation

A licence of occupation is the standard form of tenure for communication sites. The maximum term of a licence of occupation is 30 years.

5.2 Lease

The maximum term for a lease is 30 years.

Non-mountain top sites in populated areas may be disposed of by lease or sold in fee simple, provided they are within a municipality and border on privately owned land. A lease is offered where a site meets the above criteria but does not meet requirements for subdivision under the *Land Title Act*.

5.3 Statutory Right of Way

A statutory right of way may be offered for mountain top sites at the request of a client where there are (will be) significant improvements on the land and where a document registerable in the Land Title Office is required for financing/security purposes.

At the request of a client, the Authorizing Agency may agree to convert an existing licence to a statutory right of way provided that every party on the mountain top (subtenants of the applicant and all adjacent tenure holders) agrees to the conversion. It is the responsibility of the applicant to provide written evidence of such support to the Authorizing Agency.

The maximum term of a statutory right of way for communication sites is 30 years.

5.4 Sale

Non-mountain top sites in populated areas may be sold in fee simple, provided they are within a municipality and border on privately owned land.

5.5 Withdrawals and *Land Act* Transfers

Withdrawals: A withdrawal from disposition pursuant to Section 16 of the *Land Act* is the standard means to reserve land for provincial and federal government users that require Crown land for communication purposes. The Authorizing Agency must be advised prior to the occupation of a section 16 withdrawal site by another government user. In this policy “government users” means agencies or departments of a provincial or federal government but does not include Crown Corporations or local governments. Non-government users are not allowed to occupy sites authorized by a section 16 withdrawal.

***Land Act* Transfers:** Where a non-government user is unable to find an alternate site, the Authorizing Agency may, with the consent of the agency holding the withdrawal for communication purposes, agree to the use of the site by a non-government user. In such instances the section 16 withdrawal will be cancelled and a transfer processed pursuant to Section 106 (provincial ministries) or Section 31 (federal ministries) of the *Land Act*. Where this occurs the agency receiving the transfer of administration assumes the responsibilities for management of the site, including the issuance of tenures and collection of rents specified in this policy from secondary users.

Alternatively the agency holding the withdrawal may relinquish the withdrawal and become a sub-tenant in a site which would be tenured to the non-government user.

The Authorizing Agency must be notified prior to the occupation of a transfer site by a secondary user.

6. PRICING POLICY

For information on pricing including definitions of Communication Site User Categories see the [Pricing Policy](#).

For information on application and service fees see the [Crown Land Fees Procedure](#).

7. ALLOCATION PROCESSES

For detailed standard information on allocation processes see [Allocation Procedures - Applications](#).

Additional and special requirements for communication site allocations are:

7.1 Applications

7.1.1 Application Package and Communication Site Inventory

Communication Site Inventory

The communication site inventory is a critical component of the application package as it is the basis for calculating annual rental payments for the site.

Where the Authorizing Agency has been unable to obtain inventory information from a client, staff may use the best available information to establish an appropriate rent for the site under this policy. This may be based on site inspection, Industry Canada Information or file information as appropriate.

The inventory for a communication site will consist of the full names of all users on the site and the purpose of the use (e.g. remote monitoring of equipment, emergency dispatch, cellular telephone service, internet services) for each user. The completed Communication Site Inventory form must be signed and dated by the tenure holder.

A site plan in plan view locating the civil infrastructure (building, towers, guy wires, power lines, roads) on the site will also be required for all new sites. A survey plan or reference sketch prepared by a B.C. Land Surveyor may be required.

Verification material (e.g. radio licences, sub-tenure agreements) to support the information contained in the inventory will not be collected as part of the regular inventory process. However, legal tenure documents reserve the right for the province to audit sites to confirm the inventory and to obtain such information if necessary. In this policy sub-tenure agreement means an agreement between the tenure holder and a secondary user to use and occupy a communications site for purposes specified in the tenure document.

Site Size

The area of a communication site tenure should reflect the needs of the applicant as well as the principles of efficient and diligent use of Crown land. In high use areas, clients should be encouraged to use self-supporting rather than guyed towers.

Survey Monuments

A communications site must not interfere with existing trigonometric control stations, Order in Council reserves surrounding them, and survey rays to such stations. The Surveyor General Division of the Land Title and Survey Authority should be contacted if there is a concern in this regard.

7.1.2 Referrals

A completed communication site questionnaire and site plan should accompany referrals for new sites.

Changes in “communication users” or changes to existing sites that will result in significant alteration of the physical structures on the site may be referred as deemed appropriate by the Authorizing Agency.

7.1.3 Designation of Sites for Communication Purposes

Mountain tops having strategic value for communication purposes (existing and new communication sites) will normally be designated for communication site use pursuant to S. 16 or S.17 of the *Land Act*. An area of suitable size to accommodate future communication sites should be contained within the area designated under S. 16 or S.17.

Such a designation will enable streamlining of the tenuring process for new sites as well as the consent process for existing sites where changes to civil infrastructure are occurring. All referrals/consultation will occur at the designation stage (i.e. new applications within the designation area will not require subsequent referral).

7.1.4 Interim Consents

Where a S. 17 designation is not in place, the Authorizing Agency may consent to the placement of additional civil infrastructure on an existing communication site on an interim basis pending completion of referrals, advertising or other approvals as may be required.

This option should be considered in low risk situations where it is unlikely that the location of additional facilities will result in a negative decision.

The facilities should be of temporary nature (i.e. not fixed to the ground) and the client must understand that if final consent is not granted, the facilities must be removed as soon as is reasonably possible, at the cost of the client.

8. TENURE ADMINISTRATION

For standard tenure administration information see the [Tenure Administration Procedure](#).

For information on insurance and financial securities, see the [Insurance and Financial Securities Procedure](#).

Additional and special requirements for communications site allocations are:

8.1 Assignment and Sub-Tenuring

8.1.1 Sub-tenuring Procedures

A tenure holder who wishes to share a communication site with another user (corporate affiliate or third party) may do so without the Authorizing Agency’s consent, provided that the changes proposed do not affect the civil infrastructure on the site. Where the civil infrastructure is not affected, the tenure holder must **notify** the Authorizing Agency of the sub-tenure and any changes in use on the site a minimum of 120 days prior to the next anniversary date of the tenure. Notification shall be in the form of a signed and dated Communications Site Inventory form (and tower profile if an antenna is added to the site).

If the proposed changes affect the civil infrastructure, **prior consent** of the Authorizing Agency will be required to authorize the changes. In such instances, payment of *Land Act* fees (as per the [Crown Land Fees Regulation](#)) will also be required.

Under the terms of the tenure agreement, the tenure holder is responsible for the site (including subtenant activities, liability and contamination) and for paying rent for the site, including that attributable to subtenant(s) communication uses.

The province reserves the right to obtain site use information (e.g. radio license information, copies of sub-tenure agreements) from a tenure holder where deemed necessary by regional staff to resolve a dispute or clarify the current use of a site.

8.1.2 Overlapping Tenures

In special circumstances a tenure may be issued over an existing communication site tenure (e.g. strategic sites; guy-wires crossing into another tenure). For an overlapping tenure to be considered the two users must each have their own facilities, and consent of both parties must be obtained. If sharing of facilities is occurring, then a sub-tenure situation exists and separate tenures are not available.

8.2 Monitoring and Enforcement

The tenure holder is responsible for keeping the Authorizing Agency apprised of changes in use in accordance with requirements set out in the land tenure document. Where inventory information provided by a tenure holder for the site does not coincide with actual site use, provisions of Section 59 of the *Land Act* may be applied.

8.2.1 Updating the Communications Site Inventory

A change in use which affects the civil infrastructure requires the prior consent of the province. The site plan will have to be updated to reflect such changes. [Crown Land Fees Regulation](#) fees will be payable.

A change which does not affect the civil infrastructure (i.e. any change to the use on a site which can be recorded on the inventory form or tower profile only) does not require consent. However provincial staff must be **notified** of such changes 120 days prior to the next anniversary date (billing date) of the tenure.

Notification will be in the form of an up-to-date communication site inventory form (and tower profile if required), signed and dated by the client.

The onus is on the tenure holder to maintain the inventory in up-to-date status. The Authorizing Agency will not request annual confirmations of inventory information.

8.2.2 Site Inspections

At the discretion of the Authorizing Agency, inspections of sites may be undertaken to verify inventory information. These audits will normally be conducted by Authorizing Agency staff, and may involve participation of a communications engineer or other advisors familiar with communications equipment and use. Trespass action may be taken where a site inspection does not correlate with inventory information.

The Authorizing Agency may request a tenure holder to provide transportation, at no cost to the province, to enable inspections of remote sites. Such site inspections will be coordinated with routine maintenance trips to the site by the tenure holder.

9. VARIANCE

Variances to this policy must be completed in accordance with the [Policy Variance Procedure](#).

APPENDIX 1. COMMUNICATION SITES POLICY SUMMARY

| TENURE | TERM | METHOD OF DISPOSITION |
|---|----------------|-----------------------|
| Licences, Leases, and Statutory Rights-of-Way | Up to 30 years | Application |
| Direct Sale | Perpetuity | Application |
| Reserve | N/A | Proposal |



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)

Heather Kauer <hkauer@islandstrust.bc.ca>
To: Brian Gregg <briangregg@sitepathconsulting.com>
Cc: Michael August <Michael.August@rci.rogers.com>

Tue, Jun 14, 2022 at 7:19 AM

Okay, great. As I understand it, this proposal is subject to the standard public notification procedures mandated by Industry Canada. The Local Trust Committee (LTC) has not adopted any additional notification procedures. If you're seeking concurrence from the LTC, then you'll want to know that they would be able to consider giving that at a regular business meeting and there are two scheduled for the rest of the year: September 9th and November 25th.

I suggest that you request to be added to the agenda for September 9th as a delegation to introduce your proposal to them. They could consider giving concurrence at that meeting or the one in November. Just let me know how you would like to proceed.

Thanks,

Heather Kauer, MPA, RPP, MCIP, AICP

Regional Planning Manager

Islands Trust IT 250-247-2209

From: Brian Gregg <briangregg@sitepathconsulting.com>
Sent: Tuesday, June 14, 2022 6:54 AM
To: Heather Kauer <hkauer@islandstrust.bc.ca>
Cc: Michael August <Michael.August@rci.rogers.com>
Subject: Re: Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)

Thanks Heather. Yes that is correct. The fire hall would be able to also add their emergency communications equipment onto the tower if desired. We think this is therefore important for public safety since in most communities greater than 80% of calls to emergency responders (eg 911 calls) are now placed via cell phones.

The fire chief on Hornby and Comox Valley Regional District have expressed interest in exploring this idea.

Thanks,

Brian

Sent from my iPhone

On Jun 14, 2022, at 6:43 AM, Heather Kauer <hkauer@islandstrust.bc.ca> wrote:

Hi Brian – I wanted to let you know we have received your email and are working on a response. I'll be your contact on this proposal for the time being. Could you confirm that what you are proposing is a brand new cell phone tower?

Thanks,

Heather Kauer

Regional Planning Manager

From: Brian Gregg <briangregg@sitepathconsulting.com>
Sent: Friday, June 10, 2022 12:39 PM
To: David Marlor <dmarlor@islandstrust.bc.ca>
Cc: Michael August <Michael.August@rci.rogers.com>; Heather Oliver <heatheroliver@sitepathconsulting.com>
Subject: Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)

Hi David:

I hope this email finds you well. Further to my voicemail message from today, I am a land use consultant representing Rogers Communications regarding a proposed communication site at the Hornby Island Volunteer Fire Department property. I have attached some additional information in the attached PDF including an aerial photo identifying the approximate proposed location and some photos from our site visit during which we met the fire chief, Mr. Doug Chinnery.

In addition to pre-consulting the fire department staff, we have also discussed this idea with the Comox Valley Regional District (CVRD) GM of Community Services, Doug DeMarzo since the CVRD holds the Crown Grant for the fire hall (please refer to the last page of the attached PDF for more information on the Crown Grant). Mr. DeMarzo advised that while he and the fire hall are okay to consider the idea of hosting the tower at the fire hall property, it would be prudent for us to first pre-consult the Islands Trust as the land use authority.

Based on the foregoing, I am writing to welcome your input on this proposal. We understand that this proposal will be subject to public consultation and we would appreciate your guidance regarding any tower siting policies or protocols that we may need to adhere to.

Finally, I wanted to express our rationale for this proposal. In summary, I was previously involved on a TELUS proposal on Hornby Island that did not go very smoothly as the tower location was not well received by the community. This time around, I am hoping to be thoughtful in finding a community supported location for a tower so that service can be delivered to the area in an acceptable manner. We are hopeful that the fire hall may be a suitable location for numerous reasons including:

- It is respectfully setback from adjacent neighbours and residences;
- mature trees on site will partially block the lower portion of the tower and improve aesthetics;

- power and access are already available on the subject property, mitigating the need for Rogers to clear more land to build a road and power line to service the tower -- a more ecologically sensitive approach;
- The fire hall (and perhaps the directly adjacent radio station) could consider hosting their antennas on the tower in support of emergency response services and local media content, if desired;
- The CVRD and through them the local volunteer fire hall will receive greatly needed revenue from leasing out the space for the tower to Rogers. This is often preferred vs. having the tower on privately owned property where one single property owner will receive the benefits.

If possible, we would sincerely appreciate your input at your earliest convenience as to whether this proposal may be acceptable from a land use perspective in terms of Rogers going through a public consultation process for this location.

Thank you,

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

<Rogers Photos - File W6420 - Hornby Island copy.pdf>



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)

Hopps, Jesse FOR:EX <Jesse.Hopps@gov.bc.ca>

Wed, Jul 6, 2022 at 11:34 AM

To: Brian Gregg <briangregg@sitepathconsulting.com>

Cc: Michael August <Michael.August@rci.rogers.com>, Heather Oliver <heatheroliver@sitepathconsulting.com>

Hello Brian,

See comments below in blue and note that a full status will not be run until application is received – other encumbrances maybe discovered at that time. As a note, my information is not advice or direction.

Sincerely,

Jesse

From: Brian Gregg <briangregg@sitepathconsulting.com>**Sent:** July 4, 2022 3:46 PM**To:** Hopps, Jesse FOR:EX <Jesse.Hopps@gov.bc.ca>**Cc:** Michael August <Michael.August@rci.rogers.com>; Heather Oliver <heatheroliver@sitepathconsulting.com>**Subject:** Re: Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)

[EXTERNAL] This email came from an external source. Only open attachments or links that you are expecting from a known sender.

Jesse:

In light of your most recent feedback, we are exploring some alternative tower siting options on adjacent lands. Before we get ahead of ourselves, we are wondering if we could welcome your input on the below possible options.

Option 1 (49.535333, -124.671722): There appears to be no encumbrances on the land at this location and this appears to be the easiest location (no encumbrances and access will be entirely held by proponent). However, as you point out there is a walking path there, so public commenting may be a consideration. _

- Located on walking path in the trees, across the street from the firehall
- Close to main road for power and access
- Unsure of possible restrictions building near walking path
- Highest elevation of all options (good for coverage)

Option 2 (49.537194, -124.671722): There appears to be a Sec. 16 Withdrawal from Disposition (Land Files 0098244 & 1401445) for sand & gravel held by MOTI at this location and access may need to be considered as access is over the

private lands unless new access established. This type of conflict can be resolved in most cases, but the process can be timely and not a guarantee.

- Located at the back of a construction yard currently being used by road works.
- Existing access through yard to site location
- Power would have to go through trees from central rd, or follow site access road

Option 3 (49.535824, -124.669297): There appears to be a Sec. 16 Withdrawal from Disposition (Land File 1401445) for sand & gravel held by MOTI at this location and access may need to be considered as access is over the private lands.

- Located in the corner of the firehall lot, in the trees
- Simple access through firehall
- Power either from BC Hydro poles or firehall building (feasibility to be confirmed with electrical engineer)
- We would need confirmation from the Crown as to whether this would be okay or not as we'd need to cross the fire hall crown grant lot to access this site.

Thanks,

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Jun 20, 2022 at 11:08 AM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Thank you for your help! I will discuss with the team and we will be in touch.

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Jun 20, 2022 at 11:06 AM Hopps, Jesse FOR:EX <Jesse.Hopps@gov.bc.ca> wrote:

Hello Brian,

I was not recommending Rodgers purchase the land at fair market value but rather the fire department. This would allow them to do what they wish with the lands.

It is probably easier to apply a licence over other Crown land as apposed to amending the SCG.

The province does not have administrative capacity over the lands identified by SCGs, we simply ensure the intent is upheld in the public interest, so we would not be able to impose rents or administer a tenure/subtenure any of these lands.

I agree, the ancillary uses that run with the firehall are allowed and I don't think the province or public would perceive these items to be a stretch from the intention of the SCG. If the firehall was to erect a tower for the *sole purpose* of their needs, this too would most likely be perceived as firehall use.

If the proposal was part of the larger connectivity project, we would possibly explore options. I only brought it up to ensure the decision maker considered all relevant info before providing direction.

Although slightly different form airports, the same rational applies and we must be very careful about precedent – this is not a unique situation and parallels can be perceived. As noted above, paying a licencing fee to the province is not possible so this would not change our perspective.

You mention very good points that may go along way to support the need; however, we must ensure consistency and fairness when making decisions – it was decided when issuing the SCG that the land will be granted for Firehall purposes only. Another decision would need to be made to allow for additional uses such as this proposal.

Sincerely,

Jesse

From: Brian Gregg <briangregg@sitepathconsulting.com>
Sent: June 20, 2022 10:07 AM
To: Hopps, Jesse FOR:EX <Jesse.Hopps@gov.bc.ca>
Cc: Michael Krenz - EXT <Michael.Krenz@rci.rogers.com>; Samuel Sugita <Samuel.Sugita@rci.rogers.com>; Michael August <Michael.August@rci.rogers.com>; spectrum_victoria / victoria_spectre (IC) <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>; Ries, Bernie (ISED/ISDE) <bernie.ries@ised-isde.gc.ca>
Subject: Re: Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)

[EXTERNAL] This email came from an external source. Only open attachments or links that you are expecting from a known sender.

Thanks for your input, Jesse, and for your time over the phone on Friday.

I have a few questions and comments for your consideration.

- What would the process be to amend the Crown Grant, if we were to explore this? We do not buy land and rather would typically seek a licence (or sublicense) agreement on crown land. We understand and always anticipated a fulsome consultation and application process for this tower, including consultation (as is required for every tower), and usually we have to go through the crown consultation and referral process in any event. I have attached a copy of the *Crown Land Use Operational Policy: Communication Sites* that we typically follow for such proposals on crown land. This process usually takes a fair bit of time -- over 1 year on average apparently -- and so maybe it is a similar timeframe to amend a Crown Grant. What are your thoughts?

- What if we were pay the typical crown licence fees to the province - for instance, the same fees we would pay on any adjacent crown land just outside the fire hall area? Here are the fees: <https://www2.gov.bc.ca/assets/gov/farming-natural-resources-and-industry/natural-resource-use/land-water-use/crown-land/pricing.pdf>

10.1 Rent

10.1.1 Licences, Leases and Statutory Rights-of-Way

Rent for Crown land used for communication purposes is based on the zone and user category rent table shown below. Refer to the zone maps **COMMUNICATION SITES – PRICING ZONE MAPS** for the zone locations.

Zone and Category rents – Effective April 1, 2021

| User Category | Rental per site/year | | |
|--|-----------------------|-------------------------|----------------------|
| | Zone 1 (high density) | Zone 2 (medium density) | Zone 3 (low density) |
| 1. Non-commercial radio communication provider or user | \$0 | \$0 | \$0 |
| 2. Radio communication user | \$7,793 | \$4,451 | \$891 |
| 3. Over-the-air television and radio broadcasters | \$8,903 | \$5,008 | \$1,113 |
| 4. Communication Site Facility Manager | \$10,016 | \$5,008 | \$1,113 |
| 5. Local telecommunications service provider | Contact Lands Branch | | |
| 6. Large, broad-based communication service provider | \$17,249 | \$8,346 | \$1,557 |
| 7. Cable and satellite AM/FM radio | \$18,917 | \$8,903 | \$1,669 |
| 8. Cable and satellite television | \$22,256 | \$11,129 | \$1,892 |

This would be an objective set of fees payable to the Crown no different than any other crown land communication site. Perhaps no fees go to the CVRD or fire hall if that's a concerning precedent that you wish to avoid. Could that be an option?

- Has it been fully considered that providing communication services is an ancillary and integral use of running any fire hall and that all the existing ancillary uses of a fire hall were not directly considered in your crown grant document? For instance, most fire halls including this one have their own communications equipment including towers and antennas on site. Most fire halls also have other utility services -- telephone (landline), electrical, water, sewage, parking lots, etc. -- and none of those uses would likely be deemed outside the scope of the Crown Grant because it would not be feasible to run a modern fire hall without such utility services and ancillary uses. Specifically, one could make a case that being able to host and complete emergency communications over a wireless network is a similar utility service relative to those already on site (e.g. landlines) given that 80% of calls to emergency responders such as 911, fire halls, ambulance services etc. are now placed via cell phones. My suggestion here is that Rogers service offerings are akin to a utility type service that both fire hall staff and community members rely on to operate the stated fire hall use in the crown grant. It is my suggestion that although these specific utility type uses are not specified in the crown grant that they are ancillary to the authorized use otherwise the fire hall use would not be feasible to carry out properly. If Hornby Island residents cannot place cell phone calls for help, the fire hall use may not be operating at its maximum capacity.

- If the fire hall were to install a tower and Rogers were to propose to co-locate on the facility, as preferred by ISED (federal government agency), would that be considered potentially appropriate via the Crown Grant? Is that an avenue to potentially explore?

- During our call, you noted that there may be an avenue to explore re: folding this proposal into the Connectivity Project (provincial program) and that this may be helpful if it were to qualify. Is that still an option? Sam (cc'd) is looking into this but would you be able to comment on how this would work?

- Finally, I understand that during our phone call some concerns were stated re: setting a precedent about crown grant holders being able to sublease space for profit and our proposal may be interpreted as such a potential precedent. You mentioned the case of airports on crown grants wherein some airport operators have wanted to set up commercial retail units or sublicence space at such crown grant airports for profit. I understand this concern though I think a utility structure like a cell tower is not really a direct comparable to leasing out a commercial retail unit at an airport. Our use may be more comparable to utilities like phone lines. This is more about service delivery. If we were to remove the profit element (though we were hoping to help out the fire hall) and instead pay crown licence fees as noted above, would this change the perspective?

At the end of the day, as you know, we are simply looking for the most sound land use rationale to deliver the proposed infrastructure on Hornby Island. We are looking for a community appropriate proposal. It struck us that the fire hall is perhaps the most rational location for such a facility as there is an opportunity to co-locate and benefit a local volunteer organization. If this approach is not feasible, I think the outcome may be to propose a tower on directly adjacent crown lands which is effectively a similar or the same outcome in terms of land use but it removes our ability to cooperate with a local fire hall which we thought was a creative and logical concept.

I wonder if you would have any comments on the above questions or if this is a "final" decision and we need to move onto other adjacent lands. I would welcome your input.

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Jun 20, 2022 at 9:23 AM Hopps, Jesse FOR:EX <Jesse.Hopps@gov.bc.ca> wrote:

Hello Brian,

I have discussed this proposal with the South Island Natural Resource Decision Maker, and it has been determined that the tower, if housing cellular equipment such as proposed, is not consistent with the purpose outlined in the sponsored Crown grant (Firehall). The proposed plan is **not approved** without amending the grant, or fee simple sale of a portion of the grant.

Sincerely,

Jesse Hopps

Senior Authorization Specialist

Ministry of Forests

South Island Natural Resource District
4885 Cherry Creek Road, Port Alberni, BC, V9Y 8E9
Phone: (250) 736-687

From: Brian Gregg <briangregg@sitepathconsulting.com>

Sent: June 17, 2022 10:41 AM

To: Hopps, Jesse FLNR:EX <Jesse.Hopps@gov.bc.ca>

Cc: Michael Krenz - EXT <Michael.Krenz@rci.rogers.com>; Samuel Sugita <Samuel.Sugita@rci.rogers.com>; Michael August <Michael.August@rci.rogers.com>; spectrum_victoria / victoria_spectre (IC) <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>; Ries, Bernie (ISED/ISDE) <bernie.ries@ised-isde.gc.ca>

Subject: Re: Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)

[EXTERNAL] This email came from an external source. Only open attachments or links that you are expecting from a known sender.

Hi Jesse:

The intent is a new proposed tower (subject to full public consultation) and it would be joint use for fire hall communications equipment and Rogers' equipment co-located on the remainder of the tower. This will enhance emergency communication services and also mitigate a redundant purpose built structure in the area. We are not aware of a more suitable location for a tower in the community as the subject property is a fire hall and directly adjacent is a radio station and crown land. I think such a facility could be considered integral to the operations of the fire hall and also ancillary equipment to the existing facilities. There is likely other ancillary equipment at any fire hall and as you know most or many fire halls have antennas and communications equipment on them (similar to RCMP detachments, etc.).

The fire chief has been supportive of this concept because I believe they need the emergency communications services and infrastructure and also the tower lease revenue would be appreciated as they are a volunteer organization. If there is an issue of the Crown needing or requiring a licence fee for the communication site then that can of course be discussed as well as those are well established fees. We are not looking for a "free ride" and rather would like to find a successful location from a land use and community planning perspective. The Crown could perhaps update the Crown Grant and include some of the typical fees for communication sites as usually stipulated via the communication site inventory that we normally provide via our crown licences of occupation for communication sites. I'm not sure if that is part of the concern.

If this particular proposal is not successful, then our next course of action, I think, would be to propose a crown licence of occupation for a communication site and power line on directly adjacent crown lands which would hypothetically (if approved) result in the same or a similar outcome but then the fire hall would not necessarily be a partner or beneficiary.

We are mindful of how challenging it can be to service a community like Hornby and sharing a facility with the fire hall appears to be a collaborative approach that we are hopeful will provide broader community benefits.

I think we are open to creative solutions here. I've copied the Government Relations Team at Rogers and ISED in case they have any thoughts as well.

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Jun 17, 2022 at 9:55 AM Hopps, Jesse FLNR:EX <Jesse.Hopps@gov.bc.ca> wrote:

Question: The information package you had sent indicated installing a tower and the message below seems to indicate something may already exist; however, you mention antennas and not a tower. Are you planning on fixing your equipment to an existing tower, or establishing a new tower, or moving an existing tower?

From: Brian Gregg <briangregg@sitepathconsulting.com>

Sent: June 16, 2022 4:34 PM

To: Hopps, Jesse FLNR:EX <Jesse.Hopps@gov.bc.ca>

Cc: Ries, Bernie (ISED/ISDE) <bernie.ries@ised-isde.gc.ca>; spectrum_victoria / victoria_spectre (IC) <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>; Michael August <Michael.August@rci.rogers.com>

Subject: Re: Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)

[EXTERNAL] This email came from an external source. Only open attachments or links that you are expecting from a known sender.

Hi Jesse:

The fire hall has communications equipment (antennas) on site, I think. What if the tower were to contain communications equipment for the fire hall and we were merely to co-locate on the structure, as encouraged by Innovation, Science and Economic Development Canada? Would that make any difference?

Also, it might be considered that 80% of calls to emergency responders, including fire halls, are now placed via cell phones. I wonder if based on the foregoing having communication services may be considered entirely relevant to providing comprehensive fire hall services, via the Crown Grant.

Another thought -- I imagine the fire hall has other telecom services, utility services (e.g. BC Hydro) etc. that are not directly contemplated in the Crown Grant but that are critical for the operation of a fire hall. Having cell

47

phone service may also be considered critical.

What do you think of this rationale? ISED is copied as well in case they wish to comment. Ultimately, we are trying to find a creative solution here.

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Jun 16, 2022 at 4:06 PM Hopps, Jesse FLNR:EX <Jesse.Hopps@gov.bc.ca> wrote:

Hello Brian,

I have provided the relevant information to the Doug's, which should help with the discussions. Unfortunately, the sponsored Crown grant is for Firehall purposes only and will not be able to accommodate other works.

Sincerely,

Jesse

From: Brian Gregg <briangregg@sitepathconsulting.com>

Sent: June 13, 2022 10:45 AM

To: Hopps, Jesse FLNR:EX <Jesse.Hopps@gov.bc.ca>

Cc: Thomas, Robert FLNR:EX <Robert.Thomas@gov.bc.ca>

Subject: Re: Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)

[EXTERNAL] This email came from an external source. Only open attachments or links that you are expecting from a known sender.

Thanks Jesse. I greatly appreciate your time.

I do not believe we've yet received any feedback on Horne Lake but understand it may take a little time.

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

2528 Alberta Street, Vancouver, BC V5Y 3L1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Jun 13, 2022 at 8:48 AM Hopps, Jesse FLNR:EX <Jesse.Hopps@gov.bc.ca> wrote:

Thank you, Rob.

Hello Brian,

I will look into the crown grant and get back to you within the next few days. I hope you have made progress with the Horn Lake tower.

Thank you,

Jesse Hopps

Senior Authorization Specialist

Ministry of Forests

South Island Natural Resource District
[4885 Cherry Creek Road, Port Alberni, BC, V9Y 8E9](#)
Phone: (250) 736-6873

From: Thomas, Robert FLNR:EX <Robert.Thomas@gov.bc.ca>

Sent: June 13, 2022 8:22 AM

To: Hopps, Jesse FLNR:EX <Jesse.Hopps@gov.bc.ca>

Cc: 'Brian Gregg' <briangregg@sitepathconsulting.com>

Subject: FW: Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)

Hi Jesse. I think this should be dealt with by Lands.

Robert Thomas, RFT

District Engineering Officer

Ministry of Forests, Lands, Natural Resource Operations and Rural Development

South Island Natural Resource District

4885 Cherry Creek Road, Port Alberni, BC, V9Y-8E9
Ph: 250-736-6839, Email: Robert.Thomas@gov.bc.ca

From: Brian Gregg <briangregg@sitepathconsulting.com>
Sent: June 10, 2022 12:46 PM
To: Thomas, Robert FLNR:EX <Robert.Thomas@gov.bc.ca>
Subject: Fwd: Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)

[EXTERNAL] This email came from an external source. Only open attachments or links that you are expecting from a known sender.

Robert,

Would you happen to be the point of contact for the below inquiry?

Regards,

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

----- Forwarded message -----

From: Brian Gregg <briangregg@sitepathconsulting.com>
Date: Fri, Jun 10, 2022 at 12:44 PM
Subject: Fwd: Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)
To: South Island District Office, Forests FLNR:EX <Forests.SouthIslandDistrictOffice@gov.bc.ca>
Cc: Michael August <Michael.August@rci.rogers.com>, Heather Oliver <heatheroliver@sitepathconsulting.com>

Good Afternoon South Island District Office of MFLNRO:

I am writing to share the below and attached inquiry with you regarding Rogers' intention to sublease or sublicence space at the Hornby Island Volunteer fire hall property. The fire chief and Comox Valley Regional District (CVRD) appear to be supportive in principle but asked us to preconsult both the Islands Trust (local land use authority) as per below and the MFLNRO to confirm whether the CVRD (crown Grant

Holder) has the authority to sublicense space for a communication site on the fire hall property. You can see more on the crown grant on the last page of the attached PDF.

We would sincerely appreciate your response regarding whether the CVRD and fire hall would have authority to sublicense space to an entity such as Rogers.

Also, is there a Crown Grant agreement in place that we or the CVRD could get a copy of somehow so that we understand the rights and obligations of the Crown Grant from a legal perspective?

Many thanks in advance.

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

----- Forwarded message -----

From: **Brian Gregg** <briangregg@sitepathconsulting.com>
Date: Fri, Jun 10, 2022 at 12:39 PM
Subject: Rogers Communications Inquiry for the Hornby Island Fire Department (W6420)
To: <dmarlor@islandstrust.bc.ca>
Cc: Michael August <Michael.August@rci.rogers.com>, Heather Oliver <heatheroliver@sitepathconsulting.com>

Hi David:

I hope this email finds you well. Further to my voicemail message from today, I am a land use consultant representing Rogers Communications regarding a proposed communication site at the Hornby Island Volunteer Fire Department property. I have attached some additional information in the attached PDF including an aerial photo identifying the approximate proposed location and some photos from our site visit during which we met the fire chief, Mr. Doug Chinnery.

In addition to pre-consulting the fire department staff, we have also discussed this idea with the Comox Valley Regional District (CVRD) GM of Community Services, Doug DeMarzo since the CVRD holds the Crown Grant for the fire hall (please refer to the last page of the attached PDF for more information on the Crown Grant). Mr. DeMarzo advised that while he and the fire hall are okay to consider the idea of hosting the tower at the fire hall property, it would be prudent for us to first pre-consult the Islands Trust as the land use authority.

Based on the foregoing, I am writing to welcome your input on this proposal. We understand that this proposal will be subject to public consultation and we would appreciate your guidance regarding any

tower siting policies or protocols that we may need to adhere to.

Finally, I wanted to express our rationale for this proposal. In summary, I was previously involved on a TELUS proposal on Hornby Island that did not go very smoothly as the tower location was not well received by the community. This time around, I am hoping to be thoughtful in finding a community supported location for a tower so that service can be delivered to the area in an acceptable manner. We are hopeful that the fire hall may be a suitable location for numerous reasons including:

- It is respectfully setback from adjacent neighbours and residences;
- mature trees on site will partially block the lower portion of the tower and improve aesthetics;
- power and access are already available on the subject property, mitigating the need for Rogers to clear more land to build a road and power line to service the tower -- a more ecologically sensitive approach;
- The fire hall (and perhaps the directly adjacent radio station) could consider hosting their antennas on the tower in support of emergency response services and local media content, if desired;
- The CVRD and through them the local volunteer fire hall will receive greatly needed revenue from leasing out the space for the tower to Rogers. This is often preferred vs. having the tower on privately owned property where one single property owner will receive the benefits.

If possible, we would sincerely appreciate your input at your earliest convenience as to whether this proposal may be acceptable from a land use perspective in terms of Rogers going through a public consultation process for this location.

Thank you,

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com



Dear Hornby Island Local Trust Committee

November 14th, 2022

Re: Proposed 63.0-meter Rogers Communications Radiocommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 - Hornby Island

Wireless technology offers many benefits to Canadians. Millions of individuals rely on wireless communications to enhance their personal security and safety, enjoy more frequent contact with family, friends and business associates, and to make more productive use of their personal and professional time. Additionally, cellular coverage improves public safety, with more than 80 percent of all calls to 9-11 now placed through wireless devices.

ROGERS PROPOSAL

In order to provide dependable wireless service for residents and businesses on Hornby Island Rogers Communications is proposing to build a 63.0-meter tall self-support tower on Provincial Crown land on the west side of Central Road on a property that is zoned PU-Public Use. Adjacent land uses include the Hornby Island Fire Rescue property, the CHFR Hornby Community Radio Society property including an existing radiocommunication facility, the Hornby Island Recycling Depot, the Hornby Island Road Maintenance Yard, Joe King Ball Park and other mixed commercial and public service uses. If the subject tower is constructed, Rogers is willing to explore hosting emergency communications equipment from the volunteer fire department in support of public safety thereby enabling co-location and potentially mitigating the future need for another purpose built tower structure in the area. All of the equipment necessary to operate this facility will be housed within a fenced area located at the base of the tower. This location was selected as a result of the compatible land uses in the vicinity as well as the fact that the subject property is centrally located within the area needing Rogers' service improvements.

PUBLIC CONSULTATION

Authority

Although Innovation, Science and Economic Development Canada (ISED) has exclusive jurisdiction over the placement of wireless telecommunications facilities, it requires the carriers to consult with the local land use authority and the general public regarding new installations. The public consultation process is intended to provide an opportunity to have property owner questions addressed while respecting federal jurisdiction over the installation and operations of telecommunications systems.

ISED's Default Public Consultation

ISED has jurisdiction over telecommunications facilities and has set out public and land use authority consultation requirements in the ISED circular, CPC-2-0-03 (CPC) for telecommunication carriers. The CPC requires Rogers to consult with the local land use authority and the general public. Rogers is also required to provide notification packages to property owners within a radius of three times the proposed tower height, measured from the tower base or the outside perimeter of the supporting structure. The required notification radius in this instance is 189.0 meters. Your property falls within this notification radius, and accordingly, Rogers is consulting with you on this tower. This process will provide you with an opportunity to engage in reasonable, relevant, and timely communication regarding this proposal. This notification will also be submitted to the Ministry of Forests, Lands, Natural Resource Operations and Rural Development (MFLNRO), the Islands Trust and ISED as part of our application for land use concurrence.

The public will also be invited to comment on the proposed site in response to a public notice that will be placed in two consecutive issues of *The Islands Grapevine* on November 24th and December 1st, 2022 as well as two consecutive issues of the *Comox Valley Record* on November 23rd and November 30th, 2022. The public will then have 30 days to submit comments and questions to myself on behalf of Rogers.

I will acknowledge receipt of comments and questions received within 14 days and address all relevant and reasonable concerns within 60 days. The commenting member of the public will then have 21 days to reply to the response. A summary of all comments received and our responses will then be submitted to ISED.

Public Information Meeting


Rogers will host a digital public meeting via the Microsoft Teams application on **December 8th, 2022 from 5:00-6:00 pm**. Please note that during the public meeting there will be two (2) presentations, including a presentation at 5:00 pm and another presentation at 5:30 pm. Each presentation will be followed by a question and answer period. **For details regarding how to join the Microsoft Team meeting, please contact the Rogers contact listed below by no later than December 7th, 2022.**

Site Details


1. *Purpose* - The purpose of the proposed tower is to expand Rogers' wireless coverage on Hornby Island. Currently, there are no suitable existing antenna support structures or other feasible structures that can be utilized and, as a result, a new tower is required. The tower, if constructed, will provide improved wireless connectivity in terms of reliability and speed for those in the vicinity of the facility.
2. *Location and Land Use* - The proposed facility is to be located on Provincial Crown land on the west side of Central Road on a property that is zoned PU-Public Use. Adjacent land uses include the Hornby Island Fire Rescue property, the CHFR Hornby Community Radio Society property including an existing radiocommunication facility, the Hornby Island Recycling Depot, the Hornby Island Road Maintenance Yard, Joe King Ball Park and other mixed commercial and public service uses. If the subject tower is constructed, Rogers is willing to explore hosting emergency communications equipment from the volunteer fire department in support of public safety thereby enabling co-location and potentially mitigating the future need for another purpose-built tower structure in the area. The approximate coordinates of the proposed tower are 49.535055, -124.672134.
3. *Safety Code 6* - ISED requires all wireless carriers to operate in accordance with Health Canada's safety standards. Rogers confirms that the tower described in this notification package will be installed and operated on an ongoing basis so as to comply with Health Canada's *Safety Code 6 including combined effects with the local radio environment*, as may be amended from time to time.
4. *Site Access* - The site will be accessed via Central Road and via a small access driveway into the subject property. Construction will take approximately 60 days. Once complete the site will only be accessed for infrequent maintenance. Rogers' compound will be fully fenced and locked so as to limit public access.
5. *Environment* – Rogers confirms that the installation is excluded from environmental assessment under the *Impact Assessment Act*.
6. *Design* - This proposal is for a 60.0-meter tall self-support tower as well as a 3.0-meter tall lightning rod (63.0 meters of total height including the lightning rod). The tower will house numerous panel antennas and dishes in support of a variety of communication technologies. A preliminary design of the tower profile and compound plan is included in this notification package for your reference.
7. *Transport Canada* - The tower will be marked in accordance with the Department of Transportation and NAV Canada requirements.
8. *Structural Considerations* - Rogers confirms that the antenna structure described in this notification package will apply good engineering practices including structural adequacy during construction.
9. *Land Use Authority* - Rogers will work closely with the Ministry of Forests, Lands, Natural Resource Operations and Rural Development (MFLNRO) and the Islands Trust to apply for land use concurrence and any applicable permits. The Islands Trust does not have an applicable Antenna Siting Protocol for Hornby Island and as such we are applying ISED's Default Public Consultation process in addition to the *Crown Land Use Operational Policy - Communication Sites*.
10. *Co-location* - Rogers will consider all applications for tower sharing and co-location in accordance with ISED protocols.
11. *General Information* - General information relating to antenna systems is available on Industry Canada's Spectrum Management and Telecommunications website: http://www.ic.gc.ca/epic/site/smt-gst.nsf/en/h_sf01702e.html.
12. *Contacts:*

| | | |
|---|--|--|
| <p>Rogers Communications Inc. C/O Brian Gregg, SitePath Consulting Ltd. Land Use Consultant PO Box 20138, Vancouver RPO Fairview, BC V5Z 0C1 Phone: 778-870-1388 Email: briangregg@sitepathconsulting.com</p> | <p>Innovation, Science and Economic Development Canada (ISED) - Vancouver Island District Office 1230 Government Street, Room 430, Victoria BC V8W 3M4 Phone: 250-363-3803 Email: ic.spectrumvictoria-victoriaspectre.ic@canada.ca</p> | <p>Islands Trust C/O Sonja Zupanec Acting Regional Planning Manager (Northern Region) 700 North Road Gabriola Island, B.C. V0R 1X3 Phone: 250-247-2211 Email: szupanec@islandstrust.bc.ca</p> |
|---|--|--|


Should you have any specific questions regarding this specific proposal, please feel welcome to inquire with the contact listed herein, or return the enclosed comment sheet to Rogers Communications by **January 13th, 2023**.



Map



Site Plan (for discussion purposes only)



Tower Profile (for discussion purposes only)

□



**Photo Simulation – View Looking West from Central Road
(for discussion purposes only)**

COMMENT SHEET
PROPOSED TELECOMMUNICATIONS TOWER
COORDINATES: 49.535055, -124.672134
ROGERS FILE: W6420 – HORNBY ISLAND

1. Are you a cellular phone or wireless device user?
 Yes
 No
2. Do you feel this is an appropriate location for the proposed facility?
 Yes
 No

Comments

3. Are you satisfied with the appearance / design of the proposed facility? If not, what changes would you suggest?
 Yes
 No

Comments

Additional Comments

Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes.

Name _____
(Please print clearly)

Mailing Address _____

Email Address _____

Please email to briangregg@sitepathconsulting.com
or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
ATTENTION: Brian Gregg
by January 13th, 2023.

Thank you for your input.

Global Domination

by Thomas Provençal

When politicians sell us out
to evil occupation,
suspiciously they lose their clout,
their morals on vacation.
Klauss is playing puppets

like Justin, Joe and Lula
who are selling out their countries
in a world suddenly gone crueller.
The goal is domination
of our every thought and deed.
While we comply with mandates
the leaders watch us bleed,
dialling back the human race
to numbers more conducive
to global aspirations

using methods most abusive.
It's a ar of ideology
where truth is mixed to bake
into outlandish suppositions
with love and life at stake.
Noncompliance with the edicts
that make no moral sense
strengthens our convictions
and emboldens our defense.

A Compass and A Questing

by Eartha Muirhead

| | |
|--|--|
| Trusting your sorrow is all you can do. | Remind them there is no escape. |
| Is the sunrise not always faithful? Slowly tiptoe up to your scarred heart, | Watch for fairies, flocks of birds Humming over silver waters Sometimes, surprising joy will flash through clouds |
| Hold out your empty hand Quiver, quake and tremble Loss is afraid to be witnessed. | "This is not what I had planned." |
| Wait and wonder out loud "How can I feel so disoriented?" | Weeping and stumbling through misty mysteries |
| Drop on your knees, catch a falling leaf | Rage, laugh and sing at the fires of friendship. |
| Gaze at hazy horizons "Why have I lost hope?" | Sleep and ask the ancestors what they did |
| Surrendering but not freezing Walk, with faith, into unknown lands. | to survive their sorrows. Tenderly, they cradle death, sighing: |
| Out in those gray fields of fog, attend to your | "Loss never truly ends. Without a doubt Quietly, live on. |
| Tears and laughter, sometimes madness. | Our ugliest wounds will heal When tended well." |
| Comfort your confusion and | |

**Saturday
Nov.26th
10am-4pm**



Milwaukee 16 gauge brad
nailer plus nails
Ridgid 12" chop saw w. Blades
Ridgid 10" table saw w. Extra blades
2 - Husqvarna chainsaws, 1 electric, 1 gas
1974 Homelite XL76 gas chainsaw
Stihl FS85R seeder w. Saw blades and string
Stihl SH86C Shred & Vac blower
Various pieces of fir and cedar, various dimensions
& length
Small tools, gas cans, and misc.

5200 Creekside Road

**CARAGE SALE Dec 3 & 4th
2022
10-3 pm**



11080

Dusty Rd.

(Off south Lacon, not Reginald)

**yard supplies, outdoor
furniture, indoor furniture,
building supplies, tools. Check
Facebook Denman Open
Bulletin Board for link to items**

PUBLIC NOTICE - HORNBY ISLAND PROPOSED ROGERS TELECOMMUNICATIONS FACILITY 63.0-METER SELF-SUPPORT TOWER STRUCTURE

PROPOSED STRUCTURE: As part of the public consultation process required by Innovation, Science and Economic Development (ISED) Canada, Rogers is inviting the public to comment on a proposed telecommunications facility consisting of a 63.0-meter tall self-support tower structure and ancillary radio equipment situated on Provincial Crown land on Hornby Island.

COORDINATES: 49.535055, -124.672134

PUBLIC INFORMATION MEETING: A digital public information meeting is scheduled for Thursday, December 8th, 2022, from 5:00-6:00 pm and shall be hosted via the Microsoft Teams application. For details regarding how to join the meeting, please contact the Rogers contact listed below by no later than December 7th, 2022.

ANY PERSON may comment by close of business day on January 13th, 2023 with respect to this matter. Please submit any comments to the following contact:

ROGERS CONTACT:
Brian Gregg, SitePath Consulting Ltd.
PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Phone: 778-870-1388 Email: brianregg@sitepathconsulting.com



Christmas Corner **Christmas Corner**



Christmas Corner/Crafts

Annual Christmas Craft Sale
 United Mennonite Church
 2277 Enns Road
 Black Creek
 Saturday, December 3rd
 9:00 a.m. - 2:00 p.m.

Baking, crafts, bucket draws, silent auction and more. Special quilt & painting draw for Ukrainian Relief. Call 250-923-5594 for info.

ALL THE NEWS YOU NEED AND MORE!

Black Press Media

LIKE OR FOLLOW



Merchandise for Sale

Rentals

Building Supplies

Townhouses

INTEGRITY POST FRAME BUILDINGS since 2008. Built with concrete posts. Barns, shops, riding arenas, machine sheds and more.
 sales@integritybuilt.com. 1-866-974-7678. www.integritybuilt.com

Best Christmas Ever!
 You deserve to move into this beautiful brand new Townhouse rental Located at Crown Isle Blvd, Courtney, BC.

Misc. Wanted

Over 2,000 gorgeous sqft, garage, 3 bedrooms, bright & spacious, brand new stove, fridge, washer & dryer, too much to detail!
Renting at only \$2,950
 Call: 250-334-7767
 250-334-7165

WANTED SASQUATCH SKULL - Also purchasing SILVER & GOLD coins, bars, jewelry, scrap, nuggets, sterling, 999+ BULLION, maple leaves, bulk silver, pre-1969 coins. Coin collector BUYING ENTIRE COIN COLLECTIONS, old \$ & Royal Canadian Mint coins.
TODD 250-864-3521.

Transportation

LOCALS
 buy and sell here
1-866-865-4460

Cars - Domestic

Paid \$56,000.
2021 Nissan Qashqai
 18 kms selling for \$48,000 or best offer
250-650-6067
 Must sell! Also selling Towtruck and 2 cars!

Hauling & Salvage

Hauling & Salvage

Anything Junk & WASTE REMOVAL
 (Large & Small Loads)

Quick & Friendly Service 7 Days a Week!



- ✓ Appliances
- ✓ Construction debris
- ✓ Tenant leftovers
- ✓ Garage/Shed cleanouts
- ✓ Basement cleanouts
- ✓ Furniture & Mattresses
- ✓ Yard Waste
- ✓ and Demolition

... Almost Anything!!!

anythingjunk.com 250-465-8547

Legal

Legal

Legal

Legal Notices

Legal Notices

Legal Notices

**PUBLIC NOTICE - HORNBY ISLAND
 PROPOSED ROGERS TELECOMMUNICATIONS FACILITY
 63.0-METER SELF-SUPPORT TOWER STRUCTURE**

PROPOSED STRUCTURE: As part of the public consultation process required by Innovation, Science and Economic Development (ISED) Canada, Rogers is inviting the public to comment on a proposed telecommunications facility consisting of a 63.0-meter tall self-support tower structure and ancillary radio equipment situated on Provincial Crown land on Hornby Island.

COORDINATES: 49.535055, -124.672134

PUBLIC INFORMATION MEETING: A digital public information meeting is scheduled for **Thursday, December 8th, 2022, from 5:00-6:00 pm** and shall be hosted via the Microsoft Teams application. For details regarding how to join the meeting, please contact the Rogers contact listed below by no later than **December 7th, 2022.**

ANY PERSON may comment by close of business day on January 13th, 2023 with respect to this matter. Please submit any comments to the following contact:

ROGERS CONTACT:
 Brian Gregg, SitePath Consulting Ltd.
 PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
 Phone: 778-870-1388
 Email: briangregg@sitepathconsulting.com



FOR OUR CARRIERS' SAFETY

IN THE EVENINGS PLEASE



keep your outside lights on to ensure delivery of your paper.

Thanks for your cooperation!




TAKE NOTICE THAT: any One with a prior, equal, or superior right, interest, CONDUCT, treaty or Convention in/to/for/of the NAME and property of: **CAROLYN JOAN BRETT, and/or BRETT, CAROLYN JOAN** Estate in any style or variation thereof capable to confuse, suspend or clog said NAME, Title and/or Estate is hereby WARRANTED to present their said claim to WITNESS: **Sean Evan Miller, c/o 1240 2nd Street, Courtenay BC V9N 1C8** before expiration of twenty-eight (28) days of this Notice publication first published on November 9, 2022.

WE'RE ON THE WEB

TOP Service Providers

To advertise here please call 1-866-865-4460



CLEANING SERVICES

www.CarmensCleaning.biz

Carmens CLEANING
 FULLY INSURED



Home Cleaning Service in the Comox Valley Weekly or Monthly phone Carmen
604-961-3524

HANDY PERSON

Little Lake Services

Handyman Service
 Call John for Free Quotes!

250-465-9150
 Johann@littlakeservices.ca

- Snow Removal • Moss Removal
- Gutter Cleaning • Yard Work
- Carpet Cleaning

Legal Notices

Legal Notices

Legal Notices

Warehouseman's Lien Act

In accordance with the Warehouse Lien Act, I would like to give notice that the property stored in Unit 9 at Airport Service & Mini Storage, 1466 Ryan Rd, Lazo, BC, and owned by Gustavo Suarez, will, after 14 days, be sold or disposed of due to the fees related to its storage being 2 & 1/2 months in arrears. Any persons wishing to pay the amount owing and collect the items can contact John or Marnie at 250 339 3721 or via email: as1968@shawbiz.ca

TAKE NOTICE THAT; any One with a prior, equal, or superior right, interest, CONDUCT, treaty or Convention in/to/for/of the NAME and property of: **STEPHEN WESLEY BUTLER and/or BUTLER, STEPHEN WESLEY** Estate in any style or variation thereof capable to confuse, suspend or clog said NAME, Title and/or Estate is hereby WARRANTED to present their said claim to Witness: **Kimberly Jean, Wheeler. c/o: 1160 Sitka Avenue, Courtenay BC, V9N 8H3** before expiration of the twenty-eight (28) days of the first publishing of this Notice on November 16th, 2022.

We're social!
 Like. Follow. Share.

On your favorite social media sites!



Black Press Media

BC Classifieds.com

...in your community, online and in print

Black Press Media **E-EDITIONS**
Read Us Online! Any Time • Any Place • Any Device
866.865.4460

| | | |
|---------------|---------------|---------------|
| Legal | Legal | Legal |
| Legal Notices | Legal Notices | Legal Notices |

PUBLIC NOTICE - HORNBY ISLAND

PROPOSED ROGERS TELECOMMUNICATIONS FACILITY

63.0-METER SELF-SUPPORT TOWER STRUCTURE

PROPOSED STRUCTURE: As part of the public consultation process required by Innovation, Science and Economic Development (ISED) Canada, Rogers is inviting the public to comment on a proposed telecommunications facility consisting of a 63.0-meter tall self-support tower structure and ancillary radio equipment situated on Provincial Crown land on Hornby Island.

COORDINATES: 49.535055, -124.672134

PUBLIC INFORMATION MEETING: A digital public information meeting is scheduled for **Thursday, December 8th, 2022, from 5:00-6:00 pm** and shall be hosted via the Microsoft Teams application. For details regarding how to join the meeting, please contact the Rogers contact listed below by no later than **December 7th, 2022.**

ANY PERSON may comment by close of business day on January 13th, 2023 with respect to this matter. Please submit any comments to the following contact:

ROGERS CONTACT:
Brian Gregg, SitePath Consulting Ltd.
PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Phone: 778-870-1388
Email: briangregg@sitepathconsulting.com

NOTICE OF INTEREST: If any One, public or private, has a prior, equal, or superior right, interest, CONDUCT, treaty or Convention in/to/for/of the Legally described land [Section 2, LD 15, LT D, PL 22146] and property: [PID003-314-057] in any style or variation thereof capable to confuse, suspend or clog said Title; is hereby WARRANTED to present their said claim, under penalty of perjury to tell the truth, to Witness: Lord Brian Thomas, Wilcox. C/O: 1-717 Aspen Road, Comox, BC, V9M 3X4; before expiration of twenty-eight (28) days of the first publishing of this Notice.

Community Announcements

Coming Events

New Shop Open Now!

The Little Vintage Shop

5352 Island Hwy North (behind Courtenay Country market)
Open Thurs, Friday & Saturday
9:00 am - 4:00 pm
Vintage furniture, tools collectibles and live edge.

Information

Vancouver Island Mountain Sport Society Annual General Meeting

Is being held at 7PM, Dec 14th virtually on a web meeting.
For log in information, please contact info@vimountaincentre.com or call (250)792-2727

Personals

AL-ANON & ALATEEN

Affected by someone's drinking?
Contact: 1-888-425-2666
www.al-anon.org

ALCOHOLICS ANONYMOUS

Call Day or Night Anytime

250-338-8042

Fetch a Dog From the Shelter!

The BCSPCA cares for thousands of orphaned, abandoned and abused dogs each year. If you can give a homeless dog a second chance at happiness, please visit your local shelter today.

BCSPCA
www.spca.bc.ca

Employment Education

Career Opportunities

Contract Truck and Pup Units

Hi-Sky Enterprises Ltd is a Northern BC based Company (Chetwynd BC) is seeking Contract Tridem - Tridem units (Truck and Pup) Hauling up to 50 tonne for work into March (possible longer). Offering competitive rates.

For full details visit: www.localwork.ca

email: lise@hiskyenterprises.com
250-556-4249

Heavy Duty Truck Mechanics

Hi-Sky Enterprises Ltd. in Northern BC (Chetwynd) require Red Seal licensed Heavy Duty Truck Mechanics with the required computer knowledge (both shop & mechanic truck operators needed). Offering full-time work, flexible shifts, very competitive wage based on experience, benefit after 3 month probation period & accommodations if required.

For full details visit: www.localwork.ca

email: lise@hiskyenterprises.com
250-556-4249

Become a Green Shopper

www.pitch-in.ca

Employment Education

Career Opportunities

TRUCK DRIVERS (Class 1 & 3 with Air)

Hi-Sky Enterprises Ltd is a Northern BC based Company (Chetwynd BC) is seeking experienced Class 1 & 3 drivers. We offer competitive wages, benefits, bonus programs and provides accommodation for all drivers if required.

For full details visit: www.localwork.ca

email: lise@hiskyenterprises.com
250-556-4249

Help Wanted

Seasonal Farm Labourers

5 required, full-time, seasonal. Duties: pruning, picking and weeding of berries and field crops. Must be able bodied and have your own transportation. Work is in all types of weather. Wage \$15.65 per hour, 40+ hours per week. Starting March 1, 2023.

Apply by email to: info@coastalblack.ca

Personal Services

Financial Services

GET BACK ON TRACK! Bad credit? Bills? Unemployed? Need Money? We Lend! If you own your own home - you qualify. Pioneer Acceptance Corp. Member BBB. 1-877-987-1420 www.pioneerwest.com

Business Services

Carpentry/Woodwork

250-650-1333 **Skilled Carpenter.** Licensed & certified. Free estimates, Call Doug. suncrestholdings.ca

Exercise Your Brain. Read The Newspaper.

Coming Events

Comox Valley Raiders Youth Football Club

ANNUAL GENERAL MEETING

Thursday December 15th, 2022 7:00 pm

For Teams Link RSVP to CVRaidersSecretary@gmail.com

Everyone Welcome!

Christmas Corner

Christmas Corner/Crafts

Annual Christmas Craft Sale

United Mennonite Church
2277 Enns Road
Black Creek
Saturday, December 3rd
9:00 a.m. - 2:00 p.m.

Baking, crafts, bucket draws, silent auction and more. Special quilt & painting draw for Ukrainian Relief. Call 250-923-5594 for info.

CLASSIFIEDS are just a mouse click away

Place Your Ads Online

Call 1-866-865-4460

Black Press Media

Business Services

Carpentry/Woodwork

NEED A GUY? HANDYMAN SERVICE

Journeyman Carpenter & Jack of all trades.

- Reno's • Decks • Tiling
- Bath & Kitchens • Doors
- Windows • Fix-ups &
- Maintenance. 30 yrs. exp. Reasonable Rates. Seniors Discount.

Jamie 250-650-6304

Business Services

Contractors

COLIN'S PAINTING Interior / Exterior

Book your spot now!

Free Estimates
35 years experience
Excellent References
Cell - 250-465-1662

SHOP LOCALLY

CONNECTING

Your KNOW-HOW with the KNOW-WHO

**PUBLIC NOTICE - HORNBY ISLAND
PROPOSED ROGERS TELECOMMUNICATIONS
FACILITY
63.0-METER SELF-SUPPORT TOWER STRUCTURE**


PROPOSED STRUCTURE: As part of the public consultation process required by Innovation, Science and Economic Development (ISED) Canada, Rogers is inviting the public to comment on a proposed telecommunications facility consisting of a 63.0-meter tall self-support tower structure and ancillary radio equipment situated on Provincial Crown land on Hornby Island.

COORDINATES: 49.535055, -124.672134

PUBLIC INFORMATION MEETING: A digital public information meeting is scheduled for **Thursday, December 8th, 2022**, from 5:00-6:00 pm and shall be hosted via the Microsoft Teams application. For details regarding how to join the meeting, please contact the Rogers contact listed below by no later than **December 7th, 2022**.

ANY PERSON may comment by close of business day on January 13th, 2023 with respect to this matter. Please submit any comments to the following contact:

ROGERS CONTACT:
Brian Gregg, SitePath Consulting Ltd.
PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Phone: 778-870-1388
Email: briangregg@sitepathconsulting.com



Hornby Island Community School



Craft Fair

Saturday December 3rd
11am-1pm

Kids & Families, Crafts, Art, Baking
Wreaths -PAC Fundraiser
Lunch - Soup and Bread
Hornby Community School Gym
Everyone Welcome

Ringside Market
Light Up
*Let's celebrate the start
of the Holiday Season*
Join us Friday, December 2nd
From 4:30-6:30
Light up at 5:00

**PUBLIC NOTICE - HORNBY ISLAND
PROPOSED ROGERS TELECOMMUNICATIONS
FACILITY
63.0-METER SELF-SUPPORT TOWER STRUCTURE**

PROPOSED STRUCTURE: As part of the public consultation process required by Innovation, Science and Economic Development (ISED) Canada, Rogers is inviting the public to comment on a proposed telecommunications facility consisting of a 63.0-meter tall self-support tower structure and ancillary radio equipment situated on Provincial Crown land on Hornby Island.

COORDINATES: 49.535055, -124.672134

PUBLIC INFORMATION MEETING: A digital public information meeting is scheduled for **Thursday, December 8th, 2022**, from 5:00-6:00 pm and shall be hosted via the Microsoft Teams application. For details regarding how to join the meeting, please contact the Rogers contact listed below by no later than **December 7th, 2022**.

ANY PERSON may comment by close of business day on January 13th, 2023 with respect to this matter. Please submit any comments to the following contact:

ROGERS CONTACT:
Brian Gregg, SitePath Consulting Ltd.
PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Phone: 778-870-1388
Email: briangregg@sitepathconsulting.com



Hornby Island Community School



Craft Fair

Saturday December 3rd
11am-1pm

Kids & Families, Crafts, Art, Baking
Wreaths -PAC Fundraiser
Lunch - Soup and Bread
Hornby Community School Gym
Everyone Welcome

Ringside Market
Light Up
*Let's celebrate the start
of the Holiday Season*
Join us Friday, December 2nd
From 4:30-6:30
Light up at 5:00

ROGERS PUBLIC INFORMATION MEETING

Proposed Communication
Site on Hornby Island on
Provincial Crown Land

ROGERS FILE: W6420 – HORNBY ISLAND



Agenda

- Purpose of Public Meeting
- Public Consultation Process
- Why does the network need to be improved?
- Proposed tower location – aerial photo and adjacent land uses
- Proposed design – site plan and tower profile
- Photo simulation
- Coverage Maps – before and after
- Health and Safety
- Next Steps



Purpose of Public Meeting

Improving Wireless

Connectivity on Hornby Island

- The purpose of this public meeting is to engage the community regarding a need to improve wireless service on Hornby Island.
- Rogers is proposing to install a 63.0 meter tall self-support lattice tower structure on Provincial Crown land on the west side of Central Road.
- The subject property is zoned PU-Public Use and adjacent land uses include the Hornby Island Fire Rescue property, the CHFR Hornby Community Radio Society property including an existing radiocommunication facility, the Hornby Island Recycling Depot, the Hornby Island Road Maintenance Yard, Joe King Ball Park and other mixed commercial and public service uses.
- Rogers is willing to explore hosting emergency communications equipment and will consider applications for tower sharing in accordance with Innovation, Science and Economic Development (ISED) Canada co-location protocols.
- All public comments received will be reviewed and shared with the Crown, Islands Trust, ISED and Rogers.



Federal (ISED) and Provincial Consultation Processes

- In order to proceed with this proposal, Rogers is undertaking this consultation process in alignment with the ISED Default Public Consultation Process with an expanded public meeting component.
- Via this expanded process, Rogers has posted multiple newspaper notices as well as online via social media, sent direct referrals to area property owners/occupants as well as engaged the Crown, Islands Trust and all relevant First Nations as identified in the *Provincial First Nation Consultation Areas Database*.
 1. **Mail-out Notification** - Notification packages welcoming public input until January 13, 2023 (greater than the required 30 day comment period) were sent to all property owners/occupants within a radius of three times the proposed tower height. The package included an invitation to tonight's public meeting. The address list was reviewed by the Crown, Islands Trust and ISED.
 2. **Newspaper Notification** - Rogers posted public notices in four (4) publications including: a) *The Islands Grapevine* on November 24th and December 1st, 2022; b) *The Comox Valley Record* on November 23rd and November 30th, 2022; c) the December issue of *The First Edition*; and d) the November 30th edition of the *Hornby Tribune*.
 3. **Public information meeting** - Rogers is hosting tonight's digital public information meeting as a courtesy in order to provide a broader opportunity for public engagement.
 4. **Land Use Concurrence** - At the end of the public comment period, Rogers will summarize the results of the consultation and request a motion or letter of land use concurrence via the relevant land use authorities.
- Subsequent to the ISED Default Consultation Process, Rogers will adhere to the Provincial Crown referral and consultation process as stipulated in the *Crown Land Use Operational Policy - Communication Sites*. This will entail additional referrals to First Nations, land tenure holders and additional public notices (duplicative processes since there are overlapping federal and provincial consultation requirements).
- At the end of the duplicative Crown consultation and referral process, the Crown via the Ministry of Forests, Lands and Natural Resource Operations (MFLNRO) will determine whether to grant Rogers a Licence of Occupation for the proposed communication site and ancillary access and utility uses.

Why Does the Network Need To Be Improved?


- The objective of the proposed facility is to provide reliable wireless service to the Hornby Island community including both voice and data services.
- The proposed infrastructure will provide significant emergency service benefits to residents as nearly 80% of emergency 911 calls are made from wireless devices.
- As of Q2 2022, Canadian wireless phone subscribers numbered approximately 33.5 million (Canadian Wireless Telecommunications Association).
- 31.88 million Canadians have a smartphone as of 2021 (Statistics Canada).
- Smart phones use more than 10 times the bandwidth of an ordinary cell phone, while tablets and laptops can consume more than 1000

Mobile Phone Subscriptions



Note: Mobile phone subscriptions exclude subscriptions to "mobile broadband" and "other plans for mobile connected devices"
Source: joint CRTC-Statistics Canada Quarterly Survey
Market: retail (i.e., residential and business)

Average data usage per subscription with a data plan (GB/month)



Source: CRTC - Communication Market Report, Current Trends - Mobile wireless - April 2022


E-Reader




Smartphone



Laptop




Proposed Tower Location - Aerial Photo and Summary of Adjacent Land Uses



ADJACENT LAND USES


- Hornby Island Fire Rescue property
- CHFR Hornby Community Radio Society including an existing radiocommunication facility
- Hornby Island Recycling Depot
- Hornby Island Road Maintenance Yard
- Joe King Ball Park
- Provincial Crown land
- Other mixed commercial and public service uses.

Proposed Design – Site Plan and Tower Profile



Site Plan

- Rogers has made an effort to keep its space needs to a minimum:
 - Approximately 15.0 m x 15.0 meter tower compound size;
 - Existing access roads can be used with an upgrade to approximately 120 meters of existing, old road off Central road into the site.
 - A 110 meter long power line running from existing power on the south side of Central Road will be required. The power feed will tie into an existing hydro distribution pole and will continue underground.



Tower Profile

- Rogers is proposing a self-support lattice tower structure rather than a guyed tower. This significantly reduces Rogers' footprint on the land.
- The tower height is 63.0 meters tall – the minimum height needed to service the area reliably and to clear the adjacent mature trees and topography.
- Rogers will co-operate with applications for co-location (tower sharing) as per ISED requirements.


Design - Photo Simulation




View Looking West From Central Road

(for discussion purposes only)

Coverage Maps - Before and After



Before



After

| | |
|-----------------|-----------------|
| ★ Proposed Site | □ No Signal |
| | □ Poor Signal |
| | □ Strong Signal |

Health and Safety

- Canada has a rigorous safety code for devices that emit radio frequency (RF) energy.
- Specifically, wireless carriers in Canada must comply with Health Canada's Safety Code 6 - a standard that is comparable to the European Union safety regulations.
- Safety Code 6 was developed and updated in March of 2015 by Health Canada as the exposure standard for the regulation of mobile phones, base stations, Wi-Fi and other radio communications emitting infrastructure.
- The exposure limits are the result of thorough and ongoing scientific review and are comparable to similar safety codes in Europe, the USA, Japan and Australia. Safety Code 6 is based on peer reviewed science.
- Rogers attests that its installation will comply with Safety Code 6.

Next Steps

- Public Consultation - The public comment period for the federal (ISED) portion of this consultation will close on January 13th, 2023.
- Consultation Summary and Request for Land Use Concurrence - Rogers will summarize the results of tonight's digital public meeting and the broader public consultation process for the Islands Trust, Crown and ISED.
- Land Use Concurrence - The Islands Trust will review the results of the public consultation and determine whether or not to grant Rogers land use concurrence.
- Service Delivery - If land use concurrence is granted, Rogers will work with the Crown to finalize its Licence of Occupation to enable service delivery on Hornby Island in accordance with the application submitted.

Questions?





Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island Tower Information Zoom Meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 4:57 PM

To: Stan Combs [REDACTED]

Good Evening Stan:

Please find below the applicable login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

[Quoted text hidden]



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Tower Comments

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 15, 2022 at 2:24 PM

To: Stan Combs [REDACTED]

Good Afternoon Stan:

Thanks for submitting your comment sheet. I will save this on file for the Islands Trust, province (who manages the property), ISED and Rogers. Please feel free to reach out if you have any further questions or comments. I greatly appreciate your time.

Please note that as per ISED (federal) guidelines I am required to advise you that you will have 21 days if you wish to submit further comments as part of the first part of this consultation process. There will be additional opportunities to comment as part of the provincial referral process however.

Thanks and please feel free to contact me anytime at 778 870 1388.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 2:06 PM Stan Combs [REDACTED] wrote:

Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 – Hornby Island

1. Are you a cell phone or wireless device user?

Yes

No

2. Do you feel this is an appropriate location for the proposed facility?

Yes

No
Comments

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?

Yes

No
Comments:

Additional comments

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name Stan Combs

Mailing address

Email Address

Please email to briangregg@sitepathconsulting.com
Or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Attention: Brian Gregg

By January 13, 2023

Thank you for your input.

**COMMENT SHEET
PROPOSED TELECOMMUNICATIONS TOWER
COORDINATES: 49.535055, -124.672134
ROGERS FILE: W6420 – HORNBY ISLAND**

1. Are you a cellular phone or wireless device user?

- Yes
 No

2. Do you feel this is an appropriate location for the proposed facility?

- Yes
 No

Comments

I only use a cell phone rarely; mostly in town.

3. Are you satisfied with the appearance / design of the proposed facility? If not, what changes would you suggest?

- Yes
 No

Comments

I hope this will also be used for land line telephone coverage.

Additional Comments

Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes.

Name Stan Combs
(Please print clearly)

Mailing Address

Email Address

Please email to briangregg@sitepathconsulting.com
or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
ATTENTION: Brian Gregg
by January 13th, 2023.

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed Cell Tower - Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Nov 21, 2022 at 4:25 PM

To: "Kerr, Alison" [REDACTED]
[REDACTED]

Good Afternoon Alison:

Thanks for submitting your comment sheet. I will save your input on file for the decision makers at Innovation, Science and Economic Development (ISED) Canada, the Islands Trust and Rogers.

As per your feedback, it has been our objective to propose a design and location that is as unobtrusive as possible for people in the vicinity. We will be sure to consider all public comments before requesting any land use decision. A digital copy of Rogers' consultation package is attached for your reference.

Please feel free to stay in contact if you have any further questions or comments. Please also kindly note that as per ISED protocols, you will have 21 days if you wish to submit any further input.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Nov 21, 2022 at 3:00 PM Kerr, Alison <[REDACTED]> wrote:

Please see attached feedback and thank you,

Alison Kerr

ALISON KERR

Vice President, Neuroscience, Orthopaedic, & GI/GI Surgery Service Lines

Chief Administrative Officer, Clinical Operations

Emergency Department, Trauma, Stroke, Pathology/Lab Services, Stanford Blood Center, and Office of Emergency Management

Administrative Assistant: [REDACTED]

Stanford Health Care

[Redacted]
[Redacted]
[Redacted]
[Redacted]
[Redacted]



Confidentiality notice: This communication and any attachments may contain confidential or privileged information for the use by the designated recipient(s) named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or the attachments is strictly prohibited. If you have received this communication in error, please contact me and destroy all copies of the communication and attachments. Thank you.

 **Mail-out Package - Rogers - W6420 - Hornby Island.pdf**
878K

COMMENT SHEET
PROPOSED TELECOMMUNICATIONS TOWER
COORDINATES: 49.535055, -124.672134
ROGERS FILE: W6420 – HORNBY ISLAND

1. Are you a cellular phone or wireless device user?

- Yes
 No

2. Do you feel this is an appropriate location for the proposed facility?

- Yes
 No

Comments

3. Are you satisfied with the appearance / design of the proposed facility? If not, what changes would you suggest?

- Yes
 No


Comments


Please ensure it is unobtrusive as possible to those living close by

Additional Comments

Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes.

Name Alison M. Kerr (nee Macdonald)
(Please print clearly)


Mailing Address 9/6 

Email Address 

Please email to briangregg@sitepathconsulting.com
or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
ATTENTION: Brian Gregg
by January 13th, 2023.

Thank you for your input.

Family home owner (MacDonald)


Hornby Island, BC



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Proposed Tower on Hornby Island - W6420 Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Nov 22, 2022 at 9:44 AM

To: [REDACTED]

Hi Don and Deborah:

I hope this email finds you well. I am writing to acknowledge receipt of your comment sheet as attached as we are required to do so per Innovation, Science and Economic Development (ISED) Canada protocols. We are also required to advise you that if you have any further input, you will have 21 days to provide any further comments. More information on this process can be found here: <https://www.ic.gc.ca/eic/site/smt-gst.nsf/eng/sf08777.html>

In response to your question about TELUS, we have not yet received any expressions of interest from TELUS but the tower will be designed to accommodate any third parties that may seek to co-locate including potentially TELUS or other service providers. We will plan to look into this further. Additionally, I understand preliminarily that there may be some interest from the local fire department to add some emergency communications equipment on the tower. No co-location opportunities have been formalized at this time but I understand your input and this should be reviewed.

Finally, for your reference, attached is a digital copy of Rogers' consultation package. You are welcome to share this with any interested people.

Thanks for taking the time to submit your comments and please feel free to stay in touch as the process unfolds.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

2 attachments

 **Comment Sheet - Deborah and Don Peterson copy.pdf**
327K

 **Mail-out Package - Rogers - W6420 - Hornby Island.pdf**
878K

**COMMENT SHEET
PROPOSED TELECOMMUNICATIONS TOWER**

**COORDINATES: 49.535055, -124.672134 ROGERS FILE:
W6420 – HORNBY ISLAND**

1. Are you a cellular phone or wireless device user? Yes
No

2. Do you feel this is an appropriate location for the proposed facility? Yes
No

Comments

This location seems ideal for a cell tower.
Will the tower provide for other carriers such as Telus?
This would increase support for the proposal as there are many Telus cell customers here.

3. Are you satisfied with the appearance / design of the proposed facility? If not, what changes would you suggest?

Yes No

Comments

Additional Comments

You can expect a small but very vocal minority to object to your proposal. The vast majority of residents and tourists would welcome better service.

Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes.

Name Don Peterson
(Please print clearly)

Mailing Address [REDACTED] Hornby Island

Email Address [REDACTED]

**Please email to briangregg@sitepathconsulting.com
or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
ATTENTION: Brian Gregg
by January 13th, 2023.**

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Tower proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Nov 22, 2022 at 12:12 PM

To: S McDonnell [REDACTED]

Good Morning Sheila:

Thanks for reaching out. Please find below a link to the meeting. Please kindly note that if you have any further input, per ISED protocols I am required to advise that you will have 21 days.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the

web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Nov 22, 2022 at 12:10 PM S McDonnell [REDACTED] wrote:

Information meeting

Hello - I would like to receive the Microsoft teams invitation to the information session for the proposed Hornby tower on December 8th from 5-6.

Thank you for the opportunity to participate and learn more about the proposal. I will be representing two community organizations with interests in the vicinity.

Sheila McDonnell

--

I gratefully acknowledge that I reside on the traditional unceded territory of the K'omoks First Nation, the Eitsen, Pentlach, Sasitla and Sahtloot peoples



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed Cell Phone Tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Nov 23, 2022 at 9:52 AM

To: [REDACTED]

Good Morning Rudy:

Thanks for reaching out. Please find below the meeting login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Nov 22, 2022 at 10:33 PM [REDACTED] wrote:

Would you please send me the details for how I can join the planned MS Team information scheduled for December 8th. much appreciated!
Rudy ROGALSKY



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Cell Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 2:51 PM

To: [REDACTED]

Dear Rudy:

Please see attached my prior response with the login details. Please kindly confirm receipt.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 2:49 PM [REDACTED] wrote:

I would like to attend the Dec 8th online meeting about this project. I previously sent a request but I have not received a response with a link.

Rudy ROGALSKY,
Hornby Resident

Sent using the mobile mail app

 **Comment 5 - Rudy ROGALSKY.pdf**
76K



Brian Gregg <briangregg@sitepathconsulting.com>

Telephone Conversation

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Nov 23, 2022 at 3:31 PM

To: Alex Allen [REDACTED]

Thanks Alex. I understand your feedback and would like to work cooperatively through the required consultation process. I appreciated our phone call. It was helpful for me to connect with you and to understand your perspective. Thanks for that.

I have reached out to both of the publications you have noted below. I am not yet sure if we'll be able to meet the ISED prescribed timelines within these particular publications (especially if the deadli for the First Edition is behind us) however I have reached out to inquire. I would be pleased to post additional notices but will also have to be mindful of achieving ISED's requirements.

Currently, we have our notices booked into the Grapevine and Comox Valley Citizen. As context, these are the same publications that TELUS posted its notices in during the prior consultation and are the publications that were reviewed by the planning staff at the Islands Trust.

I'll do my best to top up with additional notifications and would be pleased to work with you to make sure we get the word out. I know that many people are discussing this on Facebook currently, via our mail out and through the two aforementioned newspaper notices that we recently posted.

Thanks and please feel free to stay in contact as the process unfolds. There will be plenty of opportunity for dialogue for all interested people.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Nov 22, 2022 at 3:35 PM Alex Allen [REDACTED] wrote:

Thanks Brian for the phone call. I apologize, I can sometimes be passionate.

Hornby Island publications:

The First Edition (Comes out monthly the first of each month. Deadline the 19th of each month.)

thefirstedition@protonmail.com

Note: This first edition is a double issue (Winter) and covers both December and January.

Hornby Tribune (Comes out weekly on Thursdays. Deadline Mondays before 1:00 pm.)

grey.dawnprinting@gmail.com

Cheers.

Alex Allen
Hornby Island Trustee
(250) 335-1129 Ext. 420

I respectfully acknowledge that I live, work and play on the unceded traditional territory of the K'òmoks First Nation and Coast Salish People.



Brian Gregg <briangregg@sitepathconsulting.com>

Re: W-6420 Hornby Island Rogers Telecommunications Tower Proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Nov 23, 2022 at 4:21 PM

To: Grant Scott <gscott@islandstrust.bc.ca>

Cc: Alex Allen <aallen@islandstrust.bc.ca>, Stefan Cermak <scermak@islandstrust.bc.ca>, Claudia Castro <ccastro@rci.rogers.com>

Good Afternoon Alex and Grant:

Thanks very much for your feedback.

Grant, hopefully you have now received the voicemail that I left with you yesterday. Perhaps we can arrange some time to discuss. If you wish to contact Rogers directly I have cc'd Claudia however I am representing Rogers on this project.

Alex, although we discussed these issues in detail over the phone, please find below my written responses in green text to your email from two days ago.

Dear Brian,

First, I am quite dismayed that I and my fellow local government representative, Grant Scott, have only just heard of the Rogers Cell Tower proposal from community members in the last two days. This is completely unacceptable. **As we discussed, I had previously been working with Heather Kauer and now Sonja Zupanec at the Islands Trust for many months. We have also engaged the province via the MFLNRO. Through your planning department staff, we have welcomed input and offered to attend any upcoming LTC meetings. I look forward to any future opportunities for engagement. We would like to have transparent and open discussions regarding this proposal.**

And to read that Rogers is only advertising in the Denman Island centric Grapevine paper and the Comox Valley Record at the end of this week is so out of touch. We actually have two local publications, of which I am editor of one. Would it not make sense to put something pertaining to Hornby Island in a local Hornby Island paper? **The Grapevine and Comox Valley Record publications are what we understood to be the applicable publications. For instance, these are the same publications that TELUS was previously required to post its public notices in during their prior proposal which I managed and learned a lot from. We also welcomed input from the Islands Trust planning staff on our current consultation process prior to proceeding. Had we known that additional publications would be desired by you, we would have done so proactively. Notwithstanding the foregoing, I think we can work with you to add to the current notification process. I will do my best to achieve this if feasible.**

For your information, I have now reached out to the additional publications that you have mentioned in your separate email. I am not sure if we will be able to achieve ISED's prescribed consultation timelines and the deadlines of these additional publications however I think we can commit to working with you to get the word out more broadly to the extent possible. I am aware that there is also much discussion ongoing on Facebook about this proposal. I think the word is out and we'll work with you to make sure that's the case.

You may also take heart in knowing that this notification process is only the first part of the federally regulated process. Subsequently, the province will also complete additional newspaper notices and referrals since this proposal is on provincial crown land. Thus, there will be plenty of opportunity to top up with additional notifications via the provincial consultation process subsequently which has not yet formally

started. Indeed, when we site towers on provincial land there are duplicative federal and provincial consultation processes that we must undertake so you can be assured that there will be plenty of opportunity for additional notification.

The timing is so wrong and way too fast tracked. So many people are now traveling off island in the next month. A virtual meeting in December and the deadline for comments January 13? That is, with all due respect, ridiculous. And the virtual information meeting is December 6 where Grant and I have a Zoom Trust Council for three days starting on that day. No communication let alone consultation with either of us.

I am asking you to delay this whole proposal process until at least March 2023.

I think the best course of action at this stage is to proceed with the meeting and process as it has been advertised publicly. I would like to honour the public notices as some people have already requested to attend our meeting as planned. I am hopeful that you and/or Grant can attend however there is no obligation. If need be, we can look to potentially schedule an additional meeting in the new year although this is not part of the federal process. In any case, we are doing what we can to provide broader opportunities for public input.

I do not think that this process is fast tracked as you may have initially perceived. As noted above we still need to navigate the provincial referral process as well. We are only starting the first part of the process which is the federal (ISED) notification process.

There is First Nations involved.

The first step I undertook via this proposal was to notify and welcome input from all pertinent First Nations as identified by the province's First Nation Consultation Areas database. I have shared these referrals and all responses provided with the Islands Trust planning staff as well as the MFLNRO. The province also has a duty to consult First Nations and will subsequently send additional referrals to the same First Nations however we wanted to be proactive hence our early referrals to the relevant nations.

Our Housing Society has been looking at that location for years.

Rogers selected the proposed tower location based on a thorough pre-consultation with Islands Trust planning staff and the province. It is my understanding that this particular lot is one of the only locations on Hornby Island that allows for the proposed use.

Regarding land use, the proposed tower is to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation). While our federal use is not subject to zoning, we have sought to identify compatible zoning.

I would also suggest that while I understand there may be varying perspectives on this matter there is no reason in our view as to why the property could not potentially accommodate both housing and a communication site. There is already a radio station communication site nearby for instance.

And why do we need this, when we are having fibre optics installed?

Fibre optics will provide internet connectivity on a fixed basis to one's home or place of business. The proposed cell tower will provide mobile service in the broader community and surrounding waterways. This is complementary to the fibre optic service that you reference. Fibre optic service does not replace a need for mobile connectivity and mobile connectivity does not generally replace a need for fibre optic service. These are distinct yet complementary services and most communities desire both robust wireless and wireline (fibre) services.

You may also find it pertinent that 80% of calls to emergency responders such as 911 are now placed via cell phones so there is a public safety component to this proposal. Having cell service in remote areas of the island and waterways may save lives.

Was this an initiative from a group or individual on this island? I don't understand.

This proposal was initiated by Rogers as there is not currently reliable service in the area.

I could write more words, but for the sake of brevity, I will not now.

Once again I ask that you defer all this until March of next year, where we will have community members back from travels, and more focused without the distraction of the holidays (in person for many for years) and more time to digest.

As the federal consultation process has commenced and the notices are already out it will be our intent to continue with that. However, please be assured that there will be plenty of opportunities for additional engagement via the provincial referral and notification process. Realistically, this process will carry on throughout much of 2023 and we look forward to discussing this with you and your constituents further.

I have personally done considerable diligence prior to moving forward with this proposal. Rogers was initially wanting to propose a tower closer to the co-op in a more visible location however based on my prior experiences on Hornby Island I worked with the Rogers team, Islands Trust and province to put together this revised proposal with the objective of putting our best foot forward. I realize that there will be varying perspectives on such a proposal and we look forward to continuing the discussion.

Thank you.

Alex Allen
Hornby Island Trustee
(250) 335-1129 Ext. 420

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.
PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Nov 21, 2022 at 10:28 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Hi Grant:

I am the Rogers contact for this consultation. I will try to reach out to you both tomorrow over the phone and will follow up in writing as well after we have had a chance to speak.

Thanks,
Brian

Sent from my iPhone

> On Nov 21, 2022, at 10:24 PM, Grant Scott <gscott@islandstrust.bc.ca> wrote:

>

> Is there a contact person at Rogers we can contact?

> Thanks

> Grant

>

>> On Nov 21, 2022, at 7:16 PM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

>>

>> Hi Alex:

>>

>> May you have time tomorrow to discuss? I would be pleased to answer all your questions.

>>

>> Thanks,
>> Brian

>>
>> Sent from my iPhone

>>
>>>> On Nov 21, 2022, at 6:40 PM, Alex Allen <aallen@islandstrust.bc.ca> wrote:

>>>>
>>>> Dear Brian,

>>>>
>>>> First, I am quite dismayed that I and my fellow local government representative, Grant Scott, have only just heard of the Rogers Cell Tower proposal from community members in the last two days. This is completely unacceptable.

>>>> And to read that Rogers is only advertising in the Denman Island centric Grapevine paper and the Comox Valley Record at the end of this week is so out of touch. We actually have two local publications, of which I am editor of one. Would it not make sense to put something pertaining to Hornby Island in a local Hornby Island paper?

>>>> The timing is so wrong and way too fast tracked. So many people are now traveling off island in the next month. A virtual meeting in December and the deadline for comments January 13? That is, with all due respect, ridiculous.

>>>> And the virtual information meeting is December 6 where Grant and I have a Zoom Trust Council for three days starting on that day. No communication let alone consultation with either of us.

>>>> I am asking you to delay this whole proposal process until at least March 2023.

>>>> There is First Nations involved. Our Housing Society has been looking at that location for years. And why do we need this, when we are having fibre optics installed? Was this an initiative from a group or individual on this island? I don't understand.

>>>> I could write more words, but for the sake of brevity, I will not now.

>>>> Once again I ask that you defer all this until March of next year, where we will have community members back from travels, and more focused without the distraction of the holidays (in person for many for years) and more time to digest.

>>>>
>>>> Thank you.

>>>>
>>>>
>>>> Alex Allen
>>>> Hornby Island Trustee
>>>> (250) 335-1129 Ext. 420
>>>>

>>>> I respectfully acknowledge that I live, work and play on the unceded traditional territory of the K'òmoks First Nation and Coast Salish People.



Brian Gregg <briangregg@sitepathconsulting.com>

Cell tower comments

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Nov 24, 2022 at 10:31 AM

To: Doug Chinnery [REDACTED]

Thank you, Doug. I will save your comment sheet on file and will consider reaching out to the HICEEC.. I believe the following link is their website. <https://hiceec.org/>

We can certainly look for ways to soften the base of the compound with cedar or hardieboard fencing instead of chainlink, for example, or possibly some native species landscaping.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you wish to submit any further response.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Nov 24, 2022 at 10:26 AM Doug Chinnery [REDACTED] wrote:

Hi Brian

Here is a comment form from Doug Chinnery, private citizen.

COMMENT SHEET
PROPOSED TELECOMMUNICATIONS TOWER
COORDINATES: 49.535055, -124.672134
ROGERS FILE: W6420 – HORNBY ISLAND

1. Are you a cellular phone or wireless device user?

- Yes
 No

2. Do you feel this is an appropriate location for the proposed facility?

- Yes
 No

Comments

It may be an easier sell to the community if you consulted with the HICEEC group to figure out how to share the site with their long-term housing project. Regardless of that, I think it's a perfect site.

3. Are you satisfied with the appearance / design of the proposed facility? If not, what changes would you suggest?

- Yes
 No

Comments

Possibly consider some landscaping to soften the hard chainlink fence industrial look. Lots of dog walkers and bicycle traffic up there.

Additional Comments

I'm looking forward to increased cell coverage in this area which is currently either underserviced or not serviced at all .

Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes.

Name Doug Chinnery
(Please print clearly)

Mailing Address ██████████ Hornby Island, ██████████

Email Address ████████████████████

Please email to briangregg@sitepathconsulting.com
or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
ATTENTION: Brian Gregg
by January 13th, 2023.

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Tower on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Nov 28, 2022 at 9:35 AM

To: Ilze Raudzins [REDACTED]

Good Morning Ilze:

Please find below the login details for the meeting.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

[Quoted text hidden]



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Jan 9, 2023 at 12:51 PM

To: Ilze Raudzins [REDACTED]

Thank you for your ideas, Ilze.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Jan 9, 2023 at 9:23 AM Ilze Raudzins [REDACTED] wrote:

Hi Brian

Thank you for your reply

I am looking forward to a more open and informative public consultation

My legal address is

[REDACTED]

Hornby Island, BC [REDACTED]

Ilze Raudzins

On Sun, Jan 8, 2023 at 5:41 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Ilze:

Thanks for reaching out.

Please kindly provide your legal address for the purposes of this consultation.

Please find below our comments in green text.

Brian Gregg

After hearing the short on-line presentation and comments on Dec 8, 2022 on the proposed Rogers tower on Hornby, I would like to express my adamant opposition to this tower for the following reasons:

1. The proposed site is also considered as the site for affordable housing, and the area required for the tower could be needed for septic fields or water wells. **We have been advised that the subject crown land property has no other formal applications for other uses at this time, to the best of our knowledge. The subject lot is a large several hundred acre parcel and there is no reason that it cannot accommodate a communication site and housing or other uses. Rogers' footprint on the land will be 15 m x 15 m for its compound -- less than many adjacent single family homes.**

Rogers will use mostly existing access and run power largely underground from Central Rd.

2. The 1 hour digital information meeting does not constitute an extensive public consultation, which is a requirement for this project according to the Islands Trust Model Strategy for Antenna Systems, which was adopted by our Local Trustees on Sept 9, 2022. **Rogers pre-consulted Islands Trust, ISED and provincial staff before commencing the consultation process. Rogers has been required to follow the ISED Default Consultation Process which does not include any requirement for a public meeting. Nonetheless, a digital meeting was hosted.**

Rogers will be meeting with Islands Trust and ISED staff next week to discuss next steps to ensure that due process is adhered to. We heard about the Model Strategy but are not clear on what steps would need to be added to the process if we incorporate aspects of that into the process.

Certainly we will be discussing this but as of this time we are following the ISED process.

3. Within the 189 meters of the tower there may not be any residences but there are areas where people congregate, such as the recycling depot with workers and volunteers and users. Also Joe King park is within its reach, a place where people including children gather, play, eat, exercise. These people need more time and opportunity to evaluate and comment on the Rogers proposal, as asking people for input over the holiday season is rather inconsiderate of Rogers. Not everyone has access to internet.

Regarding land use, the proposed tower is to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).

As context, the surrounding land uses include a fire hall and their existing communication site directly to the east on Crown Grant land, the Hornby Island Recycling Depot to the West on a Crown Lease, the Hornby Island Radio Station (CHFR) and their existing radio tower also to the east, public trails to the south that enter Mt Geoffrey Regional Nature Park and crown land to the north also with trails. There are also a number of recreational facilities (Hornby Island Disc Golf course) and commercial establishments including the Hornby Island Farmer's Market along Central Road. There do not appear to be any residences in the immediate vicinity which we hope represents respectful tower siting.

Please be assured that only the first portion of the consultation has commenced (the federal portion). The provincial consultation and referral process has not yet commenced and will provide another opportunity for engagement.

Rogers is exploring opportunities for potential additional engagement.

4. It seems that the proposed access road to the tower area will be through an area that is currently blocked off to vehicular traffic to prevent access to illegal tree cutting and to getting closer to the recycling depot in the off hours to steal stuff. Also there is a walking, biking trail that goes from Central road to the Recycling Depot and past it, that will be crossed or overrun by the tower access road. **Rogers has made an effort to use existing access with minor improvements so as to minimize tree clearing and ecological impacts. Rogers routinely gates its access driveways so as to limit public access and if that is deemed to be necessary in this instance Rogers would have no issue considering this.**
5. We were told the tower would not carry 5G frequency. At least not at the beginning, but since the aim of Rogers is to cover Canada with 5G, as stated on their webpage, we can expect 5G to be implemented in the future. Even those people who see no harm in 3G,4G frequencies will balk at having 5G in their neighbourhood. Safety code 6 is totally outdated and may not apply to 5G. **All cell towers in Canada will host the latest technologies at some point regardless of service provider. All technologies must comply with Health Canada's Safety Code 6. This is a regulatory requirement.**

6. The location of the tower is at the edge of all the hiking trails of Mt. Geoffrey provincial, regional parks and crown lands. People go in the forest, on the trails, to enjoy nature, the quiet, the solitude. I doubt that they want to hear the pings of cell phones or people chattering away on their cell phones, or see an unnatural edifice towering over the trees. **This tower will not deliver service to most of Mount Geoffrey nor the eastern sections of Helliwell Park as noted in the coverage maps shared in our digital public meeting. Rogers has proposed the tower near Central Road where you claim housing is also desired rather than deep into the trails or park.**
7. There is no guarantee that non-Rogers users will have any benefits from this tower. How many Rogers customers are there on Hornby? **Rogers is welcoming applications for co-location including from local emergency responders and TELUS. TELUS has expressed preliminary interest however we still working on that aspect of the proposal. Rogers will be required to follow ISED's tower sharing protocols so if third parties apply to co-locate Rogers will cooperate in accordance with federal protocols.**

I do not want that tower here at all, aesthetically or practically. I have a landline and a Telus cellphone which I might use for emergencies on the road, but it has no reception in my area. And that's OK.

Landlines are wonderful, however 80% of calls to emergency responders such as 911 are now placed via cell phones. Thus, having reliable wireless or mobile service is a matter of public safety for many people. Your landline will not be of much use out on a trail or waterways for instance.

We live in a rural area and many of us want to keep it that way. I did not come to Hornby for its technical advancements, but for the opposite.

Thanks for sharing your perspective. We will make note of your opinions. There are some people who align with your views and others who desire improved service.

Sincerely

Ilze Raudzins, 33 year resident of Hornby

Please kindly note that per ISED protocols that you will have 21 days if you wish to comment further. You are welcome to call me anytime at 778 870 1388.

Kind Regards,

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Jan 8, 2023 at 9:04 AM Ilze Raudzins [REDACTED] wrote:

Brian Gregg

After hearing the short on-line presentation and comments on Dec 8, 2022 on the proposed Rogers tower on Hornby, I would like to express my adamant opposition to this tower for the following reasons:

1. The proposed site is also considered as the site for affordable housing, and the area required for the tower could be needed for septic fields or water wells.

2. The 1 hour digital information meeting does not constitute an extensive public consultation, which is a requirement for this project according to the Islands Trust Model Strategy for Antenna Systems, which was adopted by our Local Trustees on Sept 9, 2022.
3. Within the 189 meters of the tower there may not be any residences but there are areas where people congregate, such as the recycling depot with workers and volunteers and users. Also Joe King park is within its reach, a place where people including children gather, play, eat, exercise. These people need more time and opportunity to evaluate and comment on the Rogers proposal, as asking people for input over the holiday season is rather inconsiderate of Rogers. Not everyone has access to internet.
4. It seems that the proposed access road to the tower area will be through an area that is currently blocked off to vehicular traffic to prevent access to illegal tree cutting and to getting closer to the recycling depot in the off hours to steal stuff. Also there is a walking, biking trail that goes from Central road to the Recycling Depot and past it, that will be crossed or overrun by the tower access road.
5. We were told the tower would not carry 5G frequency. At least not at the beginning, but since the aim of Rogers is to cover Canada with 5G, as stated on their webpage, we can expect 5G to be implemented in the future. Even those people who see no harm in 3G,4G frequencies will balk at having 5G in their neighbourhood. Safety code 6 is totally outdated and may not apply to 5G.
6. The location of the tower is at the edge of all the hiking trails of Mt. Geoffrey provincial, regional parks and crown lands. People go in the forest, on the trails, to enjoy nature, the quiet, the solitude. I doubt that they want to hear the pings of cell phones or people chattering away on their cell phones, or see an unnatural edifice towering over the trees.
7. There is no guarantee that non-Rogers users will have any benefits from this tower. How many Rogers customers are there on Hornby?

I do not want that tower here at all, aesthetically or practically. I have a landline and a Telus cellphone which I might use for emergencies on the road, but it has no reception in my area. And that's OK. We live in a rural area and many of us want to keep it that way. I did not come to Hornby for its technical advancements, but for the opposite.

Sincerely

Ilze Raudzins, 33 year resident of Hornby



Brian Gregg <briangregg@sitepathconsulting.com>

Info meeting Dec. 8/22

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Nov 28, 2022 at 10:21 AM

To: Don Luney [REDACTED]

Good Morning Don:

Please find below the login details. Thanks for reaching out. We look forward to seeing you at the meeting.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à www.rogers.com/aviscourriel <<http://www.rogers.com/aviscourriel>>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sat, Nov 26, 2022 at 10:07 AM Don Luney [REDACTED] wrote:

Morning. Please send the link to join the digital public meeting on proposed telecommunications structure. It is badly needed.

Cheers Don Luney
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Cell Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Nov 28, 2022 at 10:28 AM

To: Tim Blair [REDACTED]

Good Morning Tim:

Thanks for reaching out and for sharing your comments. You may find the attached consultation package to contain pertinent information. For example, it is noted on page 2 (section 10) that all applications for co-location will be considered in alignment with Innovation, Science and Economic Development (ISED) Canada protocols regarding tower sharing. For example, if another wireless service provider such as TELUS or SHAW were to apply to co-locate, Rogers would be required to cooperate and offer positions on the tower.

I appreciate your idea regarding a native species landscape buffer. I will be sure to pass this along to Rogers. Typically, the tower compounds are required to be fully fenced as per ISED protocols to limit public access. We have been installing in instances such as this attractive cedar or hardieboard fencing around the base of the tower. We will also explore the possibility of planting a native species landscape buffer. Perhaps we can discuss with the Islands Trust as the process unfolds.

Finally, please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you wish to submit any further comments.

Thank you,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sat, Nov 26, 2022 at 6:33 PM Tim Blair [REDACTED] wrote:

Hi Brian

I have reviewed the supporting information now being circulated about the proposed hornby cell tower.

I am a property owner on the island, not a full time resident. I am a cell service user. Service on the island is very poor in high-use times of the year, only ok in winter.

I fully support this project.

The only question i have is whether this tower will make adequate provision for future co-location.

Last comment: please ensure that the tower base (the equipment enclosure) is landscaped with something native, meaning not potted cedar shrubs.

Thank you,

Tim Blair

[REDACTED] north vancouver

[REDACTED]



Mail-out Package - Rogers - W6420 - Hornby Island.pdf

878K



Brian Gregg <briangregg@sitepathconsulting.com>

Re: W-6420 Hornby Island Rogers Telecommunications Tower Proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Nov 28, 2022 at 1:26 PM

To: Grant Scott <gscott@islandstrust.bc.ca>


Hi Grant,

Thanks for your time over the phone today. I understand that your primary questions and comments pertain to wanting to ensure that there is a proper communications plan in place.

Currently, the intended process is as follows. I certainly welcome your comments. Perhaps we can discuss again as well.

Part 1 - Innovation, Science and Economic Development (ISED) Canada Default Consultation Process + Public Meeting

- This process entails three (3) general steps including: 1) a newspaper notice, 2) a mail-out to property owners/occupants within a radius of 3 x the proposed tower height, and 3) a request for land use concurrence via the relevant land use authority.
- Regarding the newspaper notice (step 1), I can confirm that we have ordered multiple notices in the Grapevine, Comox Valley Record, First Edition and the Hornby Tribune. This will cover 4 publications. People will be given until January 13, 2023 to comment (greater than the 30 day required comment period due to the holiday season).
- Regarding the mail-out (step 2), the radius will be 3 x tower height which is just over 189 meters as per below. We actually expanded upon this. Attached are copies of the envelopes that went out and the address list as vetted by the Islands Trust, MFLNRO and my team. We have tried to include all relevant stakeholders in the area while also expanding upon the baseline ISED requirements.
- Regarding the request for land use concurrence (step 3), we can discuss the timing of this into the new year at the end of the public comment period (i.e. after January 13, 2023).
- Although not required by ISED, we have agreed to host a digital public meeting on December 8th and have advertised this broadly in all the above noted newspaper notices.



Part 2 - Crown Consultation Process

- In addition to the above noted federally regulated process, since the tower is proposed to be sited on provincial crown land, Rogers will also have to follow the crown consultation process. Much of this will be duplicative relative to the federal process as it will include referrals to relevant stakeholders including First Nations, crown tenure holders, and will also entail newspaper notification.

- Please note, we have already sent referrals to all relevant First Nations proactively to ensure that we welcome their input early in the process.

During our call, I know we discussed that you may also desire an in person public meeting. While this can certainly be considered, I wonder if we may want to start with the digital public meeting on December 8th and then discuss any subsequent requirements after that time. While I certainly am open to such an additional in person meeting, my experiences with digital meetings has been quite positive and engaging. It also allows people from any community to attend such as those who may not live on Hornby. Further, I should note that while this may not be representative of the current proposal, my prior in person public meeting on Hornby Island for the TELUS proposal was quite problematic and resulted in people derailing the meeting by crossing out the content on our boards with permanent markers and people getting onto a megaphone and taking over the discussions. Certainly this could be managed better however I also think there is some merit to the current digital meeting. How would you feel about allowing the current process to unfold and then perhaps we can reconvene after the digital meeting to discuss whether any additional meeting is merited?

Thanks and I look forward to discussing.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Nov 24, 2022 at 6:12 AM Grant Scott <gscott@islandstrust.bc.ca> wrote:

Hi Brian;

Thanks for your response to Alex. I don't need to talk to Rogers.

The best way to communicate with Hornbyites is through the First Edition, Hornby Tribune and by mail-out to each household. Social media is good but many older people don't use it. Also meetings in the Hall are good. Simply mailing to homes within 100m of the site is not good enough on Hornby. I'm sure you know all that.

Please send Alex and I the link to the Zoom on the 6th and agenda for the meeting.

Please call me if you'd like to discuss.

Thanks

Grant

On Nov 23, 2022, at 4:22 PM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Good Afternoon Alex and Grant:

Thanks very much for your feedback.

Grant, hopefully you have now received the voicemail that I left with you yesterday. Perhaps we can arrange some time to discuss. If you wish to contact Rogers directly I have cc'd Claudia however I am representing Rogers on this project.

Alex, although we discussed these issues in detail over the phone, please find below my written responses in green text to your email from two days ago.

Dear Brian,

First, I am quite dismayed that I and my fellow local government representative, Grant Scott, have only just heard of the Rogers Cell Tower proposal from community members in the last two days. This is completely unacceptable.

As we discussed, I had previously been working with Heather Kauer and now Sonja Zupanec at the Islands Trust for many months. We have also engaged the province via the MFLNRO. Through your planning department staff, we have welcomed input and offered to attend any upcoming LTC meetings. I look forward to any future opportunities for engagement. We would like to have transparent and open discussions regarding this proposal.

And to read that Rogers is only advertising in the Denman Island centric Grapevine paper and the Comox Valley Record at the end of this week is so out of touch. We actually have two local publications, of which I am editor of one. Would it not make sense to put something pertaining to Hornby Island in a local Hornby Island paper?

The Grapevine and Comox Valley Record publications are what we understood to be the applicable publications. For instance, these are the same publications that TELUS was

previously required to post its public notices in during their prior proposal which I managed and learned a lot from. We also welcomed input from the Islands Trust planning staff on our current consultation process prior to proceeding. Had we known that additional publications would be desired by you, we would have done so proactively. Notwithstanding the foregoing, I think we can work with you to add to the current notification process. I will do my best to achieve this if feasible.

For your information, I have now reached out to the additional publications that you have mentioned in your separate email. I am not sure if we will be able to achieve ISED's prescribed consultation timelines and the deadlines of these additional publications however I think we can commit to working with you to get the word out more broadly to the extent possible. I am aware that there is also much discussion ongoing on Facebook about this proposal. I think the word is out and we'll work with you to make sure that's the case.

You may also take heart in knowing that this notification process is only the first part of the federally regulated process. Subsequently, the province will also complete additional newspaper notices and referrals since this proposal is on provincial crown land. Thus, there will be plenty of opportunity to top up with additional notifications via the provincial consultation process subsequently which has not yet formally started. Indeed, when we site towers on provincial land there are duplicative federal and provincial consultation processes that we must undertake so you can be assured that there will be plenty of opportunity for additional notification.

The timing is so wrong and way too fast tracked. So many people are now traveling off island in the next month. A virtual meeting in December and the deadline for comments January 13? That is, with all due respect, ridiculous.

And the virtual information meeting is December 6 where Grant and I have a Zoom Trust Council for three days starting on that day. No communication let alone consultation with either of us.

I am asking you to delay this whole proposal process until at least March 2023.

I think the best course of action at this stage is to proceed with the meeting and process as it has been advertised publicly. I would like to honour the public notices as some people have already requested to attend our meeting as planned. I am hopeful that you and/or Grant can attend however there is no obligation. If need be, we can look to potentially schedule an additional meeting in the new year although this is not part of the federal process. In any case, we are doing what we can to provide broader opportunities for public input.

I do not think that this process is fast tracked as you may have initially perceived. As noted above we still need to navigate the provincial referral process as well. We are only starting the first part of the process which is the federal (ISED) notification process.

There is First Nations involved.

The first step I undertook via this proposal was to notify and welcome input from all pertinent First Nations as identified by the province's First Nation Consultation Areas database. I have shared these referrals and all responses provided with the Islands Trust planning staff as well as the MFLNRO. The province also has a duty to consult First Nations and will subsequently send additional referrals to the same First Nations however we wanted to be proactive hence our early referrals to the relevant nations.

Our Housing Society has been looking at that location for years.

Rogers selected the proposed tower location based on a thorough pre-consultation with Islands Trust planning staff and the province. It is my understanding that this particular lot is one of the only locations on Hornby Island that allows for the proposed use.

Regarding land use, the proposed tower is to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell

towers fall under this legislation). While our federal use is not subject to zoning, we have sought to identify compatible zoning.

I would also suggest that while I understand there may be varying perspectives on this matter there is no reason in our view as to why the property could not potentially accommodate both housing and a communication site. There is already a radio station communication site nearby for instance.

And why do we need this, when we are having fibre optics installed?

Fibre optics will provide internet connectivity on a fixed basis to one's home or place of business. The proposed cell tower will provide mobile service in the broader community and surrounding waterways. This is complementary to the fibre optic service that you reference. Fibre optic service does not replace a need for mobile connectivity and mobile connectivity does not generally replace a need for fibre optic service. These are distinct yet complementary services and most communities desire both robust wireless and wireline (fibre) services.

You may also find it pertinent that 80% of calls to emergency responders such as 911 are now placed via cell phones so there is a public safety component to this proposal. Having cell service in remote areas of the island and waterways may save lives.

Was this an initiative from a group or individual on this island? I don't understand.
This proposal was initiated by Rogers as there is not currently reliable service in the area.

I could write more words, but for the sake of brevity, I will not now.

Once again I ask that you defer all this until March of next year, where we will have community members back from travels, and more focused without the distraction of the holidays (in person for many for years) and more time to digest.

As the federal consultation process has commenced and the notices are already out it will be our intent to continue with that. However, please be assured that there will be plenty of opportunities for additional engagement via the provincial referral and notification process. Realistically, this process will carry on throughout much of 2023 and we look forward to discussing this with you and your constituents further.

I have personally done considerable diligence prior to moving forward with this proposal. Rogers was initially wanting to propose a tower closer to the co-op in a more visible location however based on my prior experiences on Hornby Island I worked with the Rogers team, Islands Trust and province to put together this revised proposal with the objective of putting our best foot forward. I realize that there will be varying perspectives on such a proposal and we look forward to continuing the discussion.

Thank you.

Alex Allen
Hornby Island Trustee
(250) 335-1129 Ext. 420

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.
PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Nov 21, 2022 at 10:28 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:
Hi Grant:

I am the Rogers contact for this consultation. I will try to reach out to you both tomorrow over the phone and will follow up in writing as well after we have had a chance to speak.

Thanks,
Brian

Sent from my iPhone

> On Nov 21, 2022, at 10:24 PM, Grant Scott <gscott@islandstrust.bc.ca> wrote:

>

> Is there a contact person at Rogers we can contact?

> Thanks

> Grant

>

>> On Nov 21, 2022, at 7:16 PM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

>>

>> Hi Alex:

>>

>> May you have time tomorrow to discuss? I would be pleased to answer all your questions.

>>

>> Thanks,

>> Brian

>>

>> Sent from my iPhone

>>

>>>> On Nov 21, 2022, at 6:40 PM, Alex Allen <aallen@islandstrust.bc.ca> wrote:

>>>>

>>>> Dear Brian,

>>>>

>>>> First, I am quite dismayed that I and my fellow local government representative, Grant Scott, have only just heard of the Rogers Cell Tower proposal from community members in the last two days. This is completely unacceptable.

>>>> And to read that Rogers is only advertising in the Denman Island centric Grapevine paper and the Comox Valley Record at the end of this week is so out of touch. We actually have two local publications, of which I am editor of one. Would it not make sense to put something pertaining to Hornby Island in a local Hornby Island paper?

>>>> The timing is so wrong and way too fast tracked. So many people are now traveling off island in the next month. A virtual meeting in December and the deadline for comments January 13? That is, with all due respect, ridiculous.

>>>> And the virtual information meeting is December 6 where Grant and I have a Zoom Trust Council for three days starting on that day. No communication let alone consultation with either of us.

>>>> I am asking you to delay this whole proposal process until at least March 2023.

>>>> There is First Nations involved. Our Housing Society has been looking at that location for years. And why do we need this, when we are having fibre optics installed? Was this an initiative from a group or individual on this island? I don't understand.

>>>> I could write more words, but for the sake of brevity, I will not now.

>>>> Once again I ask that you defer all this until March of next year, where we will have community members back from travels, and more focused without the distraction of the holidays (in person for many for years) and more time to digest.

>>>>

>>>> Thank you.

>>>

>>>

>>> Alex Allen

>>> Hornby Island Trustee

>>> (250) 335-1129 Ext. 420

>>>

>>> I respectfully acknowledge that I live, work and play on the unceded traditional territory of the K'òmoks First Nation and Coast Salish People.

2 attachments



W6420 Hornby Envelopes.pdf

1765K



W6420 - Hornby Island Mail Out Details.xlsx

27K



Brian Gregg <briangregg@sitepathconsulting.com>

Tower meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 2:53 PM

To: Grant and Carol Scott [REDACTED]

Hi Grant:

Please find below the login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on theweb<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 2:49 PM Grant and Carol Scott [REDACTED] wrote:

| Id like to attend

| Grant Scott



Brian Gregg <briangregg@sitepathconsulting.com>

Re: Proposed Tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Nov 29, 2022 at 11:32 AM

To: Tim Jackson [REDACTED]

Hi Tim:

Thanks for sharing your comment sheet and feedback. To your point about tower sharing, per federal guidelines, the wireless carriers are required to cooperate when it comes to applications for co-location or tower sharing. Therefore, if TELUS or another provider expresses interest in sharing the tower, Rogers will be obligated to offer them a position on the tower and cooperate. We do not yet have confirmed interest from TELUS but it is certainly a possibility that they may seek to co-locate in the future and I understand that this would be preferable for many community members.

I'll save your input on file for the decision makers. Please note that I am required per Innovation, Science and Economic Development (ISED) Canada protocols to advise you that you will have 21 days if you wish to submit any further comments or questions.

Thank you,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Nov 29, 2022 at 11:24 AM Tim Jackson [REDACTED] wrote:

Hi Brian

Brett forwarded this along. I hope it helps and I hope I completed it correctly (just in Mexico soaking up some sun at my other Brother's place - the only white stuff here is sand...). Besides the usual radio wave fears, I think the big concern is the fact it is a Rogers Tower and wouldn't allow others to use it. I understand there is an agreement between providers that would allow other carriers on the network.

Cheers,

Tim

COMMENT SHEET
PROPOSED TELECOMMUNICATIONS TOWER
COORDINATES: 49.535055, -124.672134
ROGERS FILE: W6420 – HORNBY ISLAND

1. Are you a cellular phone or wireless device user?
 Yes
 No
2. Do you feel this is an appropriate location for the proposed facility?
 Yes
 No

Comments

Yes, is an appropriate location near to emergency services and also no major aesthetic issue with few Houses around

3. Are you satisfied with the appearance / design of the proposed facility? If not, what changes would you suggest?
 Yes
 No

Comments

Additional Comments

I think many of the local full time population are concerned over the fact it is a Rogers Tower And will it improve their cell service if they are with another carrier such as Telus. Maybe that can be cleared up re other carriers piggy backing on the Roger's tower.

Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes.

Name Tim Jackson
(Please print clearly)

Mailing Address

Email Address

Please email to briangregg@sitepathconsulting.com
or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
ATTENTION: Brian Gregg
by January 13th, 2023.

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Public Information meeting: Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Nov 29, 2022 at 1:18 PM

To: Kate Patten [REDACTED]

Good Afternoon Dr. Patten:

Regarding the public meeting, please find below the login details.

Thanks for your input regarding the lack of reliable service as well. As you noted, this can be inconvenient for people who desire to work remotely. Another aspect to consider is public safety since approximately 80% of calls to 911 and other emergency responders are now placed via cell phones.

Certainly, it can be a challenge to find a supportable location for the needed infrastructure. We are hopeful that the current proposal is responsible and that it will be well received by the community. The location was carefully selected based on a review of the Islands Trust land use bylaw and also based on pre-consultation with a number of community members including First Nations. As you note, we do often hear disproportionately from those who may be opposed more so than those who are supportive so it will be helpful and appreciated if we can hear all perspectives.

Please note that as per ISED protocols, I am required to advise you that you will have 21 days if you desire to submit any further input. Attached is our consultation package with more information.

MEETING LOGIN DETAILS:

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjKxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjKxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-

<https://mail.google.com/mail/u/0/?ik=e3201e1186&view=pt&search...7046547681990863323&dsqt=1&simpl=msg-a%3Ar-7046547681990863323>

CA>

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Nov 29, 2022 at 12:39 PM Kate Patten <kate.e.patten@gmail.com> wrote:


Gregg,

I would like to join this meeting, please. As a recent implant (1 year ago) to Hornby, I am finding the cell service abysmal, and had to delay moving here for work-related reasons due to the poor cell service.

My husband and I understand that there is a very vocal but small group opposed to cell towers, as they believe that having cell towers will diminish their lives and life expectancy. We are hoping to get more pro-telecommunication tower people involved in helping your proposal to go forward.

Cheers,

Kate Patten

Dr. Kathryn E. Patten
Director: Neuro Emotional Literacy Program
ENGRAMMETRON
Simon Fraser University


 **Mail-out Package - Rogers - W6420 - Hornby Island.pdf**
878K



Brian Gregg <briangregg@sitepathconsulting.com>

Survey Comment Sheet

Brian Gregg <briangregg@sitepathconsulting.com>

Sun, Dec 18, 2022 at 10:48 AM

To: Kate Patten [REDACTED]

Good Morning Kate:

Thanks very much for submitting your comment sheet. I will save this on file for the Islands Trust, ISED, Rogers and the province (land management authority) to consider.

Please kindly note that I am required to advise you that as per ISED protocols you will have 21 days if you wish to submit any further comments. With that said, there will be plenty of engagement opportunities into the new year as the provincial referral process will likely commence at that time.

Please feel free to call or email me anytime. My cell number is 778 870 1388. Thanks again for your time and I hope that you have a great Christmas season.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Dec 18, 2022 at 10:04 AM Kate Patten [REDACTED] wrote:

Please find attached the comment sheet.

Merry Christmas!

COMMENT SHEET
PROPOSED TELECOMMUNICATIONS TOWER
COORDINATES: 49.535055, -124.672134
ROGERS FILE: W6420 – HORNBY ISLAND

1. Are you a cellular phone or wireless device user?

- Yes
 No

2. Do you feel this is an appropriate location for the proposed facility?

- Yes
 No

Comments

- No housing nearby
- land readily available (zoned Public Use)

3. Are you satisfied with the appearance / design of the proposed facility? If not, what changes would you suggest?

- Yes
 No

Comments

- Off main roads - can only see it in the distance!
- not an intrusive looking structure.

Additional Comments

Long needed on the island! Thank you, Rogers!
(The naysayers are uninformed people who want the island to remain in the last century.)

Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes.

Name Kathryn Patten
(Please print clearly)

Mailing Address [REDACTED] HORNBY ISLAND

Email Address [REDACTED]

Please email to briangregg@sitepathconsulting.com
or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
ATTENTION: Brian Gregg
by January 13th, 2023.

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed Tower on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Nov 29, 2022 at 1:21 PM

To: Andrew M Jackson [REDACTED]

Hi Andrew,

Thanks for taking the time to submit your comments, especially as a Rogers customer. We are hopeful that the current proposal is responsible and that it will be well received by the community. The location was carefully selected based on a review of the Islands Trust land use bylaw and also based on pre-consultation with a number of community members including First Nations.

Regarding the public meeting, please find below the login details.

MEETING LOGIN DETAILS:

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Please note that as per ISED protocols, I am required to advise you that you will have 21 days if you desire to submit any further input.

Thanks and I look forward to seeing you at the digital public meeting.

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Nov 29, 2022 at 11:04 AM Andrew M Jackson [REDACTED] wrote:

Hi Brian,

Attached is our comments page. No real comments other than agreeing with the location and in favour of the structure. We are Rogers mobile customers so this would very likely improve our cell service at [REDACTED]

Can you me send info on how to join the Microsoft Teams meeting on Dec 7?

I have shared your original email and the mail-out package with some neighbors. One let me know they just heard about it. Many are not permanent residents so don't get any mail delivery on Hornby or probably read the local papers at this time of year.

Thanks,

Andrew

COMMENT SHEET
PROPOSED TELECOMMUNICATIONS TOWER
COORDINATES: 49.535055, -124.672134
ROGERS FILE: W6420 – HORNBY ISLAND

1. Are you a cellular phone or wireless device user?

- Yes
 No

2. Do you feel this is an appropriate location for the proposed facility?

- Yes
 No

Comments

3. Are you satisfied with the appearance / design of the proposed facility? If not, what changes would you suggest?

- Yes
 No

Comments

Additional Comments

We are Rogers mobile service customers and property owners on Hornby Island.

Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes.

Name Andrew & Nola Jackson
(Please print clearly)

Mailing Address [REDACTED]

Email Address [REDACTED]

Please email to briangregg@sitepathconsulting.com
or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
ATTENTION: Brian Gregg
by January 13th, 2023.

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby cell tower

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 12:12 PM

To: Bree Stotts [REDACTED]

Thank you very much, Bree, for sharing your letter of support. I will save this on file for the decision makers.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 5, 2022 at 10:03 AM Bree Stotts [REDACTED] wrote:

Hi Brian

We look forward to attending. Please find attached a letter of support as well.

Bree

On Dec 1, 2022 at 2:22 PM -0800, Brian Gregg <briangregg@sitepathconsulting.com>, wrote:

Good Afternoon Bree:

Thanks for reaching out. It would be greatly appreciated to have you attend the meeting. Please find below the login details for the meeting. Please also find attached a copy of Rogers' consultation package.

Microsoft Teams meeting Join on your computer, mobile app or room device Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjKxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d> Meeting ID: 275 419 180 818 Passcode: cZRSfU Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>> Join with a video conferencing device rogersvc@m.webex.com Video Conference ID: 117 646 713 2 Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>> Or call in (audio only) +1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver Phone Conference ID: 173 789 574# Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>> Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above. Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjKxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Please kindly note that as per ISED protocols, I am required to advise you that you will have 21 days if you wish to submit any further comments.

Thanks and I look forward to seeing you at the meeting.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 1, 2022 at 12:25 PM Bree Stotts [REDACTED] wrote:

Hi Brian

Can you add [REDACTED] to the list for the Teams meeting December 8th? We would love to voice our support for the project.

Thank you

Bree

Bree Stotts

██████████ ██████████ ██████████ Hornby Island ██████████

December 5, 2022

Brian Gregg
SitePath Consulting Ltd.
PO Box 20138
Vancouver RPO, Fairview BC
V5Z 0C1

Dear Mr. Gregg,

I'm writing this letter of support for the proposed Rogers Telecommunications Facility tower installation proposed to be constructed at 49.535055, -124.672134 on Hornby Island, BC.

As a resident of the island since 2015, small business owner since 2018 and Air Ambulance Helicopter Captain I can see the importance of improving communications on our remote island from many perspectives. Most importantly connectivity for our remote community with little communications infrastructure for either residents or visitors.

With the islands last remaining pay phone (at the Hornby Island Co-op) removed people will be relying on their mobile phones or landlines for connectivity. An improved cellular signal would be essential in helping those with out a landline and our first responders.

We rely solely on our Hornby Island Fire Department to provide all first responder duties, with no paramedic station or full time police presence our volunteer fire fighters take the majority of calls on the island. I believe improved ability for people to reach 9-1-1 on their mobile devices and our first responders having a better mobile signal would make everyones job a lot easier.

Lastly, the frustration of operating a business on an island where our customers have no signal once they arrive at our business, they can't interact in the most basic ways with social media, points programs (BC Ale Trail) or any of the services on their phones they are actually paying for.

I know that from the "stories" I've heard, towers have been proposed before and received a large resistance due to a belief that the radiation is harmful. Some locals refuse to have cellular devices in their homes because of perceived headaches from the. technology. I

think it's important that Rogers addresses these false/misleading health risks that will no doubt be the largest opposition.

From my family of first responders, air ambulance captain and volunteer fire fighter, as well as rural small business owners we are excited that there is a chance we will finally receive the service we pay for on Hornby Island.

We were 20 year+ Rogers mobility customers when we moved to Hornby Island and mistakenly switched to Telus believing they had the closest tower to our island and therefore would have a better signal, this was not the case. We would be happy to switch our family of 4 back to Rogers if this proposed tower is allowed to be constructed.

Sincerely yours,



Bree & Ashley Stotts



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby island cell tower

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 1, 2022 at 4:20 PM

To: Toby Krell [REDACTED]

Hi Toby:

Please find below the login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Please kindly note that as per ISED protocols you will have 21 days you desire to submit any comments.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 1, 2022 at 4:18 PM Toby Krell [REDACTED] wrote:

Please register me for zoom public meeting Dec 8.

Thank you. Toby Krell

[REDACTED]
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island proposed Cell Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 1, 2022 at 4:47 PM

To: Robert Evans [REDACTED]

Dear Mr. Evans:

Thanks for submitting your comments. It is very helpful and appreciated to understand your perspective as an emergency preparedness committee member. I have shared your comments directly with Rogers and urged them to consider your suggestion as I think it is a valuable idea. Emergency response services are a critical aspect of having wireless service.

Please also kindly note that per Innovation, Science and Economic Development (ISED) Canada protocols, the wireless carriers are required to cooperate and consider applications for co-location or tower sharing. Thus, while we do not currently have a formal application from TELUS or other service providers, I can assure you that if they express interest in co-locating that it will be considered in accordance with federal tower sharing protocols.

Thanks very much for sharing this idea. Please feel free to stay in contact as this process unfolds.

Please kindly note that as per ISED protocols, you will have 21 days if you desire to submit any further comments.

Best Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Nov 30, 2022 at 7:21 PM Robert Evans [REDACTED] wrote:

Hello Mr. Gregg,

Hornby Island has very poor cell coverage and an adequately located cell tower could cover the entire island. Your radio path survey should include both the east and west sides of the island for us to have good coverage for the purposes of emergency preparedness. I am on the Hornby Island Emergency Preparedness Committee. I would like to set up a Text messaging scheme to be able to reach the various neighbourhoods on the island in the event of an emergency. Due to the fact that many people use cellular providers other than Rogers, I would like to be assured that Rogers will definitely encourage and welcome all Canadian cellular providers to locate their own antennas on your tower (with whatever leasing arrangements are necessary).

Sincerely,

Robert Evans
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island cell tower

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 16, 2022 at 10:30 AM

To: [REDACTED]

Good Morning Robert:

Thanks for sharing your comment sheet as attached. I will save your input on file for the Islands Trust, ISED, Rogers and the province (land management authority for the subject property).

The challenge with Mt. Geoffrey as per your suggestion, I believe, is that it may be designated as park land. Rogers will also typically need vehicle access (for construction/maintenance) and power and I believe the mountain does not have supporting infrastructure nearby. Thus, we'd need to clear trees to build a longer road and power line which would potentially be more impactful. With that said, it is an interesting idea and I'll share it with Rogers' engineering team.

The idea of a "tree" design is feedback we hear from time to time. The challenge I've heard with those tree towers (aka "monopines") is that they tend to look very artificial as they are taller than natural trees and tend to draw more attention to themselves vs. typical utility poles or lattice towers. The tree designs are also challenging to maintain and complete service upgrades on. That said, I do appreciate the idea and will share it with the team at Rogers.

Other ideas that I think we can readily consider:

- Cedar or hardieboard fencing around the compound (rather than chainlink fencing with barbed wire which is typical);
- self-support tower (instead of a guyed-tower with wires and anchors) -- this will make the footprint on the ground around 15 m x 15 m instead of 200 m x 200 m for a guyed tower.
- landscape buffer - we could look to plant some native species at the base of the tower
- Siting the tower amongst mature trees to screen it from view (as currently proposed);
- Underground power (currently proposed)
- Use of existing access roads (currently proposed)

There may be some other ideas as well and we look forward to discussing.

Thanks and please kindly note that I am required to advise you that you will have 21 days if you wish to comment further as per ISED protocols.

Please feel free to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 6:38 PM [REDACTED] wrote:

Please read the completed form attached.

Robert Evans

Sent from my iPhone



Comment - Robert Evans.pdf

1017K

COMMENT SHEET
PROPOSED TELECOMMUNICATIONS TOWER
COORDINATES: 49.535055, -124.672134
ROGERS FILE: W6420 – HORNBY ISLAND

1. Are you a cellular phone or wireless device user?

- Yes
 No

Yes

2. Do you feel this is an appropriate location for the proposed facility?

- Yes
 No

Almost. It might be better on top of Mt. Geoffrey

Comments

3. Are you satisfied with the appearance / design of the proposed facility? If not, what changes would you suggest?

- Yes
 No

I like the camouflaged tree designs better

Comments

Additional Comments

Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes.

Name _____

Robert Evans

(Please print)

Mailing Address _____

Email Address _____

Please email to briangregg@sitepathconsulting.com
or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
ATTENTION: Brian Gregg
by January 13th, 2023.

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Registering for Dec 8 Consultation

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 1, 2022 at 4:48 PM

To: [REDACTED]

Hi Rachelle:

Please find below the meeting login details. I look forward to seeing you there.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

CA>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 1, 2022 at 4:42 PM Rachelle Chinnery [REDACTED] wrote:

| Hello

Please sign me up with this email [REDACTED]) for the online consultation on Dec 8 for the Hornby tower.

thank you
Rachelle Chinnery

[REDACTED]
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

In Favour of Hornby Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 1, 2022 at 4:50 PM

To: [REDACTED]

Hi Rachelle:

Thanks for submitting your input. I have shared your comments directly with Rogers and urged them to consider your suggestions as I think it is a valuable idea.

Please kindly note that per Innovation, Science and Economic Development (ISED) Canada protocols, the wireless carriers are required to cooperate and consider applications for co-location or tower sharing. Thus, while we do not currently have a formal application from TELUS or other service providers, I can assure you that if they express interest in co-locating that it will be considered in accordance with federal tower sharing protocols.

Thanks very much for sharing this idea. Please feel free to stay in contact as this process unfolds.

Please kindly note that as per ISED protocols, you will have 21 days if you desire to submit any further comments.

Best Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 1, 2022 at 4:28 PM Rachelle Chinnery [REDACTED] wrote:

Hello!

I am a full-time resident on Hornby Island and would like to express my unmitigated support for this project. My only concern is the cell tower would only service Roger's customers. Please clarify how the tower can most broadly serve the entire community.

Thank you.
Rachelle Chinnery



Brian Gregg <briangregg@sitepathconsulting.com>

Document shared with you: "Rogers Comment Sheet Dec 2022.docx"

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 16, 2022 at 10:34 AM

To: Rachelle Chinnery [REDACTED]

Good Morning Rachelle:

Thanks for sharing your comment sheet. I will save this on file for the Islands Trust, ISED, Rogers and the province (land management authority) to consider. I really appreciate your time and attendance at the public meeting. I am looking at options for additional engagement in the new year.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land. This is a little complex as there are both federal and provincial consultation requirements to consider as well as local requests for additional engagement that we are reviewing.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 12:21 PM Rachelle Chinnery (via Google Docs) [REDACTED]

wrote:

[REDACTED]

Rachelle Chinnery shared a document



Rachelle Chinnery [REDACTED] has invited you to **edit** the following document:

From the HIRRA meeting.

 Rogers Comment Sheet Dec 2022.docx

 Rachelle Chinnery is outside your organization.

Open

If you don't want to receive files from this person, [block the sender](#) from Drive

Google LLC, 1600 Amphitheatre Parkway, Mountain View, CA 94043, USA
You have received this email because porcelaincarver@gmail.com shared a document with you from Google Docs.



Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 – Hornby Island

1. Are you a cell phone or wireless device user?

€ Yes

€ No

2. Do you feel this is an appropriate location for the proposed facility?

€ Yes

€ No

Comments

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?

€ Yes

€ No

Comments:

Additional comments

This tower must be able to house other providers other than Rogers.

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name Rachelle M. Chinnery

Mailing address [REDACTED] Hornby Island [REDACTED]

Email Address [REDACTED]

Please email to briangregg@sitepathconsulting.com
Or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Attention: Brian Gregg

By January 13, 2023

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby cell tower

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 1, 2022 at 4:51 PM

To: Dale Armstrong [REDACTED]

Good Evening Steven:

Thanks for sharing your feedback and idea. This is greatly appreciated. I will advise Rogers' engineering and planning teams about your property location for potential future consideration. This is sincerely appreciated.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Nov 30, 2022 at 11:09 PM Dale Armstrong [REDACTED] wrote:

Hi Brian,

Just wanted to touch base with you.

If the current purposed location falls through with community push back. We have a large 82 acre parcel centrally located on Hornby. And we would entertain the idea. It is 5500 central road.

Mid way between the coop and community hall.

Regards,
Steven Armstrong

Sent from my iPhone



Brian Gregg <briangregg@sitepathconsulting.com>

HI Tower-proposal docs, please

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 2, 2022 at 2:29 PM

To: christiane_ibrown [REDACTED]

Cc: christiane_ibrown [REDACTED]

Hello Christiane:

Thanks for reaching out. Please find attached the document.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 2, 2022 at 12:19 PM christiane_ibrown [REDACTED] wrote:

Hello, Brian.

Kindly send us the Hornby Island Tower Proposal document (point by point) plus the comments sheet, as pdf.

Your Public Notice and site map are unfortunately not sufficient.

Sincerely

Christiane Brown

Sent from [ProtonMail](#), encrypted email based in Switzerland.

 **Mail-out Package - Rogers - W6420 - Hornby Island.pdf**
878K



Brian Gregg <briangregg@sitepathconsulting.com>

re Rogers proposed public information meeting on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 12:59 PM

To: christiane_ibrown [REDACTED]

Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Dear Rex and Christiane:

Please find our responses below in green text.

December 4, 2022

To Brian Gregg - SitePath Consulting Ltd.

briangregg@sitepathconsulting.com

Dear Brian Gregg,

We are Hornby Island residents, and we are writing you concerning the virtual "Public Information Meeting" regarding the proposed Rogers telecommunications facility that's scheduled for Thursday Dec 8 th .

As per the Comox Valley Regional District Policy Number: P89 - Telecommunication Antenna System Application and Consultation Process Page 4 of 6:

4) The Proponent is to host a public information meeting in order to share relevant information with members of the public who may be affected by the proposed development.

The public information meeting:

a. Should be hosted in-person. The meeting may be hosted virtually during times at which Public Health Orders affect in-person events, but in-person events are still encouraged when strategies to mitigate public health risks can be implemented; Considering there is no public health order currently in effect, a virtual meeting would be considered inadequate to facilitate a proper public consultation to provide the information the residents would require to provide their input.

Considering ISED CPC-2-0-3 Page 7:

Proponents must follow the land-use consultation process for the siting of antenna systems, established by the land-use authority, where one exists. ...In all cases, telecommunications carriers, broadcasting undertakings and third party tower owners must notify and consult with the local public when proposing a new antenna tower, either by following ISED's default public consultation process or, where one exists, the land-use authority's public consultation process.

the CVRD Policy P89 Process would be the proper one to follow.

Virtual meetings discriminate against many members of our community who either don't use computers nor do they have the skills to set up a Microsoft Teams meeting or who are part of the population here who live with limited means and don't own computers.

In summary, it seems you are obligated by existing processes to have an in-person public meeting, which would need to be held in an appropriate facility on Hornby Island. Thank you for showing respect to our community needs.

Sincerely,

Rex and Christiane Brown

It is our understanding, upon reviewing this proposal with Innovation, Science and Economic Development (ISED) Canada, Islands Trust and Ministry of Forests, Lands and Natural Resource Operations (MFLNRO) staff that the Islands Trust is the applicable land use authority on Hornby Island for most matters including this

proposal. However, as Rogers' proposal is on Provincial Crown Land, we will also be working closely with the crown via the MFLNRO. I have not been advised at this time that the CVRD is the applicable land use authority.

Nonetheless, I have shared your question with ISED to clarify however I can assure you that we pre-consulted ISED, the Island Trust and the MFLNRO extensively on this proposal prior to moving into public consultation and it is our understanding that the aforementioned comments are accurate re: the Islands Trust and MFLNRO having decision making capacity.

It is our intent to complete the digital public meeting on December 8th as advertised. From there, we will review whether additional engagement is merited in the new year. Please be assured that there will be plenty of opportunity for additional engagement as we are currently only completing the required federal (ISED) portion of the consultation however since the proposal is on Provincial Crown land there will also be a provincial referral and consultation process including another round of public notices.

I can assure you that this proposal has been posted in four local publications including the Grapevine, Comox Valley Record, The First Edition and the Hornby Tribune as well as on social media. We also sent referrals to all relevant First Nations early on in the process before advising the Hornby Island community.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you desire to submit further input. Please find attached a copy of Rogers' consultation package for additional context.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Dec 4, 2022 at 12:55 PM christiane_ibrown [REDACTED] wrote:

Dear Brian Gregg,
please find attached our response to the proposed Rogers public information meeting.
Sincerely
Rex and Christiane Brown

 **Mail-out Package - Rogers - W6420 - Hornby Island.pdf**
878K



Brian Gregg <briangregg@sitepathconsulting.com>

Comments re Rogers Tower Proposal.

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Jan 6, 2023 at 5:08 PM

To: christiane_lbrown [REDACTED]

Thank you and I will make note of this for the future.

Thanks for your input.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Jan 6, 2023 at 4:30 PM christiane_lbrown [REDACTED] wrote:

Our address: [REDACTED] Hornby Island BC [REDACTED]

You are most welcome to visit.

Christiane

Sent from [ProtonMail](#), encrypted email based in Switzerland.

----- Original Message -----

On Friday, January 6th, 2023 at 4:15 PM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Hi Christiane:

Happy new year. I found your email to be quite interesting. I might be interested in taking my family over for a bee hive visit one day. I imagine that it would be a truly wonderful experience. My cousin is a beekeeper and I value your work. Thanks for sharing this. This is important work that you do.

With that said, we are not clear that the proposed facility will have the impacts that you are concerned about. There are many instances of successful agricultural businesses that also house radiocommunication facilities. While we are not experts on bees nor ecologists, we can confirm that Rogers attests that its proposed installation will comply with all applicable regulations including Health Canada's Safety Code 6. This is the same safety code that the local radio station must comply with, for instance.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Finally, please kindly provide your civic address for the purposes of this consultation process.

Thank you,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Jan 6, 2023 at 3:31 PM christiane_lbrown [REDACTED] wrote:

Dear Brian,

the article below was submitted by me to one of our local community papers recently; and with a slightly different wording, addressed to you back in 2017, the year we successfully opposed a Telus Tower for the same reasons.

Unfortunately I must repeat what I have submitted to you already in the past, i.e. as an active beekeeper over a decade I cannot give my permission to harm and/or kill this island's honeybee population, nor all the other delicate and fragile insects such as butterflies, wild bees etc, all needed to pollinate our flower gardens, fruit orchards and vegetable gardens. I am sure you are familiar with the saying, "no bees, no food"? And as a parent yourself, you surely would pass that message on to your children? Or better even, would allow them to experience the most fascinating world of a beehive, full with life and activity and sound and fragrance? A hive without the stress from pesticides, invasive greed for honey, machine noise and microwave radiation? An experience a child would never want to forget!

(I have taken liberty to speak to you as a fellow human being, not just for the sake of our own personal interest but for all the children yet unborn.)

I have a rich store of hands-on beekeeping experiences and have done my share of research about the harmful effects of high-tech cellular "services" to plants, birds, bees and humans alike. With due respect, I cannot and will not provide you with my written or verbal informed consent to a cell tower on Hornby Island that can and will include 5G.

Respectfully.

Christiane Brown

**SILENT MICROWAVE APPLICATION
RESISTANCE TEST : Not on
Hornby Island!**

The harmful effects of EMFs on nature and honeybees are scientifically based and have been under-reported for many years.

Bees (and butterflies) are fragile creatures, still, they have survived for thousands of years.

Although they are susceptible to diseases and attacked by natural enemies such as wasps, ants, wax moths and varroa mites, the constant care and vigilance of the beekeeper can help the bees to overcome these problems.

Still, a sharp decline of honey bee populations has been observed all over North America.

Current theories about CCD (colony collapse disorder) blame pesticide-poisoning, drought, mono-cultural practises, migrating stress and varroa mites.

New experiments however show a strong connection between honey bee population decline and electro-magnetic radiation (EMR) from mobile phones and cell towers. The massive amount of EMRs is actually frying the delicate navigational skills of the foraging honey bees and prevent them from returning to their hives.

The "bee dance" that is being performed continuously in the dark hives informs the foraging bees of the various nectar sources: *Where* they can be found, *in what distance from the mother hive* and *in what angle to the sun!* The EMRs confuse the bees, they

starve and die.

For years, scientists, funded by mobile phone and cell tower industry deny the correlation between EMR and bee colony collapse. One cannot help but notice that denials are always the case where a news story affects and potentially threatens a lucrative business.

Here are some headlines: **"Technology is quite literally destroying nature... with electro-magnetic radiation from power lines and cell towers...5G could increase that,"** Newsweek 2018

180 scientists and doctors from 35 countries have signed a recommendation for a 5G moratorium.

"...unprecedented exposure interferes with the natural functioning of humans, animals and plants" Dr, Ulrich Warnke 2009

"Bees disappearing mysteriously...bees under threat....increasing evidence EMF pollution such as cell towers, cell phones, cordless phones and wifi is a factor" Dr. Andrew Goldsworthy, 2009

Electromagnetic Fields 'A Credible Threat' To Wildlife Joel M. Moskowitz, Ph.D., 2018

Sent from ProtonMail, encrypted email
based in Switzerland.



Brian Gregg <briangregg@sitepathconsulting.com>

Meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Sun, Dec 4, 2022 at 4:19 PM

To: Vicki Bale [REDACTED]

Dear Vicki:

Please find the applicable login details below.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à www.rogers.com/aviscourriel <<http://www.rogers.com/aviscourriel>>

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 1, 2022 at 5:46 PM Vicki Bale [REDACTED] wrote:
Please register me for the meeting on December 8th from 5.— to 6.00pm
Thank you
Vicki



Brian Gregg <briangregg@sitepathconsulting.com>

Cell tower meeting advice

Brian Gregg <briangregg@sitepathconsulting.com>

Sun, Dec 4, 2022 at 4:35 PM

To: Eva Wetzel [REDACTED]

Dear Eva:

Thanks for sharing your input. As you noted, service is quite limited on Hornby Island currently hence this proposal.

In response to your feedback, I can confirm that Rogers is committed to allowing co-location on the tower in accordance with Innovation, Science and Economic Development (ISED) Canada protocols. I understand that other wireless carriers have been made aware of the proposed tower location and they are reviewing the location to confirm whether they would like to apply to co-locate on or share the tower. I understand that this is important for many in the community. Thanks for sharing this feedback. It is helpful for us to understand the prevailing questions and concerns.

Please kindly note that as per ISED protocols you will have 21 days if you wish to submit any further input.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 2, 2022 at 11:00 AM Eva Wetzel [REDACTED] wrote:

Hi,
My husband and I, and I am sure most of our neighbourhood (Anderson Drive area), are much in favour of good cell service which we do not have. I am a Rogers customer and can message, but not call from my location.

The crucial item for Rogers to concede is that the cell tower will be shared by other providers. Most opposition will be based on a Rogers half promise to share, rather than a commitment.

This is a stubborn little island with a lot of naysayers. However, one element of the normal naysayers are young people and they are in this case very much in favour of better cell service, I would think. They need it as they are a mobile population hopping from rental to rental. For them, the internet is not a solution available to them. They have phones, but many live in dead zones, or one bar zones. I would find a way of pointing this out.

Hoping for the best,

Eva Wetzel

[REDACTED]
Hornby Island, BC[REDACTED]
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby tower

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 16, 2022 at 10:58 AM

To: Eva Wetzel [REDACTED]

Good Morning Eva:

Thanks for submitting your comment sheet. I will save your comments on file for the Islands Trust, ISED, Rogers and the province (land management authority for this parcel) to consider.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land. This is a little complex as there are both federal and provincial consultation requirements to consider as well as local requests for additional engagement that we are reviewing.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 3:41 PM Eva Wetzel [REDACTED] wrote:

Sent from my iPhone

Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 - Hornby Island

1. Are you a cell phone or wireless device user?

Yes
 No

2. Do you feel this is an appropriate location for the proposed facility?

Yes
 No

Comments: *About as far away as possible from housing*

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?

Yes
 No

Comments: *I imagine it is the size needed to actually improve service.*

Additional comments: *Most people want the tower - pretty convinced about that. The anti-smart meter, anti-vaxxers do not. What else is new?*

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name: *GVA WETZEL*

Mailing address: [redacted] *Hornby Island,* [redacted]

Email Address: [redacted]

Please email to briangregg@sitesouthconsulting.com
Or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Attention: Brian Gregg
By January 13, 2023

Thank you for your input.

I already submitted a written comment and only send this in case you count pro and con.



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island Tower Proposal - Public Meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Sun, Dec 4, 2022 at 4:40 PM

To: Julian Clark [REDACTED]

Dear Julian:

Please find below the login details for the meeting.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Best Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 2, 2022 at 9:11 AM Julian Clark [REDACTED] wrote:

Please send me details regarding how to join the December 8th meeting.

Thank you



Brian Gregg <briangregg@sitepathconsulting.com>

Fwd: Request to join Dec.8 Mtg.

Brian Gregg <briangregg@sitepathconsulting.com>

Sun, Dec 4, 2022 at 4:42 PM

To: Jan Kennedy [REDACTED]

Dear Jan:

Please find below the login details for the meeting.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Best Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

[Quoted text hidden]



Brian Gregg <briangregg@sitepathconsulting.com>

Re: Proposed Rogers tower for Hornby Island - W6420

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Jan 6, 2023 at 10:39 AM

To: Jan Kennedy [REDACTED]

Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Dear Jan:

Comments are below in blue. Since you have many questions, would you like to arrange time for a phone call as well? You are welcome to call me at 778 870 1388.

Hi again, Brian,
I have included my responses to yours, in red.

Jan Kennedy

[REDACTED] V0R1Z0

Brian Gregg
PO Box 20138,
Vancouver RPO, Fairview, BC V5Z 0C1
briangregg@sitepathcounseling.com

January 5, 2023

Re: Proposed Roger's Cell Tower Location on Hornby Island

I have read the package that you have made available regarding the proposed 63.0 meter Rogers Communications Radiocommunications Tower, Rogers File: W6420 – Hornby Island.

With regard to carrying out the obligation to consult with the local community:

I attended the one-hour digital public information meeting which you hosted on Dec. 8, 2022.

As you know, our local Islands Trust Committee is our land use authority on Hornby Island.

We have been working proactively with the Islands Trust for many months. We are reviewing expected next steps with ISED as well since the proposal is on crown land.

As you discovered at the Dec.8 digital meeting, our Local Islands Trust Committee adopted the "Model Strategy for Antenna Systems" at the Sept.9, 2022 local Islands Trust public meeting, making it the protocol of use to help our Local Trust Area elected representatives to assess any antenna system proposal withing their own unique context, rather than the ISED's Default Public Consultation process.

We are reviewing with ISED as the Islands Trust planning staff were unaware when we set out on the consultation process. We will have to confirm whether the protocol was properly adopted and whether it has any implications going forward. We are not yet clear

on this.

How unfortunate that you chose to speak only with Islands Trust planning staff who are not "local" and did not advise you correctly!

A simple check of the Minutes of the Sept.9, 2023 Local Trust Committee meeting islandstrust.bc.ca/document/hornby-ltc-regular-meeting-minutes-5/ shows:

"HO-LTC-2022-053

It was MOVED and SECONDED,

that the Hornby Island Local Trust Committee adopt the Islands Trust Model Strategy for Antenna Systems.

CARRIED

Regional Planning Manager Kauer noted that the Model Strategy federally compels companies to engage in extensive public consultation before installation of cell towers."

This excerpt from the Islands Trust Minutes shows proper process. Also interesting to read the Is.Trust Planning Manager's note as to the implications going forward.

As noted we will discuss with ISED and the Islands Trust. We have an appointment to do so.

As I read the Islands Trust "Model Strategy for Antenna Systems", I see that it is designed to facilitate "**local land use consultation framework that ensures the LTA and members of the public contribute local knowledge that facilitates and influences the siting location, development and design of the Antenna system within LTA boundaries**" as well as "to provide LTAs with the information required to satisfy the requirements of ISED regarding **local land use consultation, resulting in an informed statement of concurrence, concurrence with conditions, or non-concurrence from the LTA at the end of the process;**"

Thanks for sharing this. Presumably you are aware that the proposed facility is a permitted use in the Islands Trust own land use by-law. I am not clear as to any other such location that offers this land use designation where Rogers would be prepared to propose such a facility from a technical perspective. Are you aware of such a location?

Specifically, the proposed tower is proposed to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).

As context, the surrounding land uses include a fire hall directly to the east on Crown Grant land, the Hornby Island Recycling Depot to the West on a Crown Lease, the Hornby Island Radio Station (CHFR) also to the east (including an existing radiocommunication facility), public trails to the south that enter Mt Geoffrey Regional Nature Park and crown land to the north also with trails. There are also a number of recreational facilities (Hornby Island Disc Golf course) and commercial establishments including the Hornby Island Farmer's Market along Central Road. There do not appear to be any residences in the immediate vicinity which we hope represents respectful tower siting.

Page 36 of the Model Strategy for Antenna Systems, Article D lists 9 "Discouraged Locations", a number of which could be seen to apply to the currently proposed site.

We will discuss with ISED and the Islands Trust. Extensive pre-consultation on the proposed location occurred with the Islands Trust staff, local emergency responders as well as via the current consultation. We do think it is noteworthy that the proposal is compliant with the preferences in the land use bylaw as stated above.

Despite the stated intention to establish a “**local** land use consultation framework, an oversight happened, and our local (Hornby Island) Islands Trust elected representatives, Alex Allen and Grant Scott, were not informed of this cell phone tower application until months after your consultation process had started. Clearly, consultation with Local Island Trust Authority and with this community has not yet taken the form advocated by the “Islands Trust Model Strategy for Antenna Systems”.

As noted we will discuss with ISED and also will be meeting with the Islands Trust planning staff again and have an appointment scheduled. We are not clear based on a preliminary review of the model protocol what we would need to do differently in any case but we will review and confirm with ISED and the Islands Trust.

As I read the Model Strategy for Antenna Systems, any proponent is tasked with attempting to resolve any outstanding issues prior to submitting its antenna system siting proposal and to undertake public consultation. A one-hour digital meeting could not and did not provide the time and the structure to take a list of resident’s concerns and work through them one by one to find resolution. Rogers risks being seen as not being willing to act in good faith.

There had been much more engagement with the Islands Trust, Province, First Nations and emergency responders prior to commencing the consultation process. We wish to proceed in good faith via this consultation process.

There is significant public interest about the Rogers proposal, as evidenced in several ongoing discussion threads on Hornby Island Facebook pages, “Word of Mouth” and “Hornby Community Connections”. We are an engaged community and a proper **local** land use consultation framework is appreciated and supported. The Islands Trust “Model Strategy for Antenna Systems” even suggests holding a community workshop and I would urge you to consider using this format. As the Model Strategy advises, local knowledge and our local Hornby Island Islands Trust Bylaws are to be considered in this process.

We already hosted a digital public meeting. My prior experience with an in person meeting on Hornby Island was very problematic. I faced a lot of aggression including people cursing at us on a megaphone, people crossing out with permanent ink markers the materials on our poster boards (someone even wrote curse words on top of our boards), people refusing to respect the format of the meeting and setting up chairs in the middle of the room to host their own event, etc. We have also been advised by certain leadership figures in your community that our security and safety cannot be ensured at such a meeting given some of the people potentially involved. Thus, we will need to carefully consider how to best welcome additional input. Certainly, we have tried to offer a digital public meeting that was well attended and have been responsive to all who have commented or called us for information. We will continue to explore creative ways to enable people to get their opinions heard.

I am sorry that a few people expressed themselves in such unpleasant ways during an in-person meeting about the proposed Telus tower a number of years ago. However, as a professional, I am sure you are aware that facilitation style and meeting format can be key in controlling unruly behaviour in meetings where people have strong feelings and concerns that they feel may not be taken seriously.

It seems very unprofessional to suggest that you cannot hold an in-person meeting on Hornby Island about the proposed tower because you would be in danger from people who might “potentially” be involved. Sounds like so much conjecture. And exactly who are these “certain leadership figures” that are giving you this “advice”?

Have you asked the advice of the Hornby Island Residents and Ratepayers Association Chairperson, Daniel Siegel for advice on how to conduct a productive meeting when some people attending are feeling emotional and concerned? He is a trained mediator and negotiator

and a rabbi and I am sure he would have some good suggestions for you.

I have spoken with Daniel and others. You are welcome to contact Daniel to discuss. While the discussions are ongoing and we will reconvene potentially next week, he has acknowledged similar concerns and we have not arrived at a solution as of this time.

First, we will have our meeting with the Islands Trust and ISED next week to confirm any applicable policy requirements. From there, we should be able to confirm more accurately potential next steps.

Please let me know of your decision.

Sincerely,

Jan Kennedy,
42 year resident of Hornby Island

Thanks Jan. I am not a decision maker and am rather a facilitator of the required consultation process. Thus, I cannot provide you with any decision at this time but I can confirm that we will be discussing with ISED, Rogers and the Islands Trust.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Again, please note that as per ISED protocols you will have 21 days if you wish to comment further.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Jan 6, 2023 at 9:48 AM Jan Kennedy [REDACTED] wrote:

Hi again, Brian,
I have included my responses to yours, in red.

Jan Kennedy

[REDACTED] V0R1Z0

Brian Gregg
PO Box 20138,
Vancouver RPO, Fairview, BC V5Z 0C1
briangregg@sitepathcounseling.com

January 5, 2023

Re: Proposed Roger's Cell Tower Location on Hornby Island

I have read the package that you have made available regarding the proposed 63.0 meter Rogers Communications Radiocommunications Tower, Rogers File: W6420 – Hornby Island.

With regard to carrying out the obligation to consult with the local community:

I attended the one-hour digital public information meeting which you hosted on Dec. 8, 2022.

As you know, our local Islands Trust Committee is our land use authority on Hornby Island.

We have been working proactively with the Islands Trust for many months. We are reviewing expected next steps with ISED as well since the proposal is on crown land.

As you discovered at the Dec.8 digital meeting, our Local Islands Trust Committee adopted the “Model Strategy for Antenna Systems” at the Sept.9, 2022 local Islands Trust public meeting, making it the protocol of use to help our Local Trust Area elected representatives to assess any antenna system proposal within their own unique context, rather than the ISED’s Default Public Consultation process.

We are reviewing with ISED as the Islands Trust planning staff were unaware when we set out on the consultation process. We will have to confirm whether the protocol was properly adopted and whether it has any implications going forward. We are not yet clear on this.

How unfortunate that you chose to speak only with Islands Trust planning staff who are not “local” and did not advise you correctly!

A simple check of the Minutes of the Sept.9, 2023 Local Trust Committee meeting islandstrust.bc.ca/document/hornby-ltc-regular-meeting-minutes-5/ shows:

”HO-LTC-2022-053

It was **MOVED** and **SECONDED**,

that the Hornby Island Local Trust Committee adopt the Islands Trust Model Strategy for Antenna Systems.

CARRIED

Regional Planning Manager Kauer noted that the Model Strategy federally compels companies to engage in extensive public consultation before installation of cell towers.”

This excerpt from the Islands Trust Minutes shows proper process. Also interesting to read the Is.Trust Planning Manager’s note as to the implications going forward.

As I read the Islands Trust “Model Strategy for Antenna Systems”, I see that it is designed to facilitate “**local land use consultation framework that ensures the LTA and members of the public contribute local knowledge that facilitates and influences the siting location, development and design of the Antenna system within LTA boundaries**” as well as “to provide LTAs with the information required to satisfy the requirements of ISED regarding **local land use consultation, resulting in an informed statement of concurrence, concurrence with conditions, or non-concurrence from the LTA at the end of the process,”**

Thanks for sharing this. Presumably you are aware that the proposed facility is a permitted use in the Islands Trust own land use by-law. I am not clear as to any other such location that offers this land use designation where Rogers would be prepared to propose such a facility from a technical perspective. Are you aware of such a location?

Specifically, the proposed tower is proposed to be sited on land that is zoned PU- Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).

As context, the surrounding land uses include a fire hall directly to the east on Crown

Grant land, the Hornby Island Recycling Depot to the West on a Crown Lease, the Hornby Island Radio Station (CHFR) also to the east (including an existing radiocommunication facility), public trails to the south that enter Mt Geoffrey Regional Nature Park and crown land to the north also with trails. There are also a number of recreational facilities (Hornby Island Disc Golf course) and commercial establishments including the Hornby Island Farmer's Market along Central Road. There do not appear to be any residences in the immediate vicinity which we hope represents respectful tower siting.

Page 36 of the Model Strategy for Antenna Systems, Article D lists 9 "Discouraged Locations", a number of which could be seen to apply to the currently proposed site.

Despite the stated intention to establish a "local land use consultation framework, an oversight happened, and our local (Hornby Island) Islands Trust elected representatives, Alex Allen and Grant Scott, were not informed of this cell phone tower application until months after your consultation process had started. Clearly, consultation with Local Island Trust Authority and with this community has not yet taken the form advocated by the "Islands Trust Model Strategy for Antenna Systems".

As noted we will discuss with ISED and also will be meeting with the Islands Trust planning staff again and have an appointment scheduled. We are not clear based on a preliminary review of the model protocol what we would need to do differently in any case but we will review and confirm with ISED and the Islands Trust.

As I read the Model Strategy for Antenna Systems, any proponent is tasked with attempting to resolve any outstanding issues prior to submitting its antenna system siting proposal and to undertake public consultation. A one-hour digital meeting could not and did not provide the time and the structure to take a list of resident's concerns and work through them one by one to find resolution. Rogers risks being seen as not being willing to act in good faith.

There is significant public interest about the Rogers proposal, as evidenced in several ongoing discussion threads on Hornby Island Facebook pages, "Word of Mouth" and "Hornby Community Connections". We are an engaged community and a proper local land use consultation framework is appreciated and supported. The Islands Trust "Model Strategy for Antenna Systems" even suggests holding a community workshop and I would urge you to consider using this format. As the Model Strategy advises, local knowledge and our local Hornby Island Islands Trust Bylaws are to be considered in this process.

We already hosted a digital public meeting. My prior experience with an in person meeting on Hornby Island was very problematic. I faced a lot of aggression including people cursing at us on a megaphone, people crossing out with permanent ink markers the materials on our poster boards (someone even wrote curse words on top of our boards), people refusing to respect the format of the meeting and setting up chairs in the middle of the room to host their own event, etc. We have also been advised by certain leadership figures in your community that our security and safety cannot be ensured at such a meeting given some of the people potentially involved. Thus, we will need to carefully consider how to best welcome additional input. Certainly, we have tried to offer a digital public meeting that was well attended and have been responsive to all who have commented or called us for information. We will continue to explore creative ways to enable people to get their opinions heard.

I am sorry that a few people expressed themselves in such unpleasant ways during an in-

person meeting about the proposed Telus tower a number of years ago. However, as a professional, I am sure you are aware that facilitation style and meeting format can be key in controlling unruly behaviour in meetings where people have strong feelings and concerns that they feel may not be taken seriously.

It seems very unprofessional to suggest that you cannot hold an in-person meeting on Hornby Island about the proposed tower because you would be in danger from people who might "potentially" be involved. Sounds like so much conjecture. And exactly who are these "certain leadership figures" that are giving you this "advice"?

Have you asked the advice of the Hornby Island Residents and Ratepayers Association Chairperson, Daniel Siegel for advice on how to conduct a productive meeting when some people attending are feeling emotional and concerned? He is a trained mediator and negotiator and a rabbi and I am sure he would have some good suggestions for you.

Please let me know of your decision.

Sincerely,

Jan Kennedy,
42 year resident of Hornby Island

Thanks Jan. I am not a decision maker and am rather a facilitator of the required consultation process. Thus, I cannot provide you with any decision at this time but I can confirm that we will be discussing with ISED, Rogers and the Islands Trust.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Jan 5, 2023 at 10:32 AM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Jan:

Thanks for your input. Please find below our responses in green text.

Jan Kennedy

[REDACTED]

Brian Gregg
PO Box 20138,
Vancouver RPO, Fairview, BC V5Z 0C1
briangregg@sitepathcounseling.com

January 5, 2023

Re: Proposed Roger's Cell Tower Location on Hornby Island

I have read the package that you have made available regarding the proposed 63.0 meter Rogers Communications Radiocommunications Tower, Rogers File: W6420 – Hornby Island.

With regard to carrying out the obligation to consult with the local community:

I attended the one-hour digital public information meeting which you hosted on Dec. 8, 2022.

As you know, our local Islands Trust Committee is our land use authority on Hornby Island.

We have been working proactively with the Islands Trust for many months. We are reviewing expected next steps with ISED as well since the proposal is on crown land.

As you discovered at the Dec.8 digital meeting, our Local Islands Trust Committee adopted the “Model Strategy for Antenna Systems” at the Sept.9, 2022 local Islands Trust public meeting, making it the protocol of use to help our Local Trust Area elected representatives to assess any antenna system proposal within their own unique context, rather than the ISED’s Default Public Consultation process.

We are reviewing with ISED as the Islands Trust planning staff were unaware when we set out on the consultation process. We will have to confirm whether the protocol was properly adopted and whether it has any implications going forward. We are not yet clear on this.

As I read the Islands Trust “Model Strategy for Antenna Systems”, I see that it is designed to facilitate “**local land use consultation framework that ensures the LTA and members of the public contribute local knowledge that facilitates and influences the siting location, development and design of the Antenna system within LTA boundaries**” as well as “to provide LTAs with the information required to satisfy the requirements of ISED regarding **local land use consultation, resulting in an informed statement of concurrence, concurrence with conditions, or non-concurrence from the LTA at the end of the process;**”

Thanks for sharing this. Presumably you are aware that the proposed facility is a permitted use in the Islands Trust own land use by-law. I am not clear as to any other such location that offers this land use designation where Rogers would be prepared to propose such a facility from a technical perspective. Are you aware of such a location?

Specifically, the proposed tower is proposed to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).

As context, the surrounding land uses include a fire hall directly to the east on Crown Grant land, the Hornby Island Recycling Depot to the West on a Crown Lease, the Hornby Island Radio Station (CHFR) also to the east (including an existing radiocommunication facility), public trails to the south that enter Mt Geoffrey Regional Nature Park and crown land to the north also with trails. There are also a number of recreational facilities (Hornby Island Disc Golf course) and commercial establishments including the Hornby Island Farmer’s Market along Central Road. There do not appear to be any residences in the immediate vicinity which we hope represents respectful tower siting.

Despite the stated intention to establish a “**local land use consultation framework**”, an oversight happened, and our local (Hornby Island) Islands Trust elected representatives, Alex Allen and Grant Scott, were not informed of this cell phone tower application until months after your consultation process had started. Clearly, consultation with Local Island Trust Authority and with this community has not yet taken the form advocated by the “Islands Trust Model Strategy for Antenna Systems”.

As noted we will discuss with ISED and also will be meeting with the Islands Trust planning staff again and have an appointment scheduled. We are not clear based on a preliminary review of the model protocol what we would need to do differently in any case but we will review and confirm with ISED and the Islands Trust.

There is significant public interest about the Rogers proposal, as evidenced in several ongoing discussion threads

on Hornby Island Facebook pages, "Word of Mouth" and "Hornby Community Connections". We are an engaged community and a proper **local** land use consultation framework is appreciated and supported. The Islands Trust "Model Strategy for Antenna Systems" even suggests holding a community workshop and I would urge you to consider using this format. As the Model Strategy advises, local knowledge and our local Hornby Island Islands Trust Bylaws are to be considered in this process.

We already hosted a digital public meeting. My prior experience with an in person meeting on Hornby Island was very problematic. I faced a lot of aggression including people cursing at us on a megaphone, people crossing out with permanent ink markers the materials on our poster boards (someone even wrote curse words on top of our boards), people refusing to respect the format of the meeting and setting up chairs in the middle of the room to host their own event, etc. We have also been advised by certain leadership figures in your community that our security and safety cannot be ensured at such a meeting given some of the people potentially involved. Thus, we will need to carefully consider how to best welcome additional input. Certainly, we have tried to offer a digital public meeting that was well attended and have been responsive to all who have commented or called us for information. We will continue to explore creative ways to enable people to get their opinions heard.

Please let me know of your decision.

Sincerely,

Jan Kennedy,
42 year resident of Hornby Island

Thanks Jan. I am not a decision maker and am rather a facilitator of the required consultation process. Thus, I cannot provide you with any decision at this time but I can confirm that we will be discussing with ISED, Rogers and the Islands Trust.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Jan 5, 2023 at 9:57 AM Jan Kennedy [REDACTED] wrote:

Jan Kennedy
[REDACTED]
[REDACTED]

Brian Gregg
PO Box 20138,
Vancouver RPO, Fairview, BC V5Z 0C1
briangregg@sitepathcounseling.com

January 5, 2023

Re: Proposed Roger's Cell Tower Location on Hornby Island

I have read the package that you have made available regarding the proposed 63.0 meter Rogers Communications Radiocommunications Tower, Rogers File: W6420 – Hornby Island.

With regard to carrying out the obligation to consult with the local community:

I attended the one-hour digital public information meeting which you hosted on Dec. 8, 2022.

As you know, our local Islands Trust Committee is our land use authority on Hornby Island.

As you discovered at the Dec.8 digital meeting, our Local Islands Trust Committee adopted the "Model Strategy for Antenna Systems" at the Sept.9, 2022 local Islands Trust public meeting, making it the protocol of use to help our Local Trust Area elected representatives to assess any antenna system proposal within their own unique context, rather than the ISED's Default Public Consultation process.

As I read the Islands Trust "Model Strategy for Antenna Systems", I see that it is designed to facilitate "**local land use consultation framework that ensures the LTA and members of the public contribute local knowledge that facilitates and influences the siting location, development and design of the Antenna system within LTA boundaries**" as well as "to provide LTAs with the information required to satisfy the requirements of ISED regarding **local land use consultation, resulting in an informed statement of concurrence, concurrence with conditions, or non-concurrence from the LTA at the end of the process,**"

Despite the stated intention to establish a "**local** land use consultation framework, an oversight happened, and our local (Hornby Island) Islands Trust elected representatives, Alex Allen and Grant Scott, were not informed of this cell phone tower application until months after your consultation process had started. Clearly, consultation with Local Island Trust Authority and with this community has not yet taken the form advocated by the "Islands Trust Model Strategy for Antenna Systems".

There is significant public interest about the Rogers proposal, as evidenced in several ongoing discussion threads on Hornby Island Facebook pages, "Word of Mouth" and "Hornby Community Connections". We are an engaged community and a proper **local** land use consultation framework is appreciated and supported. The Islands Trust "Model Strategy for Antenna Systems" even suggests holding a community workshop and I would urge you to consider using this format. As the Model Strategy advises, local knowledge and our local Hornby Island Islands Trust Bylaws are to be considered in this process.

Please let me know of your decision.

Sincerely,

Jan Kennedy,
42 year resident of Hornby Island



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed Rogers Cell Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Jan 19, 2023 at 8:11 PM

To: Jan Kennedy [REDACTED]

Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Thanks Jan. As the letter is not addressed to me, I will not respond unless ISED requests me to do so.

Please be advised that similar to any other business, we do not share private insurance with the general public.

Rogers attests that its proposed facility will comply with Health Canada's Safety Code 6 and applicable regulatory requirements.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Jan 19, 2023 at 7:39 PM Jan Kennedy [REDACTED] wrote:

Hi Brian,

I am copying you on a letter I have sent to our local Island Trust reps regarding the proposed Rogers Cell Tower. Would Rogers be willing provide this community with proof of liability insurance against harmful effects of radiofrequency radiation on health?

Cheers,

Jan

 **2023.Jan.13.Ltr to IslandsTrust.docx**
20K

Jan Kennedy

HORNBY ISLAND, BC

January 13, 2023

ISLANDS TRUST

Northern Office

northinfo@islandstrust.bc.ca

Alex Allen

aallen@islandstrust.bc.ca

Grant Scott

gscott@islandstrust.bc.ca

Re: Proposed Rogers Cell Tower for Hornby Island

I write with strong concerns about the proposal by Rogers to site a 60m free standing cell tower on Hornby Island.

It is becoming increasingly evident, in looking at Facebook discussion, in attending locally arranged Town Hall meetings, in participating in local informal discussions, as well as noting the growing list of names on a local Petition against the tower, that many Hornby folks have reservations about a cell tower being sited on Hornby Island.

It is also evident that most Hornby folks understand, and are supportive of, the need for significantly improved internet access on Hornby. We look forward to the soon-to-arrive City West fibre optic project will facilitate educational, recreational and business opportunities for all and can even facilitate cell phone use through apps such as Facebook Messenger. This project will offer a huge improvement with safe, fast and reliable connection, which, in turn, can allow each home to determine if they wish to allow wireless access to their personal devices, or the faster, more secure alternative of hard-wiring their devices within their homes.

Hornby Island is seen as a "refuge" for many, year-round residents, part-time residents and visitors, alike. The beauty and glory of the natural world on our beautiful island home is valued as a place of peace, healing and renewal. We are fortunate to have Islands Trust, with its extra level of awareness and concerns for the protection of our island environments, as our land use authority. As is written on the Islands Trust website,

"The purpose of this trust is to preserve and protect the Trust area and its unique amenities and environment for the benefit of the residents of the Trust area and of British Columbia generally, in cooperation with municipalities, regional districts, improvement districts, other persons and organizations and the Government of British Columbia. In doing so, the provincial government made the commitment to protect the islands from excessive and inappropriate development. The Islands Trust remains our nation's only institution charged with the stewardship of a particular environment and the preservation of a special, rural quality of life."

I urge you, as our land use authority, to act on several different fronts, in preserving and protecting this very special place:

- Improve our local autonomy and heightened awareness of, and protection for, the well-used areas of our Community School, our PreSchool, our Community Hall, our Health Clinics, our Art Center, our Credit Union, the Ball Part and Kitchen, and our Recycling Depot, by increasing the notification package radius to 3X the height of the proposed tower as suggested under "Distance Considerations" in the Islands Trust Model Strategy for Antenna Systems, adopted at the Sept.9, 2022 local Trust meeting.
- Require proof of liability insurance against harmful effects of radiofrequency radiation on health from all telecommunications companies deploying wireless technologies.

- Require any contract to include: assurances that the Proponent, e.g., the telecommunications company, will abide by any new federal government guidelines or regulations that may be established to limit emissions; will de-power antennas and remove antennas and supporting equipment when radiofrequency energy is determined to be a Group 2A or Group 1 carcinogenic hazard (i.e., grandfathering would not be permitted).
- Ask for a postponement of the Roger's application until after the City West project is completed and Hornby folks have had an opportunity to adjust and incorporate all the new aspects and possibilities of much improved internet access.
- Pass a symbolic resolution calling on the Federal Government to revise Safety Code 6, implement the recommendations of the 2015 HESA Report, and in the interim, to stop 4G/5G rollout of small and macro antennas close to where people spend much time, and to put a hold on the auction of the spectrum. It is my understanding that around the world municipalities have been doing this. In Canada, the town of Sutton, Quebec was the first to do so. They adopted a resolution calling on the federal government to institute a moratorium on the deployment of 5G "until the various studies reach a consensus on the absence of risks and impacts of 5G cellular technology on health and the environment."
<https://www.pressreader.com/canada/sherbrooke-record/20191220/281560882693827>
- Write a statement of non-concurrence regarding the proposed Roger's cell tower siting.

You have an opportunity to strengthen the protection for this special place and its unique and sensitive community and environment through Amendments to the Model Strategy for Antenna Systems and I respectfully suggest that you make full use of that opportunity now.

Sincerely,

Jan Kennedy

42 year full-time resident of Hornby Island



Brian Gregg <briangregg@sitepathconsulting.com>

Public Information Meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Sun, Dec 4, 2022 at 5:17 PM

To: Nancy Snyder [REDACTED]

Thanks Nancy. We will consider next steps in the new year.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Dec 4, 2022 at 5:09 PM Nancy Snyder [REDACTED] wrote:

Thank you for your response Brian.

Unfortunately a virtual meeting is inappropriate for the demographics of Hornby, and most gulf islands for that matter.

Hopefully some in person meetings will materialize down the road where residents can be properly consulted.

Cheers,
Nancy

Sent from my iPhone

On 4 Dec 2022, at 19:00, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Nancy:

Thanks for submitting your letter. Please find below our responses in green text.

December 3, 2022

To Brian Gregg - SitePath Consulting Ltd.
briangregg@sitepathconsulting.com

Dear Brian Gregg,

I am a Denman Island resident, and I am writing you concerning the virtual "Public Information Meeting" regarding the proposed Rogers tower that's scheduled for Thursday Dec 8th.

According to the Comox Valley Regional District, they clearly state in the 'Telecommunication Antenna System Application and Consultation Process Policy' that all public consultation meetings with the community where cell towers are proposed and that you are required to host "should be hosted in- person". (Page 4, Policy Number: P89)

It goes on to say that “the meetings may be hosted virtually during times at which Public Health Orders affect in-person events.” (Italics mine)

As there are no public health restrictions in this time, I insist we have an in-person Public Consultation/public information meeting.

Virtual meetings discriminate against many members of our community who either don't use computers or have the skills to set up a TEAM meeting or who are part of the population here who live with limited means and don't own computers.

I have only seen one printed Notice of the proposed Rogers tower on Nov 24 in our local newsletter the Grapevine. Many people will not have seen this Notice. This is a busy time of year; a Dec 8 virtual meeting also discriminates against many on our island who are very busy and engaged with Xmas activities, fairs, family, their children and school events etc. Therefore an in-person meeting at a later date is called for.

It is our understanding, upon reviewing this proposal with Innovation, Science and Economic Development (ISED) Canada, Islands Trust and Ministry of Forests, Lands and Natural Resource Operations (MFLNRO) staff that the Islands Trust is the applicable land use authority on Hornby Island for most matters including this proposal. However, as Rogers' proposal is on Provincial Crown Land, we will also be working closely with the crown via the MFLNRO. I have not been advised at this time that the CVRD is the applicable land use authority.

Nonetheless, I have shared your question with ISED to clarify however I can assure you that we pre-consulted ISED, the Island Trust and the MFLNRO extensively on this proposal prior to moving into public consultation and it is our understanding that the aforementioned comments are accurate re: the Islands Trust and MFLNRO having decision making capacity.

It is our intent to complete the digital public meeting on December 8th as advertised. From there, we will review whether additional engagement is merited in the new year. Please be assured that there will be plenty of opportunity for additional engagement as we are currently only completing the required federal (ISED) portion of the consultation however since the proposal is on Provincial Crown land there will also be a provincial referral and consultation process including another round of public notices.

I can assure you that this proposal has been posted in four local publications including the Grapevine, Comox Valley Record, The First Edition and the Hornby Tribune as well as on social media. We also sent referrals to all relevant First Nations early on in the process before advising the Hornby Island community.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you desire to submit further input. Please find attached a copy of Rogers' consultation package for additional context.

Kind Regards,

Sincerely,
Nancy Snyder

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Dec 4, 2022 at 1:47 PM Nancy Snyder [REDACTED] wrote:

<Mail-out Package - Rogers - W6420 - Hornby Island.pdf>



Brian Gregg <briangregg@sitepathconsulting.com>

Dec 8 mtg

Brian Gregg <briangregg@sitepathconsulting.com>

Sun, Dec 4, 2022 at 5:01 PM

To: Kent Lukinuk [REDACTED]

Dear Kent:

Please find below the login details for the meeting.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 2, 2022 at 2:42 PM Kent Lukinuk [REDACTED] wrote:

Please add me to the list of attendees.

Cheers



Brian Gregg <briangregg@sitepathconsulting.com>

Re: Yes vote for cell tower

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 16, 2022 at 2:39 PM

To: KENT LUKINUK [REDACTED]

Hi Kent:

That is interesting to learn about. Do you happen to have copies of those anti-tower ads? I think it would be useful information for us to be aware of so that we can discuss with the Islands Trust, ISED and province.

To your point, there are already towers in the area and indeed the Islands Trust own land use bylaw permits the proposed use in the PU zone.

Thanks and please note that you will have 21 days as per ISED protocols if you wish to comment further.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.comOn Fri, Dec 16, 2022 at 2:17 PM KENT LUKINUK <kentlukinuk@shaw.ca> wrote:

Thanks Brian, there are more protest meetings being planned with anti-tower local ads in the Hornby Tribune and Denman Grapevine weekly mailbox papers(also online). The anti smart meter and anti vax are driving this process and are always against progress. Their science knowledge is often incorrect. They are trying to get our two islands trustees against this proposal and are looking to the islands trust to block it, Although they don't control crown land; but may require a siting permit.

Of note is that there are currently two transmission towers in the area and a radio ? Mast at the fire hall.

Your work is cut out for you.

Cheers,
KentOn Dec 16, 2022, at 10:57 AM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed rogers cell tower community flyers and FB posts

Brian Gregg <briangregg@sitepathconsulting.com>

Sat, Dec 17, 2022 at 2:17 PM

To: Kent Lukinuk [REDACTED]

Thank you, Kent. This is helpful to know. Thanks for keeping me posted and also for confirming your support for the proposal.

Regards,

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sat, Dec 17, 2022 at 12:08 PM Kent Lukinuk [REDACTED] wrote:

Hello Brian,

Per your request this flyer is in both the Denman grapevine and Hornby tribune. The FB post is recent.

Our family is in favour of this proposed cell tower.

Cheers,
Kent



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby public mtg

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 19, 2022 at 4:41 PM

To: KENT LUKINUK [REDACTED]

Hi Kent,

Thanks for sharing your feedback on this. I share your concern and think we need to very carefully manage this request for an in-person meeting.

As you may have heard, I hosted an extremely chaotic meeting years ago on Hornby Island (for TELUS) and would like to avoid repeating that. I am not exaggerating when I suggest that my prior in person meeting on Hornby was easily the most disrespectful meeting I've ever attended. For example, at that meeting, people arrived with megaphones, spoke over top of us and proceeded to cross all our content out on our poster boards with permanent ink. At the end of the meeting, we were shocked to find that our boards were covered with swear words and we did not have an opportunity to discuss the proposal in any meaningful way. It was effectively a protest and not a public meeting. There was no allowance for discussion of different viewpoints and very little discussion about the specifics of the proposal. We learned little if anything and we were taken aback with how poorly people were willing to treat us. That must be avoided and I have been clear with Daniel about that in our discussions. Do you think Daniel is able to ensure a safe and respectful meeting?

Also, as you know, we already did host a digital public meeting and to be sure public meetings are not "required" as part of a tower consultation process per federal guidelines. Any such meetings are hosted as a courtesy and in my view should only be completed if people are respectful and security is upheld. If the Islands Trust is insisting on having us come over for such a meeting then I think it is fair, in return, to ask the Islands Trust to help directly manage the meeting to ensure that it is safe and respectful. If they are not willing to assist with those basic asks of safety, respect and security then I would call into question the need for such a meeting. We should not have to tolerate a lack of safety, security and respect -- nobody should have to put up with that.

With that said, I think it will be quite a challenge for us to not complete a public meeting in person since the elected officials have now tried to insist on it. I am not sure how we establish trust and a working relationship with the Islands Trust if we do not agree to their request.

Perhaps we can discuss over the phone one day. My cell number is 778 870 1388.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 19, 2022 at 2:36 PM KENT LUKINUK [REDACTED] wrote:

Hi Brian,

Today as part of the HIRRA exec I received a notice from our president about a possible mtg with you at the hall.

I have responded against this as I do not see a way to have a safe meeting for you. I believe the only persons that would attend are the very vocal and aggressive anti-tower folks. Those in favour will not attend due to the abuse received in the past from aggressive anti-development persons.

There is no way in my mind to protect you from verbal or physical attacks without trained security for you which does not exist here.

Daniel may suggest he can control the crowd; but my experience on the exec has shown shouters win.

Perhaps a zoom mtg hosted by Rodgers. HIRRA can set up a zoom room at the hall for those without an internet connection at your request.

Many anti-cell phone, anti-vax and anti-smart meter folks are behind the anti-tower drive. Today a petition on the coop porch led by some of these persons.

Thank you for being so accommodating.

Cheers,
Kent



Brian Gregg <briangregg@sitepathconsulting.com>

Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Sun, Dec 4, 2022 at 5:07 PM

To: Craig Heath [REDACTED]

Thanks for your input, Craig.

Please kindly note that you will have 21 days as per ISED protocols if you desire to submit further comments.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 2, 2022 at 5:59 PM Craig Heath [REDACTED] wrote:

Brian,

I would like to go on record as being OPPOSED to the proposed to the Rogers tower on Hornby Island.

Craig Heath
Hornby Island
BC



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers tower meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Sun, Dec 4, 2022 at 5:20 PM

To: Dan Bruiger [REDACTED]

Dear Dan:

Please find below the login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Sat, Dec 3, 2022 at 12:52 PM Dan Bruiger [REDACTED] wrote:

Hi, Brian

Please sign me up to attend the online meeting on Dec 8.

thanks,
Dan Bruiger

[REDACTED]
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

proposed Rogers tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Jan 2, 2023 at 3:58 PM

To: Dan Bruiger [REDACTED]

Good Evening Dan:

Thank you as well for your comments. I hope that you enjoyed the holidays and wish you a happy new year.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 27, 2022 at 6:19 PM Dan Bruiger [REDACTED] wrote:

Hi, Brian

Thanks for your prompt and thorough response.

I want to point out that I did follow the instructions that resulted from clicking on the link you provided in an email to me when I "signed up" for the online meeting. Somehow it didn't work for me. Also, 30 participants is not really a great turn out from a population of around one thousand.

Of course, I do know that the Rogers proposal is technically and geographically different from the earlier Telus proposal. Given the nature of my personal objection, you can see that they come to the same thing for me.

My street address is [REDACTED], Hornby Island, B.C. V0R1Z0

Best wishes for the holiday season,
Dan

On 27 Dec 2022, at 16:52, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Dan:

Thanks for your comments. Please find below our responses in green text.

Dear Mr. Gregg,

Here we are again. You represented Telus few years ago with a similar proposal, which the local community rejected. (If at first you don't succeed...?)

TELUS' prior proposal from several years ago has no relationship whatsoever to the current Rogers proposal. Specifically, TELUS' prior proposal was not a cell tower and would have only been a back up microwave link to the submarine cable system to limit the risk of another internet outage on Hornby if the cable were to break (which did previously happen). TELUS' proposed tower would not have provided cell service.

Rogers' current proposal is for a cell tower and is in a substantially different location in a zone or land use designation that appears to permit the proposed use. The location and purpose of the former TELUS proposal relative to the Rogers proposal are quite distinct. TELUS' proposed tower location was more visible. Rogers' proposal is across the street from an existing radio station tower and fire hall communication site.

I was signed up for the online meeting you offered recently. Having downloaded the Microsoft Team software and followed the instructions, it was a very frustrating experience to be unable to connect with the meeting! So, I am writing you now with my concerns and opinions and to say that I am opposed to the tower anywhere on the island.

Had you reached out to request the meeting login details as stipulated in our public notices, we would have provided you with a link to simply click to join the meeting. There was no need to download any software onto your device. We also provided a dial in option for landlines or phones so that if people did not have computers they could dial in from any phone. The meeting was very well attended by over 30 people and was quite engaging.

First, I feel it was inappropriate to propose an online medium (MT) that many people would find unfamiliar. (Zoom would have been a better choice.)

It is quite a straightforward and common software tool - Microsoft Teams. I am not sure that Zoom is a better choice nor more common to be honest with you. There are quite a few similar tools and I've used them all - Google Meets, Zoom, WebEx (Cisco), Microsoft Teams, etc. They are all similar and require no expertise and one simply needs to click a link to access the meetings.

More importantly, an online meeting of one hour is hardly a substitute for a public consultation process, meeting in physical space, face to face, for as long as it takes to air all concerns and answer all questions. I urge you to arrange such a public meeting

We are reviewing options for potential additional engagement in the new year. With that said, the prior meeting on Hornby Island for TELUS was not very friendly and we were subject to some very aggressive behaviors including people cursing at us, people crossing out our materials on our poster boards with permanent ink markers (including writing curse words over top of our content), people yelling at us on a megaphone, people not respecting the format of the meeting and taking over control of the meeting, etc. The former meeting was effectively a protest and not an information exchange or public meeting and we left feeling very trampled. Thus, we will need to carefully consider next steps as safety and respect will be critical for any additional engagement.

Many people here have diverse concerns about a cell tower on our island. I will not recapitulate them, but stick to my own main objections. We pride ourselves on being a unique place, an alternative to the

rest of the mainstream culture. Many visitors come here with exactly that expectation. Despite the convenience of added cell coverage, a cell tower is inconsistent with the ambiance we (and they) hold dear. Literally and symbolically it would render Hornby too much like everywhere else.

Rogers should certainly respect the prevailing local sentiment and the judgment of Islands Trustees. It would be an outrage to impose a cell tower despite public will, which you can best assess with a formal poll in conjunction with public meetings.

As is typical, we are hearing wide ranging views during this consultation process. Some people align with your perspective and to the contrary there are people who want the service and who are supportive.

Even if it turns out—through such thorough consultation—that the community finds the cell tower acceptable in principle, the proposed location may conflict with other uses being considered by the community for that site. I would personally hope that the location be one from which the tower would not normally be visible (from the roadways or frequented venues, for example).

Thanks for this idea. While this can be explored, the current proposal is over 100 meters deep into the subject crown land property. It offers the benefit of reasonably close proximity to existing access and power. If Rogers were to push the tower further into the lot or into another area away from roads, please note that the trade-off would be that we would need to build a longer road and power line to service the tower for construction and maintenance. In other words, the trade-off would be clearing more trees for a road and powerline if we were to be further from roadways and existing supporting infrastructure like power lines and utilities.

You are acting as intermediary for Rogers and ISED. I believe it should be possible for the public to communicate directly with these parties in this matter. Would you please provide relevant contact information for them? Thanks so much.

I am the designated Rogers contact for this consultation. Any comments you provide will be discussed with Rogers management including this email. You are welcome to submit any questions or comments and I can get answers for you. I think you will find that I am responsive, thorough and likely the most knowledgeable about this specific proposal. Perhaps try to work with me as the designated point of contact and if you then feel that I have not been able to get you the information you need we can refer you along to Rogers' management directly.

ISED is cc'd.

Sincerely,

Dan Bruiger,

Thanks Dan. It would be appreciated if you could kindly provide your civic address for the purposes of this consultation process.

Former Secretary of Hornby Island Residents and Ratepayers Association and former board member of Islands Secure Land Association.

Please be advised that as per ISED protocols you will have 21 days if you wish to submit further comments as part of the federally mandated consultation process. However, since this

proposal is on provincial crown land there will also be a provincial referral process in the new year so you can be assured that there will be opportunities for engagement via the provincially managed process.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 27, 2022 at 3:58 PM Dan Bruiger [REDACTED] wrote:

Dear Mr. Gregg,

Here we are again. You represented Telus few years ago with a similar proposal, which the local community rejected. (If at first you don't succeed...?)

I was signed up for the online meeting you offered recently. Having downloaded the Microsoft Team software and followed the instructions, it was a very frustrating experience to be unable to connect with the meeting! So, I am writing you now with my concerns and opinions and to say that I am opposed to the tower anywhere on the island.

First, I feel it was inappropriate to propose an online medium (MT) that many people would find unfamiliar. (Zoom would have been a better choice.) More importantly, an online meeting of one hour is hardly a substitute for a public consultation process, meeting in physical space, face to face, for as long as it takes to air all concerns and answer all questions. I urge you to arrange such a public meeting

Many people here have diverse concerns about a cell tower on our island. I will not recapitulate them, but stick to my own main objections. We pride ourselves on being a unique place, an alternative to the rest of the mainstream culture. Many visitors come here with exactly that expectation. Despite the convenience of added cell coverage, a cell tower is inconsistent with the ambiance we (and they) hold dear. Literally and symbolically it would render Hornby too much like everywhere else.

Rogers should certainly respect the prevailing local sentiment and the judgment of Islands Trustees. It would be an outrage to impose a cell tower despite public will, which you can best assess with a formal poll in conjunction with public meetings.

Even if it turns out—through such thorough consultation—that the community finds the cell tower acceptable in principle, the proposed location may conflict with other uses being considered by the community for that site. I would personally hope that the location be one from which the tower would not normally be visible (from the roadways or frequented venues, for example).

You are acting as intermediary for Rogers and ISED. I believe it should be possible for the public to communicate directly with these parties in this matter. Would you please provide relevant contact information for them? Thanks so much.

Sincerely,

Dan Bruiger,

Former Secretary of Hornby Island Residents and Ratepayers Association and former

board member of Islands Secure Land Association.



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed Rogers tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Sun, Dec 4, 2022 at 5:22 PM

To: Joanne Wyvill [REDACTED]

Thank you for your input, Joanne. I am writing to confirm receipt of your comments and to let you know that I will save this on file for the decision makers. Please kindly note that as per ISED protocols you will have 21 days if you wish to submit further comments.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sat, Dec 3, 2022 at 2:13 PM Joanne Wyvill [REDACTED] wrote:

I am a Hornby resident & firmly opposed to the construction of the 63 metre tower.

Yours sincerely Joanne Wyvill

Sent from my iPad



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers cell tower proposal comment

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 4:12 PM

To: Michelle Nelson [REDACTED]

Hi Michelle:

Thanks for your further input. Please find below my additional responses in red text.

Dear Michelle:

Thanks for submitting your comments. Please kindly note that as per ISED protocols, you will have 21 days if you wish to submit further comments. Our responses are below in green text. Your input will be saved on file for the decision makers in conjunction with our responses.

I have added my replies to the responses in orange text and added HIRRA to the email.

Good afternoon,

My comment about the cell tower proposal on Hornby Island Provincial Crown Land is "No thanks". I understand that the Rogers cell tower proposal is to broaden its bandwidth connectivity. It seems to me that placing a 206-ft tower on Provincial Crown Land located on Hornby Island is not a good use of its land. Already, Vancouver Island communities have stood up in resistance to these similar tower proposals, and I support this sentiment.

<https://www.cowichanvalleycitizen.com/news/proposed-cell-tower-in-cowichan-bay-raises-concerns/>

Every proposal has unique elements. It is important to consider the context of each proposal. Hornby Island currently does not have reliable connectivity for both general purposes as well as emergency response purposes. This is important since over 80% of calls to emergency responders are now placed via cell phones.

CityWest has begun construction for fibre-to-the-home project as part of the Connected Coast initiative. The fibre optics will be underground, a less intrusive solution than a Rogers cell tower.

That is a great project. It will be good to have the last mile fibre connectivity. It has been my understanding that having fibre optic service will provide a needed service for internet connectivity on a fixed basis (wireline service); whereas Rogers' proposal is for mobile connectivity (wireline) service. Having a fibre connection to one's home will not preclude or replace a need for mobile connectivity just as mobile connectivity will not replace a need for fibre service. In most communities, there is a desire for robust wireless and wireline services as they tend to be quite complementary, albeit distinct service offerings. Mobile connectivity is important for public safety since the majority of calls to emergency responders (911 calls) are placed via cell phones. Having fibre to one's home or business will not allow for emergency phone calls out on the waterways, roads and trails in the community, for instance.

The site location appears to be across the road from an Agreements in Principle Treaty Land for K'omoks First Nation. I find this ironically distasteful when 30 years of treaty negotiations with respect to land were described in a press release as "done with care":

"The K'ómoks Nation has been the steward of these lands since time immemorial, and together with its government partners, will continue to ensure development happens in a respectful and responsible way."

Please be advised that the first step Rogers undertook prior to commencing the broader public consultation process was to specifically send referrals to and welcome comments from a number of relevant First Nations, including the K'ómoks Nation and several other

nations as identified via the Provincial First Nation Consultation Areas Database. Rogers as well as the Province will continue to work collaboratively with the relevant nations via this proposal as the crown will also subsequently send additional referrals to the same nations that we already engaged.

Did any "relevant First Nations" provide you with comments and if so, what were the comments? **We are still in the engagement process, however we have received some responses from the K'ómoks Nation, We Wai Kai Nation and Homalco Nation. While the engagement is still ongoing and the province will also engage the First Nations subsequently, thusfar the nations have submitted "no comment" responses. I note that this is preliminary and there will be further engagement opportunities with First Nations the broader community via the provincial referral process.**

I'm not sure what you mean by referrals being sent by Rogers and the Provincial Crown. **This means that in addition to the current ongoing federally mandated consultation process for the proposed cell tower, since the proposal is on provincial crown land there will subsequently be a duplicative referral or consultation process managed by the Crown via the MFNLRO.**

As I understand it, the proposal seems quite firm on the build, so I'm not sure what collaboration is required from K'omoks First Nation. **I am responding to your specific question above regarding First Nation engagement. The province has a duty to consult First Nations and since this proposal is on provincial crown land the relevant First Nations must be consulted.**

My concern is this cell tower is not a respectful nor responsible development for anyone living on Hornby Island. The last thing I want to see in the distance is a cell tower. To me, this footprint does not fit in with a small island's community desire to retain its natural beauty. **Thanks for sharing your perspective. It is valuable to welcome all viewpoints. We can learn much from local people when such proposals are put forward. While your perspective is sincerely valued, as you can imagine we must balance your input with the input of other stakeholders. We often hear broadly varying perspectives on these proposals including from people who may be opposed and who wish to live off the grind, all the way up to people who feel that improved connectivity is critical for public safety and connectivity since 80% of calls to 911 are now placed via cell phones. We can certainly understand the aesthetic concern. Hornby Island is one of the most beautiful places in BC. However, this is why we have proposed the tower in a location that is adjacent to an existing radio station communication site, fire hall, recycling depot, road works yard, amongst other such commercial and mixed uses. Also, since adjacent trees are as much as 40 meters tall and there is varying topography, we foresee that that only the top of the tower will be visible from most vantage points.**

And yet across the road on Provincial Crown Land, a corporation like Rogers Communications pushes in its own interest to erect a cell tower. So to whom are the government partners really ensuring respectful and responsible development?

In closing, a cell tower on Hornby Island misrepresents its community of "treading lightly on the land, conserving water, and treating others with kindness and respect". <https://hornbyisland.com>

You may take heart in knowing that the footprint of this tower on the land is less than that of most single family homes. Rogers' total tower compound area is 15 m x 15 m. We intend to use existing access roads with minor upgrades as well as largely run underground power into the compound. The tower will service the vast majority of the islands and surrounding waterways via this nominal footprint on the land if construction commences.

Additionally, the proposed tower location appears to align with the Islands Trust land use bylaw. Adjacent land uses include the local radio station, fire hall, recycling depot, road works yard, Joe King Ball Park, amongst other public service and commercial uses. We are not aware of a more suitable location for the proposed infrastructure on Hornby Island.

From the Hornby Island Official Community Plan Map, the proposed tower would be built in an Environmental Protection Area, designated as Community Service Use Development Permit Area (DPA2). I don't see how a privately-owned cell tower may be designated as community service use, especially when this area is assigned for environmental protection. Additionally, the tower compound area may be 15mx15m, but there is so much more involved to this construction, such as cutting back trees for the service road.

Regarding land use, the proposed tower is to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation). Rogers will work with the Islands Trust and Province to respectfully navigate any environmental considerations.

Thank you for your consideration.

Sincerely,

Michelle Nelson

Hornby Island resident

Thanks Michelle. Please kindly provide your civic address for the purposes of this consultation.

[REDACTED], Hornby Island, V0R1Z0. Thanks again. Please kindly note that as per ISED protocols you will have 21 days if you desire to comment further.

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 3:49 PM Michelle Nelson [REDACTED] wrote:

On Sun, Dec 4, 2022 at 5:32 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Michelle:

Thanks for submitting your comments. Please kindly note that as per ISED protocols, you will have 21 days if you wish to submit further comments. Our responses are below in green text. Your input will be saved on file for the decision makers in conjunction with our responses.

I have added my replies to the responses in orange text and added HIRRA to the email.

Good afternoon,

My comment about the cell tower proposal on Hornby Island Provincial Crown Land is "No thanks". I understand that the Rogers cell tower proposal is to broaden its bandwidth connectivity. It seems to me that placing a 206-ft tower on Provincial Crown Land located on Hornby Island is not a good use of its land. Already, Vancouver Island communities have stood up in resistance to these similar tower proposals, and I support this sentiment.

<https://www.cowichanvalleycitizen.com/news/proposed-cell-tower-in-cowichan-bay-raises-concerns/>

Every proposal has unique elements. It is important to consider the context of each proposal. Hornby Island currently does not have reliable connectivity for both general purposes as well as emergency response purposes. This is important since over 80% of calls to emergency responders are now placed via cell phones.

CityWest has begun construction for fibre-to-the-home project as part of the Connected Coast initiative. The fibre optics will be underground, a less intrusive solution than a Rogers cell tower.

The site location appears to be across the road from an Agreements in Principle Treaty Land for K'omoks First Nation. I find this ironically distasteful when 30 years of treaty negotiations with respect to land were described in a press release as "done with care":

"The K'ómoks Nation has been the steward of these lands since time immemorial, and together with its government partners, will continue to ensure development happens in a respectful and responsible way."

Please be advised that the first step Rogers undertook prior to commencing the broader

public consultation process was to specifically send referrals to and welcome comments from a number of relevant First Nations, including the K'ómoks Nation and several other nations as identified via the Provincial First Nation Consultation Areas Database. Rogers as well as the Province will continue to work collaboratively with the relevant nations via this proposal as the crown will also subsequently send additional referrals to the same nations that we already engaged.

Did any "relevant First Nations" provide you with comments and if so, what were the comments? I'm not sure what you mean by referrals being sent by Rogers and the Provincial Crown. As I understand it, the proposal seems quite firm on the build, so I'm not sure what collaboration is required from K'omoks First Nation. My concern is this cell tower is not a respectful nor responsible development for anyone living on Hornby Island. The last thing I want to see in the distance is a cell tower. To me, this footprint does not fit in with a small island's community desire to retain its natural beauty.

And yet across the road on Provincial Crown Land, a corporation like Rogers Communications pushes in its own interest to erect a cell tower. So to whom are the government partners really ensuring respectful and responsible development?

In closing, a cell tower on Hornby Island misrepresents its community of "treading lightly on the land, conserving water, and treating others with kindness and respect". <https://hornbyisland.com>

You may take heart in knowing that the footprint of this tower on the land is less than that of most single family homes. Rogers' total tower compound area is 15 m x 15 m. We intend to use existing access roads with minor upgrades as well as largely run underground power into the compound. The tower will service the vast majority of the islands and surrounding waterways via this nominal footprint on the land if construction commences.

Additionally, the proposed tower location appears to align with the Islands Trust land use bylaw. Adjacent land uses include the local radio station, fire hall, recycling depot, road works yard, Joe King Ball Park, amongst other public service and commercial uses. We are not aware of a more suitable location for the proposed infrastructure on Hornby Island.

From the Hornby Island Official Community Plan Map, the proposed tower would be built in an Environmental Protection Area, designated as Community Service Use Development Permit Area (DPA2). I don't see how a privately-owned cell tower may be designated as community service use, especially when this area is assigned for environmental protection.

Additionally, the tower compound area may be 15mx15m, but there is so much more involved to this construction, such as cutting back trees for the service road.

Thank you for your consideration.

Sincerely,

Michelle Nelson

Hornby Island resident

Thanks Michelle. Please kindly provide your civic address for the purposes of this consultation.

3820 Geoffrey Road, Hornby Island, V0R 1Z0.

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sat, Dec 3, 2022 at 3:44 PM Michelle Nelson [REDACTED] wrote:

Good afternoon,

My comment about the cell tower proposal on Hornby Island Provincial Crown Land is "No thanks". I understand that the Rogers cell tower proposal is to broaden its bandwidth connectivity. It seems to me that placing a 206-ft tower on Provincial Crown Land located on Hornby Island is not a good use of its land. Already, Vancouver Island communities have stood up in resistance to these similar tower proposals, and I support this sentiment.

<https://www.cowichanvalleycitizen.com/news/proposed-cell-tower-in-cowichan-bay-raises-concerns/>

The site location appears to be across the road from an Agreements in Principle Treaty Land for K'omoks First Nation. I find this ironically distasteful when 30 years of treaty negotiations with respect to land were described in a press release as "done with care":

"The K'ómoks Nation has been the steward of these lands since time immemorial, and together with its government partners, will continue to ensure development happens in a respectful and responsible way."

And yet across the road on Provincial Crown Land, a corporation like Rogers Communications pushes in its own interest to erect a cell tower. So to whom are the government partners really ensuring respectful and responsible development?

In closing, a cell tower on Hornby Island misrepresents its community of "treading lightly on the land, conserving water, and treating others with kindness and respect". <https://hornbyisland.com>

Thank you for your consideration.

Sincerely,

Michelle Nelson

Hornby Island resident



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Tower Meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 12:01 PM

To: Me [REDACTED]

Dear Scott:

Please find the login details to the meeting below.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 5, 2022 at 10:32 AM Me [REDACTED] wrote:

Hello?

On Thu, Dec 1, 2022 at 5:19 PM Scott Fullerton [REDACTED] wrote:

Hello,

I'd like to register for the Dec 8 meeting for the Hornby Island Rogers tower proposal.

Scott Fullerton

Sent from my mobile office 



Brian Gregg <briangregg@sitepathconsulting.com>

Comment Sheet - Rogers Tower on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 15, 2022 at 3:37 PM

To: Scott Fullerton [REDACTED]

Good Afternoon Scott:

Thanks for submitting your comment sheet. We greatly appreciate your time.

Please note that your comments will be saved on file for the Islands Trust, ISED, Rogers and the province (land management authority) to consider.

Please also kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you wish to submit further comments. With that said, there will be an additional provincial referral process in the new year so there will be plenty of opportunities for additional discussion.

Please feel free to call me at 778 870 1388 should you desire any discussion.

Thanks again and I hope that you have a good holiday season.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 12:01 PM Scott Fullerton [REDACTED] wrote:

Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 – Hornby Island

1. Are you a cell phone or wireless device user?

Yes

2. Do you feel this is an appropriate location for the proposed facility?

Yes

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?

Yes

Additional comments

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name: Scott Fullerton

Mailing address: [REDACTED] Hornby Island [REDACTED]

Email Address: [REDACTED]

Please email to briangregg@sitepathconsulting.com
Or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Attention: Brian Gregg
By January 13, 2023

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby cell phone tower

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 12:19 PM

To: Karen Ross [REDACTED]

Thanks Karen. That is an interesting idea. I don't know exactly how we would work that out but I think it's a nice idea in principle and we can certainly discuss when you return.

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 5, 2022 at 12:14 PM Karen Ross [REDACTED] wrote:

Hi Brian,

It would be awesome if Rogers could help the community get some land dedicated for workforce housing. Telecom. does seem to have good connections in the govt.

I am currently in Mexico, will be back on Dec. 18th, but want to attend the public consultation from here.

The rest can wait until I return to Canada.

Thanks for your quick response,

Karen

On Mon, Dec 5, 2022 at 1:04 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Karen,

Thanks for sharing your input. In response to your feedback, I can confirm that we pre-consulted the province, Islands Trust and local emergency response stakeholders prior to moving this proposal forward and we were not advised of any affordable housing project.

Notwithstanding the foregoing, we remain open to discussing all ideas and input to find a sensible solution. While there may be alternative ideas available, it may be worth noting that the subject property is very large and our footprint for the tower is only 15 m x 15 m (less than a single family house) and thus there would likely be space for both affordable housing and the needed telecommunications infrastructure. Indeed, there is already radiocommunications infrastructure in this same area at the local radio station and fire hall, to the best of my knowledge, and so it may be quite possible to have housing co-exist with the needed infrastructure.

We would be interested to discuss any ideas with you further. My cell number is below.

Please kindly note that you will have 21 days as per ISED protocols if you would like to submit further comments via this process.

Kind Regards,

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 5, 2022 at 10:53 AM Karen Ross [REDACTED] wrote:

COMMENT SHEET PROPOSED TELECOMMUNICATIONS TOWER COORDINATES: 49.535055, -124.672134 ROGERS FILE: W6420 – HORNBY ISLAND

1. Are you a cellular phone or wireless device user? **Yes**

2. Do you feel this is an appropriate location for the proposed facility? **No** Comments

The location should be revisited, as it is currently being proposed on a site that the community needs for affordable workforce housing. Working more closely with the community should identify a location where both needs are met. Historically on Hornby people are adverse to a cell phone tower being located close to residential land uses.

3. Are you satisfied with the appearance / design of the proposed facility?

If not, what changes would you suggest?

Not qualified to make a comment. _____

_____ Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes.

Name _____ (Please print clearly) Mailing

Address Karen Ross [REDACTED] Hornby island [REDACTED] _____

Email Address _____

[REDACTED] _____

Please email to briangregg@sitepathconsulting.com or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1 ATTENTION: Brian Gregg by January 13th, 2023. Thank you for your input



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Rogers Tower Proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 7:06 PM

To: Jane Tal [REDACTED]

Hello Jane:

I have thusfar been able to garner the following additional data for you:

- Commscope FFV4S4-65C-R7 is the antenna that will likely be used (though we note that this can evolve over time depending on how long it takes to deploy the facility). You can see the specifications by clicking on the link.
- Rogers provides voice and data services on the following bands: 600/700/850/1900/2100/2600/3500MHz.

I do not yet have the backhaul information and have asked Rogers' transport team to comment.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 5, 2022 at 12:17 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Jane:

Thanks for reaching out. Please find attached Rogers' consultation package. I have asked Rogers' engineer if he has the data you are currently looking for. Typically, during this early stage of a proposal, we only have conceptual designs and do not yet have all the site loading specifications (i.e. specific frequencies, antenna models, backhaul, etc. typically is added into our design later). I have nonetheless asked for this data and will share it with you if I am provided it. Notwithstanding the foregoing, I can confirm that this proposal is for cell service and will assist with emergency response. All equipment must comply with Health Canada's Safety Code 6.

Please kindly note that as per ISED protocols you will have 21 days if you wish to comment further.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 5, 2022 at 7:53 AM Jane Tal [REDACTED] wrote:

Dear Brian,

Unlike last time, there are few details of the proposed Cell Tower for Hornby Island. Can you send me the specs and frequency? Frequencies?

Last time it was 11ghz, beam to Qualicum tower , but no improved cell service.

This proposal mentions cell service and 911 support.

Can you please send all information on the antennae , connections to other towers, backhaul, etc.

Thanks,

Jane Talbot

Hornby Island BC



Brian Gregg <briangregg@sitepathconsulting.com>

Joining the Hornby Zoom Group

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 9:11 AM

To: Jane Tal [REDACTED]

Good Morning Jane:

Please find below the login details for the meeting.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 9:01 AM Jane Talbot wrote:

Hi Brian,

Could you please tell me how to register for tomorrow's Zoom meeting for the Hornby Island Rogers proposal?

Thanks,

Jane Talbot

Hornby Island BC



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island Rogers Tower Jan 2023

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Jan 6, 2023 at 11:49 PM

To: Jane Tal [REDACTED]

Jane:

Please find responses below in green text. Please kindly provide your civic address for the purposes of this consultation process.

To:

Brian Gregg, Sitepath Consulting
Alex Allan, Hornby Island Trustee
Grant Scott, Hornby Island Trustee
Daniel Arbour, CVRD
HIRRA

I wish to register my opposition to the Roger's Tower on Crown Land on Hornby Island.

It is to near the schools, medical clinic, Firehall, Recycling Depot, and many other areas where people work and spend many hours of their day.

Please be assured that we have saved your prior submissions as attached.

Brian Gregg has described it in such a way to make one believe it will carry untested 5G frequencies. Untested for health. Many do not accept Safety Code 6 as a standard of safety, including the IAFF and their hundreds of *independent* research papers.

Unless we know more about the Tower, and the antennae it will carry, I must oppose it at this time. How can one decide with many submitted questions still unanswered. No answer to my Backhaul question, for example, has been received.

We provided you with the information available as attached. As noted, this proposal is in the early stages so we do not have detailed construction drawings at this time with some of the specifications you are seeking.

Rogers attests that its proposed installation will comply with Health Canada's Safety Code 6. This is a regulatory requirement. The proposed facility will only house licensed radiofrequency spectrum. If you have questions or concerns about the applicable safety code, you may wish to contact the policy makers at Health Canada directly. Rogers has no choice but to comply with the safety protocols.

I also would like to express my shock, also, at the lack of a democratic process. If it is so safe, why the short time period, especially at Christmas when many are knowingly away?

The public consultation process has garnered input from many people. Although not required via the federal process, a digital public meeting was hosted. The public comment period was extended due to the holiday season. Notices were posted in four (4) local publications and a mail out was completed.

Rogers will continue to seek ways to ensure meaningful engagement. Indeed, thusfar, only the federal portion of the consultation process has commenced and there will be a provincial referral process as well since this proposal is on provincial crown land.

This involves a Zoning issue which should involve our 2 Island Trustees.

To be sure this is *not* a zoning issue. As communication sites fall under federal jurisdiction, zoning bylaws--a creature of the Local Government Act--do not apply to the proposed federally regulated use.

Notwithstanding the foregoing, you may find it noteworthy that the proposed facility is a permitted use in the Islands

Trust own land use by-law. I am not clear as to any other such location that offers this land use designation where Rogers would be prepared to propose such a facility from a technical perspective. Are you aware of such a location?

Specifically, the proposed tower is proposed to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).

As context, the surrounding land uses include a fire hall directly to the east on Crown Grant land, the Hornby Island Recycling Depot to the West on a Crown Lease, the Hornby Island Radio Station (CHFR) also to the east (including an existing radiocommunication facility), public trails to the south that enter Mt Geoffrey Regional Nature Park and crown land to the north also with trails. There are also a number of recreational facilities (Hornby Island Disc Golf course) and commercial establishments including the Hornby Island Farmer's Market along Central Road. There do not appear to be any residences in the immediate vicinity which we hope represents respectful tower siting.

Duly noted is the timing, right after an election. We won't be able to make this an election issue for 2 more years. The election has had no substantive bearing over Rogers' proposal timing. Indeed, we reached out to the Islands Trust to discuss this proposal many months prior to the election and had sought to move the proposal forward well in advance of the election. Unfortunately, the proposal was delayed due to the election as the Islands Trust planning department staff was not able to get us onto an LTC meeting agenda prior to the elections despite our attempts to move forward in advance of that time period. After delaying the consultation for many months a decision was made to notify the public to enable us to welcome public comments. The elections were not a deciding factor in terms of the timing of this proposal other than to the extent that the elections resulted in some unexpected delays for the proposal as summarized above. To be honest, we had wanted the consultation to start several months prior but that was not feasible.

Hornby Island relies heavily on tourism. People come here for many reasons, but in particular as a rural, pristine, natural contrast to their busy city life. A cell tower, centrally located, covered in antennae does not fit in with the character of the Island.

Tourism and any other influx of population puts demand on infrastructure (not only telecom infrastructure but likely water, electrical, sewage, ferry service, housing, roads, and other such systems). Indeed, when people are traveling they often rely on wireless infrastructure to make phone calls, transactions, reservations, send emails, make emergency calls, etc.

There are many beautiful island communities that have similar infrastructure including, but not limited to, Sonora Island (directly adjacent to the eco resort), Saltspring Island, Gabriola Island, Saturna Island, Mayne Island, Quadra Island, Tofino, etc. There are many additional examples of successful and beautiful tourist destinations that are home to telecommunications infrastructure. Certainly your opinion is valuable and it will be documented however it has not been our experience that tourism and telecommunications infrastructure are incompatible. One might even suggest that tourism adds to the demand for such infrastructure. Of course, it is critical that the needed infrastructure is appropriately sited in such cases.

Many are becoming more aware of the hazards of living and working near a 4th or 5th generation cell tower (see the stats on real estate prices of houses nearby).

The subject of property values is outside the scope of our authority to debate via this process. Please refer to the ISED CPC section 4.2 which notes:

Concerns that are not relevant include:

- *disputes with members of the public relating to the proponent's service, but unrelated to antenna installations*
- *potential effects that a proposed antenna system will have on **property values** or municipal taxes*
- *questions whether the Radiocommunication Act, this document, Safety Code 6, locally established by-laws, other legislation, procedures or processes are valid or should be reformed in some manner*

If Hornby promotes itself as a option to work virtually, how many will allow their kids to spend all day in our schools? Fewer, and fewer as time passes, and health effects are collated, on this new 5th generation millimeter wave

technology. This is not a good long term proposal for the Hornby Island community.

We are not aware of any statistics to support your theory that less people will go to school because of improved wireless service. There has been excellent wireless service in many communities in BC for many years without such impacts to the best of our knowledge. If you have interesting statistics to suggest otherwise (i.e. studies showing that having access to cell phone service reduces school attendance) we would be interested to learn about this.

Sincerely,
Jane Talbot
Property Owner
Hornby Island, BC

Please kindly note that as per ISED protocols you will have 21 days if you wish to comment further.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Jan 6, 2023 at 10:51 PM Jane Talbot wrote:

To:
Brian Gregg, Sitepath Consulting
Alex Allan, Hornby Island Trustee
Grant Scott, Hornby Island Trustee
Daniel Arbour, CVRD
HIRRA

I wish to register my opposition to the Roger's Tower on Crown Land on Hornby Island.

It is to near the schools, medical clinic, Firehall, Recycling Depot, and many other areas where people work and spend many hours of their day.

Brian Gregg has described it in such a way to make one believe it will carry untested 5G frequencies. Untested for health. Many do not accept Safety Code 6 as a standard of safety, including the IAFF and their hundreds of *independent* research papers.

Unless we know more about the Tower, and the antennae it will carry, I must oppose it at this time. How can one decide with many submitted questions still unanswered. No answer to my Backhaul question, for example, has been received.

I also would like to express my shock, also, at the lack of a democratic process. If it is so safe, why the short time period, especially at Christmas when many are knowingly away? This involves a Zoning issue which should involve our 2 Island Trustees. Duly noted is the timing, right after an election. We won't be able to make this an election issue for 2 more years.

Hornby Island relies heavily on tourism. People come here for many reasons, but in particular as a rural, pristine, natural contrast to their busy city life. A cell tower, centrally located, covered in antennae does not fit in with the character of the Island. Many are becoming more aware of the hazards of living and working near a 4th or 5th generation cell tower (see the stats on real estate prices of houses nearby). If Hornby promotes itself as a option to work virtually, how many will allow their kids to spend all day in our schools? Fewer, and fewer as time passes, and health effects are collated, on this new 5th

generation millimeter wave technology. This is not a good long term proposal for the Hornby Island community.

Sincerely,
Jane Talbot
Property Owner
Hornby Island, BC

2 attachments

 **Comment - Jane Talbot 2.pdf**
76K

 **Comment - Jane Talbot.pdf**
71K



Brian Gregg <briangregg@sitepathconsulting.com>

(no subject)

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 12:22 PM

To: Cassandra Bassett [REDACTED]

Dear Cassandra,

Thanks for sharing your input. I will save this on file for the decision makers at the Islands Trust, Crown, ISED and Rogers.

Please kindly note that as per ISED protocols you will have 21 days if you wish to submit further comments.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Dec 4, 2022 at 11:57 AM Cassandra Bassett [REDACTED] wrote:

| I have lived a full, active, productive life on Hornby Island for fifty years; without a tower. I don't think we need it.



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island facility

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 12:51 PM

To: Judith Lawrence [REDACTED]

Dear Judith:

Thanks for sharing your perspective. This proposal is to enable wireless service (cell phone service) which is important since greater than 80% of calls to emergency responders (911) are placed via cell phones. This will be for both permanent residents and any visitors alike.

Please kindly note that we will save your input on file for the decision makers at the Islands Trust, ISED and Rogers. Please be advised that you will have 21 days as per ISED protocols if you desire to submit further input.

Please kindly provide your address for the purposes of this consultation.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Dec 4, 2022 at 12:41 PM Judith Lawrence [REDACTED] wrote:

I am Totally Opposed to placing a tower on Hornby Island. There is no need for it, and there are already enough facilities for residents! If the purpose of this tower is to convenience summer casual visitors I am more opposed! This Island is being destroyed by commercial interests, and it's time we took a stand and said No to further developments.

Judith Lawrence



Brian Gregg <briangregg@sitepathconsulting.com>

Public Information Meeting re Hornby Island scheduled for Thursday Dec 8th .

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 12:54 PM

To: Amanda Hale [REDACTED]

Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Dear Amanda:

Please find below our responses in green text.

[Quoted text hidden]

It is our understanding, upon reviewing this proposal with Innovation, Science and Economic Development (ISED) Canada, Islands Trust and Ministry of Forests, Lands and Natural Resource Operations (MFLNRO) staff that the Islands Trust is the applicable land use authority on Hornby Island for most matters including this proposal. However, as Rogers' proposal is on Provincial Crown Land, we will also be working closely with the crown via the MFLNRO. I have not been advised at this time that the CVRD is the applicable land use authority.

Nonetheless, I have shared your question with ISED to clarify however I can assure you that we pre-consulted ISED, the Island Trust and the MFLNRO extensively on this proposal prior to moving into public consultation and it is our understanding that the aforementioned comments are accurate re: the Islands Trust and MFLNRO having decision making capacity.

It is our intent to complete the digital public meeting on December 8th as advertised. From there, we will review whether additional engagement is merited in the new year. Please be assured that there will be plenty of opportunity for additional engagement as we are currently only completing the required federal (ISED) portion of the consultation however since the proposal is on Provincial Crown land there will also be a provincial referral and consultation process including another round of public notices.

I can assure you that this proposal has been posted in four local publications including the Grapevine, Comox Valley Record, The First Edition and the Hornby Tribune as well as on social media. We also sent referrals to all relevant First Nations early on in the process before advising the Hornby Island community.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you desire to submit further input. Please find attached a copy of Rogers' consultation package for additional context.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

[Quoted text hidden]

 **Mail-out Package - Rogers - W6420 - Hornby Island.pdf**
878K



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed Rogers Cell Tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Sun, Jan 8, 2023 at 7:08 PM

To: Amanda Hale [REDACTED]

Dear Amanda:

Thanks for sharing your comments. Your input will be saved on file for the Islands Trust, ISED and Rogers to consider.

Please find below Rogers' responses in green text.

Dear Mr. Gregg, I wrote to you a few weeks ago on this topic and received a response. Now I am writing again, after further study of the situation and much reflection and discussion with fellow islanders. Attached is my comment sheet provided by Hornby Island Residents and Ratepayers, a large group of which I am only one.

I do not give my consent to the Rogers proposal for the erection of a cell tower on Hornby Island, for reasons that I will state. Further, I do not consent to this particular process which has been badly timed and without adequate information given to our community. I am sure you are aware that the Winter Holiday season is not an appropriate time to catch our community off guard with an unwelcome and dangerous proposal. The Microsoft Teams meeting excluded many of us; some who do not use this technology, and others who were unable to negotiate the MT site.

For your information, Rogers pre-consulted the Islands Trust and province's staff on this proposal on provincial crown land for many months prior to commencing the consultation process. The public consultation process has garnered input from many people. Although not required via the federal process, a digital public meeting was hosted. The public comment period was extended due to the holiday season. Notices were posted in four (4) local publications (though only one notice is required) and a mail out was completed to area property owners, tenure holders on crown land, residences, etc.

Rogers will continue to seek ways to ensure meaningful engagement. Indeed, thusfar, only the federal portion of the consultation process has commenced and there will be a provincial referral process as well since this proposal is on provincial crown land.

Microsoft Teams does not require any software to be downloaded and people were able to simply click a link to attend. We also provided dial in numbers for landlines. The meeting was well attended as it was quite accessible.

I begin with a question: who will be liable for the inevitable harms caused if this cell tower plan were to proceed? It is globally acknowledged by realistic, informed people, not driven by financial profit, that the electromagnetic frequency and radiation emissions of such towers are causing widespread damage to environments, bees and insects, birds, animals, and of course humans, since we are indeed not separate from the natural world. I ponder in amazement the suicidal ways of the powers that be in our terribly endangered world. The obsession with technological connectivity in this generations-long war on Nature, is a travesty of the natural connectivity we share as human beings.

Rogers attests that its proposed installation will comply with Health Canada's Safety Code 6. This is a regulatory requirement and the same safety protocol that the local radio station and fire hall towers must also comply with.

We have no background in legal matters so if your questions are of that nature you may wish to contact ISED or Rogers' regulatory team directly.

Specifically, Hornby Island is a fragile 30 kilometer square island - the gem of the Gulf Islands, as witnessed by our

huge tourist influx each summer. People do not come here for Wifi - on the contrary, they come to unplug and relax. **Hornby is a beautiful place and we have enjoyed visiting the area many times. Tourism and any other influxes of population put demand on infrastructure (not only telecom infrastructure but likely water, electrical, sewage, ferry service, housing, roads, and other such systems). Indeed, when people are traveling they often rely on wireless infrastructure to make phone calls, transactions, reservations, send emails, make emergency calls, etc.**

There are many beautiful island communities that have similar infrastructure including, but not limited to, Sonora Island (directly adjacent to the eco resort), Saltspring Island, Gabriola Island, Saturna Island, Mayne Island, Quadra Island, Tofino, etc. There are many additional examples of successful and beautiful tourist destinations and island communities that are home to commonplace telecommunications infrastructure such as cell towers. Certainly your opinion is valuable and it will be documented however it has not been our experience that tourism and telecommunications infrastructure are necessarily incompatible. One might even suggest that tourism adds to the demand for such infrastructure. Of course, it is critical that the needed infrastructure is *appropriately sited* in such cases.

We are told that the tower will improve our Wifi needs. This makes no sense to a thinking person since we already have perfectly adequate cell phone and email connectivity.

This proposal is not for wifi and is rather for cell service. This is important for emergency response and public safety reasons since greater than 80% of calls to emergency responders such as 911 are now placed via cell phones.

Most of Hornby Island does not have reliable cell phone service. You may wish to speak to your local emergency responders about this.

No doubt you have already received many messages about the need for community housing (the site for the proposed tower being on land earmarked for housing); the dangers to human and environmental health; the question of liability for damage to apiaries and farm animals etc. etc. etc. The reasons to call a halt to this cell tower proposal are multiple; no need for me to reiterate what my fellow islanders have already communicated.

I will simply leave you with a Hornby Island story, followed by an imagined scenario of what could happen on our fragile and delicately balanced island.

During one of my first summers on Hornby, circa 1990, a fire started in Helliwell Park's arbutus grove. It was early August, a dry summer with all the grass flattened to golden tinder. Word spread across the island as fast as the fire spread. Local people bordering the park ran with buckets of water sloshing over their sneakers. There was panic, grief, everyone running in shock and disbelief. The island was saved from incineration only by the water bombers from Port Alberni. We have never forgotten that day, the memory of it revived on every walk past the burned arbutus grove, as we monitored a long slow recovery over many years. It was thought that the fire was sparked by a cigarette butt. Remember how acceptable smoking used to be? We were told it was safe. We believed it and continued to inhale, until cancer patients started suing tobacco companies.

California has, over the years, had 4 cell towers catch fire due to burning tower transmitters. California is a huge land mass. Hornby is a tiny island anchored in the Georgia Strait. We have been experiencing more and more severe drought with each summer. If a cell tower went on fire here during the summer months it would spread fast. The ferries, with typical 4 ferry lineups throughout the day in summer, would be unable to save more than a handful of us. Anyone without a canoe, a kayak, a fishing vessel, would be dead along with the vast majority of their neighbors as the fire spread rapidly across an island billowing with smoke from forests of candling trees.

Who would then be liable for such a human and environmental disaster? Who would our surviving families sue as they grieved and thanked their lucky stars that they'd been off island on that fateful day?

You may wish to discuss matters of fire safety with your local fire experts. To the best of our knowledge, other uses including residential, commercial uses, campgrounds and other such uses are more common sources of fires. Fires from utility structures like cell sites are extremely rare.

I began with a question, and I have ended with one.

We need honest answers.

We need an honest reappraisal of a redundant and ill-considered proposal.

We need an honest and graceful stepping back from this madness.

Your views have been saved for the decision makers. You may wish to consider that while there are people who align with your perspective, there are also many people and stakeholders who desire service improvements. Thus, it has been Rogers' objective as a service provider to work towards a responsible proposal that takes into account local land use objectives and desires.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Jan 8, 2023 at 2:26 PM Amanda Hale [REDACTED] wrote:

Dear Mr. Gregg, I wrote to you a few weeks ago on this topic and received a response. Now I am writing again, after further study of the situation and much reflection and discussion with fellow islanders. Attached is my comment sheet provided by Hornby Island Residents and Ratepayers, a large group of which I am only one.

I do not give my consent to the Rogers proposal for the erection of a cell tower on Hornby Island, for reasons that I will state. Further, I do not consent to this particular process which has been badly timed and without adequate information given to our community. I am sure you are aware that the Winter Holiday season is not an appropriate time to catch our community off guard with an unwelcome and dangerous proposal. The Microsoft Teams meeting excluded many of us; some who do not use this technology, and others who were unable to negotiate the MT site.

I begin with a question: who will be liable for the inevitable harms caused if this cell tower plan were to proceed? It is globally acknowledged by realistic, informed people, not driven by financial profit, that the electromagnetic frequency and radiation emissions of such towers are causing widespread damage to environments, bees and insects, birds, animals, and of course humans, since we are indeed not separate from the natural world. I ponder in amazement the suicidal ways of the powers that be in our terribly endangered world. The obsession with technological connectivity in this generations-long war on Nature, is a travesty of the natural connectivity we share as human beings.

Specifically, Hornby Island is a fragile 30 kilometer square island - the gem of the Gulf Islands, as witnessed by our huge tourist influx each summer. People do not come here for Wifi - on the contrary, they come to unplug and relax.

We are told that the tower will improve our Wifi needs. This makes no sense to a thinking person since we already have perfectly adequate cell phone and email connectivity.

No doubt you have already received many messages about the need for community housing (the site for the proposed tower being on land earmarked for housing); the dangers to human and environmental health; the question of liability for damage to apiaries and farm animals etc. etc. etc. The reasons to call a halt to this cell tower proposal are multiple; no need for me to reiterate what my fellow islanders have already communicated.

I will simply leave you with a Hornby Island story, followed by an imagined scenario of what could happen on our fragile and delicately balanced island.

During one of my first summers on Hornby, circa 1990, a fire started in Helliwell Park's arbutus grove. It was early August, a dry summer with all the grass flattened to golden tinder. Word spread across the island as fast as the fire spread. Local people bordering the park ran with buckets of water sloshing over their sneakers. There was panic, grief, everyone running in shock and disbelief. The island was saved from incineration only by the water bombers from Port Alberni. We have never forgotten that day, the memory of it revived on every walk past the burned arbutus

grove, as we monitored a long slow recovery over many years. It was thought that the fire was sparked by a cigarette butt. Remember how acceptable smoking used to be? We were told it was safe. We believed it and continued to inhale, until cancer patients started suing tobacco companies.

California has, over the years, had 4 cell towers catch fire due to burning tower transmitters. California is a huge land mass. Hornby is a tiny island anchored in the Georgia Strait. We have been experiencing more and more severe drought with each summer. If a cell tower went on fire here during the summer months it would spread fast. The ferries, with typical 4 ferry lineups throughout the day in summer, would be unable to save more than a handful of us. Anyone without a canoe, a kayak, a fishing vessel, would be dead along with the vast majority of their neighbors as the fire spread rapidly across an island billowing with smoke from forests of candle trees.

Who would then be liable for such a human and environmental disaster? Who would our surviving families sue as they grieved and thanked their lucky stars that they'd been off island on that fateful day?

I began with a question, and I have ended with one.

We need honest answers.

We need an honest reappraisal of a redundant and ill-considered proposal.

We need an honest and graceful stepping back from this madness.

Sincerely, Amanda Hale



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers communication facility" on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 12:57 PM

To: Christa Yeomans [REDACTED]

Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Dear Christa:

Please find below my comments in green text.

Dear Brian Gregg,

I am a senior resident of Hornby Island writing about my concerns in relation to a virtual meeting of your new proposal:

"Rogers communication facility" on Hornby Island's Crownland.

After reading the stipulations you have to follow for a public hearing (Comox valley Regional District Policy Number P89 –

Telecommunication Antenna System Application and Consultation Process Page 4 of 6) I learned that the meeting "should be hosted in person"!

4) The Proponent is to host a public information meeting in order to share relevant information with members of the public who may be affected by the proposed development.

The public information meeting:

a. Should be hosted in-person. The meeting may be hosted virtually during times at which Public Health Orders affect in-person events, but in-person events are still encouraged when strategies to mitigate public health risks can be implemented;

Considering there is no public health order currently in effect, a virtual meeting would be considered inadequate for proper public consultation and input.

Sincerely,

Christa Yeomans

It is our understanding, upon previously reviewing this proposal with Innovation, Science and Economic Development (ISED) Canada, Islands Trust and Ministry of Forests, Lands and Natural Resource Operations (MFLNRO) staff that the Islands Trust is the applicable land use authority on Hornby Island for most matters including this proposal. However, as Rogers' proposal is on Provincial Crown Land, we will also be working closely with the crown via the MFLNRO. I have not been advised at this time that the CVRD is the applicable land use authority.

Nonetheless, I have shared your question with ISED (cc'd) to clarify however I can assure you that we pre-consulted ISED, the Island Trust and the MFLNRO extensively on this proposal prior to moving into public consultation and it is our understanding that the aforementioned comments are accurate re: the Islands Trust and MFLNRO having decision making capacity.

It is our intent to complete the digital public meeting on December 8th as advertised. From there, we will

review whether additional engagement is merited in the new year. Please be assured that there will be plenty of opportunity for additional engagement as we are currently only completing the required federal (ISED) portion of the consultation however since the proposal is on Provincial Crown land there will also be a provincial referral and consultation process including another round of public notices.

I can assure you that this proposal has been posted in four local publications including the Grapevine, Comox Valley Record, The First Edition and the Hornby Tribune as well as on social media. We also sent referrals to all relevant First Nations early on in the process before advising the Hornby Island community.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you desire to submit further input. Please find attached a copy of Rogers' consultation package for additional context.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

[Quoted text hidden]



Mail-out Package - Rogers - W6420 - Hornby Island.pdf

878K



Brian Gregg <briangregg@sitepathconsulting.com>

Re: Rogers Telecommunications public hearing

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 1:01 PM

To: elspeth armstrong [REDACTED]

Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Dear Elspeth and Chris:

Please find below our responses in green text.

It is our understanding, upon previously reviewing this proposal with Innovation, Science and Economic Development (ISED) Canada, Islands Trust and Ministry of Forests, Lands and Natural Resource Operations (MFLNRO) staff that the Islands Trust is the applicable land use authority on Hornby Island for most matters including this proposal. However, as Rogers' proposal is on Provincial Crown Land, we will also be working closely with the crown via the MFLNRO. I have not been advised at this time that the CVRD is the applicable land use authority.

Nonetheless, I have shared your question with ISED to clarify however I can assure you that we pre-consulted ISED, the Island Trust and the MFLNRO extensively on this proposal prior to moving into public consultation and it is our understanding that the aforementioned comments are accurate re: the Islands Trust and MFLNRO having decision making capacity.

It is our intent to complete the digital public meeting on December 8th as advertised. From there, we will review whether additional engagement is merited in the new year. Please be assured that there will be plenty of opportunity for additional engagement as we are currently only completing the required federal (ISED) portion of the consultation however since the proposal is on Provincial Crown land there will also be a provincial referral and consultation process including another round of public notices.

I can assure you that this proposal has been posted in four local publications including the Grapevine, Comox Valley Record, The First Edition and the Hornby Tribune as well as on social media. We also sent referrals to all relevant First Nations early on in the process before advising the Hornby Island community.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you desire to submit further input. Please find attached a copy of Rogers' consultation package for additional context.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Dec 4, 2022 at 10:44 PM elspeth armstrong [REDACTED] wrote:

Attn: Brian Gregg - SitePath Consulting Ltd.

Dear Sir:

My husband, Chris and I are full-time Hornby Island residents, and we are writing you concerning the virtual “**Public Information Meeting**” regarding the proposed Rogers telecommunications facility that is scheduled for Thursday Dec 8th.

As per the Comox Valley Regional District Policy Number: P89 - Telecommunication Antenna System Application and Consultation Process Page 4 of 6:

4) The Proponent is to host a public information meeting in order to share relevant information with members of the public who may be affected by the proposed development.

The public information meeting:

a. Should be hosted in-person. The meeting may be hosted virtually during times at which Public Health Orders affect in-person events, but in-person events are still encouraged when strategies to mitigate public health risks can be implemented;

Considering there is no public health order currently in effect, a virtual meeting would be considered inadequate to facilitate a proper public consultation to provide the information the residents would require to provide their input.

Considering ISED CPC-2-0-3 Page 7:

Proponents must follow the land-use consultation process for the siting of antenna systems, established by the land-use authority, where one exists. ...In all cases, telecommunications carriers, broadcasting undertakings and third party tower owners must notify and consult with the local public when proposing a new antenna tower, either by following ISED's default public consultation process or, where one exists, the land-use authority's public consultation process.

the CVRD Policy P89 Process would be the proper one to follow.

Virtual meetings discriminate against many members of our community who either do not use computers or have the skills to set up a Microsoft Teams meeting or who are part of the population here who live with limited means and don't own computers.

In summary, you are obligated by law to have an in-person public meeting, which would need to be held in appropriate facility on Hornby Island. We look forward to participating in this process and thank you for respecting our community needs.

Elsbeth & Chris Armstrong

[REDACTED] Hornby Is [REDACTED]

[REDACTED]

 Mail-out Package - Rogers - W6420 - Hornby Island.pdf
878K



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Telecommunications Application for Tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Sat, Jan 14, 2023 at 3:47 AM

To: elspeth armstrong [REDACTED]

Dear Elspeth:

Please find Rogers' responses below in green text.

Dear Sir:

Please be advised that my husband, Chris, and I, are opposed to the tower proposal anywhere on Hornby Island, especially on Crown Land for the following reasons:

1. The islanders expressed, very clearly, back 7 years ago when Telus made a proposal for a tower, that a tower was not wanted. However, citizens were very clear about welcoming a fibre optic installation which would greatly enhance internet service. And regarding discussions put forth recently, it is readily apparent that this remains the popular choice...**yes to fibre optic installation** which we know is coming to Hornby via CityWest shortly, **No to a tower.**

This proposal is for mobile service which is important for public safety since greater than 80% of calls to emergency responders such as 911 are now placed via cell phones.

Fibre optics will be wonderful but only provide service on a fixed basis at one's home or place of business.

Most communities thus desire both robust wireless and wireline service.

Further, not everyone on Hornby may have the luxury of a fixed address with a fibre connection.

It is obvious Rogers is not interested in just improving land-line phone service, but providing 5g via the coming fibre optic cable.

Interesting thought. I am not aware of the projects being related whatsoever to be honest with you. We do not yet have a transport plan specified to the best of my knowledge.

As has been widely published 5G cannot operate without a Tower along with significant numbers of small cell towers installed on telephone poles with receivers at households.

This is more so in urban areas. At this time we are planning the tower only. Certainly if there are coverage gaps and people complain about service there are "small cell" solutions that can be explored like other service providers have already done on Hornby however that is not currently our proposal or plan at this time.

Without going into any detail and what has been well covered and well known, 5g has been proven to be harmful, not only to humans, especially children, but also to native species, e.g, bees, birds, etc. Canada's law regarding the safety of 5G is dreadfully lacking in up to date research and overlooked compared to other more learned, progressive countries, e.g. Belgium, Grance, and growing sectors in the U.S.

Rogers attests that its proposed facility will comply with Health Canada's Safety Code 6. This is a regulatory requirement. This is the same safety code that the adjacent towers from the radio station and fire hall must follow as well.

2. The use of Crown Land for a tower, thereby removing a significant area on Hornby from harm, is a desecration of the word "Crown" land - land that is available for public use and enjoyment. Hornby is not blessed with a large acreage of Crown land and what we have is heavily used. Hornby is widely known for its mountain biking trails and

hiking. To remove perhaps a significant part of it for a Tower, is not in the best interests of the community and the thousands of visitors that come to the island each year.

Rogers' proposed footprint on the land is nominal at around 15 m x 15 m with use of existing access and largely underground power. This is proposed on a lot that I understand is several hundred acres in size, while Rogers' proposed footprint is less than most single family homes.

3. There are plans in the works, we have learned, for some crown land parcels that are being looked at as possible sites for low income housing which is desperately needed for younger full-time residents. Also, apparently there is discussion re the building of some outdoor sports sites. To have a tower replacing community needs and uses makes a mockery of the term Crown land. Surely sane thinking will prevail over thinking that a tower should take precedence.

Upon review of the proposed tower location with the province (land management authority for the property), we were advised that there have been no applications made for other uses that would conflict with this proposal. Multiple locations were reviewed and this is one that appeared potentially feasible.

Additionally, the subject property is very large so there is plenty of space for housing or other uses. Rogers' proposed footprint is nominal and less than a single family house. There are many instances wherein communication sites are in proximity to other uses such as housing.

The other aspect to consider is land use. Are you aware that the proposed facility is a permitted use in the Islands Trust own land use by-law? I am not clear as to any other such location that offers this land use designation where Rogers would be prepared to propose such a facility from a technical perspective. Are you aware of such a location?

Specifically, the proposed tower is proposed to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).

As context, the surrounding land uses include a fire hall directly to the east on Crown Grant land (including an existing communication site), the Hornby Island Recycling Depot to the West on a Crown Lease, the Hornby Island Radio Station (CHFR) also to the east (including an existing radiocommunication facility), public trails to the south that enter Mt Geoffrey Regional Nature Park and crown land to the north also with trails. There are also a number of recreational facilities (Hornby Island Disc Golf course) and commercial establishments including the Hornby Island Farmer's Market along Central Road. There do not appear to be any residences in the immediate vicinity which we hope represents respectful tower siting.

After all, this is a small island where most residents will be happy with and appreciative of having a good internet service through a fibre optic cable system with **No Tower and No 5g.**

Thanks for your perspective. It will be shared with the decision makers along with the input of all stakeholders.

Thank you for your time,

Elsbeth Armstrong

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Thanks,

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Jan 13, 2023 at 4:50 PM elspeth armstrong [REDACTED] wrote:

Dear Sir:

Please be advised that my husband, Chris, and I, are opposed to the tower proposal anywhere on Hornby Island, especially on Crown Land for the following reasons:

1. The islanders expressed, very clearly, back 7 years ago when Telus made a proposal for a tower, that a tower was not wanted. However, citizens were very clear about welcoming a fibre optic installation which would greatly enhance internet service. And regarding discussions put forth recently, it is readily apparent that this remains the popular choice...**yes to fibre optic installation** which we know is coming to Hornby via CityWest shortly, **No to a tower.**

It is obvious Rogers is not interested in just improving land-line phone service, but providing 5g via the coming fibre optic cable. As has been widely published 5G cannot operate without a Tower along with significant numbers of small cell towers installed on telephone poles with receivers at households.

Without going into any detail and what has been well covered and well known, 5g has been proven to be harmful, not only to humans, especially children, but also to native species, e.g, bees, birds, etc. Canada's law regarding the safety of 5G is dreadfully lacking in up to date research and overlooked compared to other more learned, progressive countries, e.g. Belgium, France, and growing sectors in the U.S.

2. The use of Crown Land for a tower, thereby removing a significant area on Hornby from harm, is a desecration of the word "Crown" land - land that is available for public use and enjoyment. Hornby is not blessed with a large acreage of Crown land and what we have is heavily used. Hornby is widely known for its mountain biking trails and hiking. To remove perhaps a significant part of it for a Tower, is not in the best interests of the community and the thousands of visitors that come to the island each year.

3. There are plans in the works, we have learned, for some crown land parcels that are being looked at as possible sites for low income housing which is desperately needed for younger full-time residents. Also, apparently there is discussion re the building of some outdoor sports sites. To have a tower replacing community needs and uses makes a mockery of the term Crown land. Surely sane thinking will prevail over thinking that a tower should take precedence.

Afterall. this is a small island where most residents will be happy with and appreciative of having a good internet service through a fibre optic cable system with **No Tower and No 5g.**

Thank you for your time,

Elsbeth Armstrong



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Digital Public Meeting - Rogers Communications - W6420

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 3:23 PM

To: elspeth [REDACTED]

Hello Elspeth:

Please find below the login details as requested over the phone today.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à www.rogers.com/aviscourriel <<http://www.rogers.com/aviscourriel>>

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com



Brian Gregg <briangregg@sitepathconsulting.com>

regarding virtual meeting for Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 1:02 PM

To: jackie heim [REDACTED]

Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Dear Jackie:

Please find below our response in green text.

It is our understanding, upon reviewing this proposal with Innovation, Science and Economic Development (ISED) Canada, Islands Trust and Ministry of Forests, Lands and Natural Resource Operations (MFLNRO) staff that the Islands Trust is the applicable land use authority on Hornby Island for most matters including this proposal. However, as Rogers' proposal is on Provincial Crown Land, we will also be working closely with the crown via the MFLNRO. I have not been advised at this time that the CVRD is the applicable land use authority.

Nonetheless, I have shared your question with ISED to clarify however I can assure you that we pre-consulted ISED, the Island Trust and the MFLNRO extensively on this proposal prior to moving into public consultation and it is our understanding that the aforementioned comments are accurate re: the Islands Trust and MFLNRO having decision making capacity.

It is our intent to complete the digital public meeting on December 8th as advertised. From there, we will review whether additional engagement is merited in the new year. Please be assured that there will be plenty of opportunity for additional engagement as we are currently only completing the required federal (ISED) portion of the consultation however since the proposal is on Provincial Crown land there will also be a provincial referral and consultation process including another round of public notices.

I can assure you that this proposal has been posted in four local publications including the Grapevine, Comox Valley Record, The First Edition and the Hornby Tribune as well as on social media. We also sent referrals to all relevant First Nations early on in the process before advising the Hornby Island community.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you desire to submit further input. Please find attached a copy of Rogers' consultation package for additional context.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Dec 4, 2022 at 5:43 PM jackie heim [REDACTED] wrote:

Dear Brian Gregg,

I am a Hornby Island resident, and I am writing you concerning the virtual “Public Information Meeting” regarding the proposed Rogers tower that’s scheduled for Thursday Dec 8th.

According to the Comox Valley Regional District, they clearly state in the ‘Telecommunication Antenna System Application and Consultation Process Policy’ that all public consultation meetings with the community where cell towers are proposed and that you are required to host “should be hosted in- person”. (Page 4, Policy Number: P89)

It goes on to say that “the meetings may be hosted virtually **during times at which Public Health Orders affect in-person events.**” (Italics mine)

As there are no public health restrictions in this time, I insist we have an in-person Public Consultation/public information meeting.

Virtual meetings discriminate against many members of our community who either don’t use computers or have the skills to set up a TEAM meeting or who are part of the population here who live with limited means and don’t own computers.

I have only seen one printed Notice of the proposed Rogers tower on Nov 24 in our local newsletter the Grapevine. Many people will not have seen this Notice. This is a busy time of year; a Dec 8 virtual meeting also discriminates against many on our island who are very busy and engaged with Xmas activities, fairs, family, their children and school events etc. Therefore an in-person meeting at a later date is called for.

Sincerely,

Jackie Heim

"Another world is possible....on a quiet day, I can hear her breathing....."
Arundhati Roy

 **Mail-out Package - Rogers - W6420 - Hornby Island.pdf**
878K



Brian Gregg <briangregg@sitepathconsulting.com>

Public Information Meeting on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 1:05 PM

To: "[REDACTED]" [REDACTED]
Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Dear E Feder:

Please find below our responses in green text.

December 4, 2022

To Brian Gregg - SitePath Consulting Ltd.

briangregg@sitepathconsulting.com

Dear Brian Gregg,

I am a Hornby Island Resident. I write as such concerning the virtual "Public Information Meeting" regarding the proposed Rogers telecommunications facility scheduled for Thursday December 8th at the Hall.

As stated in the Comox Valley Regional District Policy Number: P89 - Telecommunication Antenna System Application and Consultation Process (page 4):

4) The Proponent is to host a public information meeting in order to share relevant information with members of the public who may be affected by the proposed development.

This public information meeting:

a. Should be hosted in-person. The meeting may be hosted virtually during times at which Public Health Orders affect in-person events, but in-person events are still encouraged when strategies to mitigate public health risks can be implemented; Given that there is no public health order currently in effect, a virtual meeting is considered inadequate to facilitate a proper public consultation that will provide the necessary and adequate information that the residents would require to provide their input.

In addition, considering the pertinence of the following ISED CPC-2-0-3 statement (page 7): Proponents must follow the land-use consultation process for the siting of antenna systems, established by the land-use authority, where one exists. ...In all cases, telecommunications carriers, broadcasting undertakings and third party tower owners must notify and consult with the local public when proposing a new antenna tower, either by following ISED's default public consultation process or, where one exists, the land-use authority's public consultation process.

it is amply clear that the CVRD Policy P89 Process is the proper one to follow.

Also to be taken into consideration is the not unimportant issue that virtual meetings discriminate against many members of our community who either don't use computers, lack the skills to set up a Microsoft Teams meeting, or who are part of the population here who live with limited means and don't own computers.

In summary, it is hardly disputable that you are obligated by law to have an in-person public meeting, which would need to be held in appropriate facility on Hornby Island with due notice. Thank you for your consideration of the above and for respecting the needs of our community.

Sincerely,

E Feder

cc. Alex Alan aallen@islandstrust.bc.ca and Grant Scott gscott@islandstrust.bc.ca
– CVRD corporate admin officers <https://www.comoxvalleyrd.ca/about/administration>
– ic.spectrumvictoria-victoriaspectre.ic@canada.ca

It is our understanding, upon reviewing this proposal with Innovation, Science and Economic Development (ISED) Canada, Islands Trust and Ministry of Forests, Lands and Natural Resource Operations (MFLNRO) staff that the Islands Trust is the applicable land use authority on Hornby Island for most matters including this proposal. However, as Rogers' proposal is on Provincial Crown Land, we will also be working closely with the crown via the MFLNRO. I have not been advised at this time that the CVRD is the applicable land use authority.

Nonetheless, I have shared your question with ISED to clarify however I can assure you that we pre-consulted ISED, the Island Trust and the MFLNRO extensively on this proposal prior to moving into public consultation and it is our understanding that the aforementioned comments are accurate re: the Islands Trust and MFLNRO having decision making capacity.

It is our intent to complete the digital public meeting on December 8th as advertised. From there, we will review whether additional engagement is merited in the new year. Please be assured that there will be plenty of opportunity for additional engagement as we are currently only completing the required federal (ISED) portion of the consultation however since the proposal is on Provincial Crown land there will also be a provincial referral and consultation process including another round of public notices.

I can assure you that this proposal has been posted in four local publications including the Grapevine, Comox Valley Record, The First Edition and the Hornby Tribune as well as on social media. We also sent referrals to all relevant First Nations early on in the process before advising the Hornby Island community.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you desire to submit further input. Please find attached a copy of Rogers' consultation package for additional context.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 5, 2022 at 3:12 AM efeder [REDACTED] wrote:
| Please see the attached letter.

 **Mail-out Package - Rogers - W6420 - Hornby Island.pdf**
878K



Brian Gregg <briangregg@sitepathconsulting.com>

Registering for Zoom Meeting re. Proposed Hornby Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 2:19 PM

To: [REDACTED]

Thanks Elena. The details are below for the meeting.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

[Quoted text hidden]



Brian Gregg <briangregg@sitepathconsulting.com>

Dec 8th Cell Tower Public Information Meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 5, 2022 at 1:07 PM

To: heather caton [REDACTED]

Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Dear Heather:

Please find below our responses in green text.

Dear Brian Gregg,

I am a Hornby Island resident and writing to you concerning the virtual Thursday Dec 8th "Public Information Meeting" regarding the proposed Rogers cell tower. I would very much like to attend an in person meeting as I have difficulties navigating on-line and feel this topic is of utmost importance and therefore requires a public meeting. (page 4, Policy # P89) At this point there is no Health Orders effecting in person events.

This proposal has come as a surprise to our community and with seasonal preparations and celebrations it is a poor time to adequately inform and consult Hornby Island residents in order to approve a cell tower of this nature.

Considering ISED CPC-2-0-3 Page 7:

Proponents must follow the land-use consultation process for the siting of antenna systems, established by the land-use authority, where one exists. ...In all cases, telecommunications carriers, broadcasting undertakings and third party tower owners must notify and consult with the local public when proposing a new antenna tower, either by following ISED's default public consultation process or, where one exists, the land-use authority's public consultation process.

the CVRD Policy P89 Process would be the proper one to follow.

I am hoping you see the wisdom in this request and will grant the necessary changes to your agenda.

Sincerely Heather Caton

[REDACTED]
Hornby Island

It is our understanding, upon reviewing this proposal with Innovation, Science and Economic Development (ISED) Canada, Islands Trust and Ministry of Forests, Lands and Natural Resource Operations (MFLNRO) staff that the Islands Trust is the applicable land use authority on Hornby Island for most matters including this proposal. However, as Rogers' proposal is on Provincial Crown Land, we will also be working closely with the crown via the MFLNRO. I have not been advised at this time that the CVRD is the applicable land use authority.

Nonetheless, I have shared your question with ISED to clarify however I can assure you that we pre-consulted ISED, the Island Trust and the MFLNRO extensively on this proposal prior to moving into public consultation and it is our understanding that the aforementioned comments are accurate re: the Islands Trust and MFLNRO having decision making capacity.

It is our intent to complete the digital public meeting on December 8th as advertised. From there, we will review whether additional engagement is merited in the new year. Please be assured that there will be plenty of opportunity for additional engagement as we are currently only completing the required federal (ISED) portion of the consultation however since the proposal is on Provincial Crown land there will also be a provincial referral and consultation process including another round of public notices.

I can assure you that this proposal has been posted in four local publications including the Grapevine, Comox Valley Record, The First Edition and the Hornby Tribune as well as on social media. We also sent referrals to all relevant First Nations early on in the process before advising the Hornby Island community.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you desire to submit further input. Please find attached a copy of Rogers' consultation package for additional context.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Dec 4, 2022 at 6:03 PM heather caton [REDACTED] wrote:

Dear Brian Gregg,

I am a Hornby Island resident and writing to you concerning the virtual Thursday Dec 8th "Public Information Meeting" regarding the proposed Rogers cell tower. I would very much like to attend an in person meeting as I have difficulties navigating on-line and feel this topic is of utmost importance and therefore requires a public meeting. (page 4, Policy # P89) At this point there is no Health Orders effecting in person events.

This proposal has come as a surprise to our community and with seasonal preparations and celebrations it is a poor time to adequately inform and consult Hornby Island residents in order to approve a cell tower of this nature.

Considering ISED CPC-2-0-3 Page 7:

Proponents must follow the land-use consultation process for the siting of antenna systems, established by the land-use authority, where one exists. ...In all cases, telecommunications carriers, broadcasting undertakings and third party tower owners must notify and consult with the local public when proposing a new antenna tower, either by following ISED's default public consultation process or, where one exists, the land-use authority's public consultation process.

the CVRD Policy P89 Process would be the proper one to follow.

I am hoping you see the wisdom in this request and will grant the necessary changes to your agenda.

Sincerely Heather Caton

[REDACTED]
Hornby Island



 **Mail-out Package - Rogers - W6420 - Hornby Island.pdf**
878K



Brian Gregg <briangregg@sitepathconsulting.com>

pre-register for Rogers online meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 9:58 AM

To: heather caton [REDACTED]

Thanks Heather. Please find below the login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 9:57 AM heather caton [REDACTED] wrote:

Hello, I'd like to register for the Rogers Cell Tower public information meeting Dec 8th. Thankyou.

Heather Caton

[REDACTED]
Hornby Island





Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Cell Tower Public Meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 26, 2022 at 1:10 AM

To: heather caton [REDACTED]

Dear Heather:

Thanks for your email. Please find below our responses in green text.

To Brian Gregg,
Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

I am a Hornby Island resident home-owner writing you again to request Rogers provide a Public Consultation Meeting with Hornby Island Residents regarding the Rogers Cell Tower application.

We are considering hosting another meeting in the new year however that is still to be determined.

In our last correspondence you commented on pre-consulting extensively with Islands Trust, are you referring to consultation with Island Trust staff? Correct - we pre-consulted staff at the Islands Trust, province and numerous First Nations.

As you know Alex Allen and Grant Scott are our newly re-elected representatives and we expect them to be pre-consulted in matters like this. Please explain why this didn't happen? Generally speaking, we work through staff and avoid engaging elected officials unless instructed by staff to do so as sometimes this can be perceived as lobbying. Typically, local government staff will share information with the elected officials on our behalf.

It appears Island Trust did adopt a Model Strategy Tower System Protocol in their September 9th meeting. This needs to be acknowledged by you. How could that have been missed and how does this apply to your application? This is not something that anyone at the Islands Trust had advised us of despite numerous inquiries. We'll discuss with the Islands Trust and ISED.

You said in the online meeting this Tower would improve cell coverage on the whole island.

What data is Rogers basing this assertion on?

At the meeting we provided coverage maps and said that the majority of the island would receive coverage with some exceptions at Mt. Geoffrey and Helliwell Park.

Is this a 5G installation and will there need to be other boosters or smaller antennas

installed on hydro poles to provide this coverage? All towers host the latest technologies. I am not involved in plans for any other proposals such as those you reference at this time. I am not aware of such plans at this juncture.

Where did the Cell Tower request originate and what has been done to process this, to date?

Rogers decided to propose to improve its service in the area. That's where this originated to my knowledge. TELUS would also like to improve its service I understand. I am also aware that there are many organizations and people on the island that would like better service and the wireless carriers tend to respond to customer complaints, coverage gaps and requests for better service.

I have some friends on the island and have visited many times. There is not reliable service in many areas of the island.

How many Hornby residents have asked for this?

I don't have that data compiled in a public facing format at this time. However, via this consultation we will tabulate the input received. There is a lot of support and also people who do not want the service.

Is there any legislation relating to Consumer Safety that specifically mentions Non-Thermal or Biological affects? Health Canada's Safety Code 6 is the applicable safety protocol that the wireless carriers must follow.

**Thank-you for considering these concerns,
Sincerely, Heather Caton**

Hornby Island

Thanks and please note that you will have 21 days as per ISED protocols if you wish to comment further via this portion of the consultation process.

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Sat, Dec 24, 2022 at 3:52 PM heather caton [REDACTED] wrote:

To Brian Gregg,
**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

I am a Hornby Island resident home-owner writing you again to request Rogers provide a Public Consultation Meeting with Hornby Island Residents regarding the Rogers Cell Tower application.

In our last correspondence you commented on pre-consulting extensively with Islands Trust, are you referring to consultation with Island Trust staff?

As you know Alex Allen and Grant Scott are our newly re-elected representatives and we expect them to be pre-consulted in matters like this. Please explain why this didn't happen?

It appears Island Trust did adopt a Model Strategy Tower System Protocol in their September 9th meeting. This needs to be acknowledged by you. How could that have been missed and how does this apply to your application?

You said in the online meeting this Tower would improve cell coverage on the whole island.

What data is Rogers basing this assertion on?

Is this a 5G installation and will there need to be other boosters or smaller antennas installed on hydro poles to provide this coverage?

Where did the Cell Tower request originate and what has been done to process this, to date?

How many Hornby residents have asked for this?

Is there any legislation relating to Consumer Safety that specifically mentions Non-Thermal or Biological affects?

**Thank-you for considering these concerns,
Sincerely, Heather Caton**

**[REDACTED]
Hornby Island**



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Cell Tower application

Brian Gregg <briangregg@sitepathconsulting.com>

Sat, Jan 14, 2023 at 4:00 AM

To: heather caton [REDACTED]

Hi Heather:

Please find our responses below in green text.

Brian Gregg,

Are there any signed legal agreements between Rogers and Islands Trust with regards to this proposal?

No - not to my knowledge.

Is there proof of health liability insurance against harmful effects of radio-frequencies to cover injuries?

As noted, Rogers attests that its proposed facility will comply with Health Canada's Safety Code 6. This is a regulatory requirement.

I have no authority to discuss quasi legal matters so if you wish to discuss those types of questions you may wish to contact ISED or Rogers' regulatory team directly.

Please give details about the cell antennas and components to be placed on the tower, eg, what frequencies will be used and what is the power output radio-frequency radiation anything else?

Currently, Commscope FFV4S4-65C-R7 is the antenna that will be used, you can see the spec by clicking on the link.

Rogers provides voice and data services on the following bands: 600/700/850/1900/2100/2600/3500MHz.

How was the need for cell tower determined? Please make data available and how it was collected?

Rogers wants to improve its service. We do not share private customer data however service is lacking.

Are you considering an alternative site?

This is already an alternative site as we initially wanted a tower next to the co-op similar to the other service provider but were advised to look elsewhere.

The other aspect to consider is land use. Are you aware that the proposed facility is a permitted use in the Islands Trust own land use by-law? I am not clear as to any other such location that offers this land use designation where Rogers would be prepared to propose such a facility from a technical perspective. Are you aware of such a location?

Specifically, the proposed tower is proposed to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).

As context, the surrounding land uses include a fire hall directly to the east on Crown Grant land (including an existing communication site), the Hornby Island Recycling Depot to the West on a Crown Lease, the

Hornby Island Radio Station (CHFR) also to the east (including an existing radiocommunication facility), public trails to the south that enter Mt Geoffrey Regional Nature Park and crown land to the north also with trails. There are also a number of recreational facilities (Hornby Island Disc Golf course) and commercial establishments including the Hornby Island Farmer's Market along Central Road. There do not appear to be any residences in the immediate vicinity which we hope represents respectful tower siting.

What steps did Rogers take to ensure compliance with the requirements of the Radio communication Act, Canadian Environmental Assessment and Safety Code 6.

This consultation brings us into compliance and our discussions with ISED and the Islands Trust will ensure that all such protocols are followed.

Can you say with assurity this Cell Tower won't cause harm to human, animal, bird, insects and plant life?

Please see our comments above re: Health Canada's Safety Code 6.

I am not feeling comfortable our safety is covered with Safety Code 6. When was it last updated, were there human triles using 5G frequencies?

This is the applicable safety protocol and it was updated in 2015. If you have concerns about the code please contact the policy makers at Health Canada directly. We have no influence over the safety standard. We are also not authorized to debate the code via this process as per ISED protocols.

Where are we in the 120 day window for public consultation?

120 days is supposed to be a maximum timeframe not a minimum timeframe. I am not the one who decides -- it's ISED.

That said, we are still sorting out details with the Islands Trust and are discussing aspects of the model protocol and alignment with that where possible. We also still need to go through the provincial referral process for use of crown land so there will be plenty of time.

Please be transparent on the First Nations Consultations. With whom, and what process was followed?

Referrals were sent to every First Nation identified in the province's First Nation Consultation Areas Database. This data has been shared with the province as they have a duty to consult First Nations. As that process is not complete, it would be premature for us to share publicly the status of that process. It will be reviewed by the crown and perhaps Islands Trust.

Thankyou,

sincerely Heather Caton,

[REDACTED],
Hornby Island resident

Thanks Heather. Please note that as per ISED protocols you will have 21 days if you wish to comment further.

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Jan 13, 2023 at 5:40 PM heather caton [REDACTED] wrote:

Brian Gregg,

Are there any signed legal agreements between Rogers and Islands Trust with regards to this proposal?

Is there proof of health liability insurance against harmful effects of radio-frequencies to cover injuries?

Please give details about the cell antennas and components to be placed on the tower, eg, what frequencies will be used and what is the power output radio-frequency radiation anything else? ?

How was the need for cell tower determined? Please make data available and how it was collected?

Are you considering an alternative site?

What steps did Rogers take to ensure compliance with the requirements of the Radio communication Act, Canadian Environmental Assessment and Safety Code 6.

Can you say with assurity this Cell Tower won't cause harm to human, animal, bird, insects and plant life?

I am not feeling comfortable our safety is covered with Safety Code 6. When was it last updated, were there human triles using 5G frequencies?

Where are we in the 120 day window for public consultation?

Please be transparent on the First Nations Consultations. With whom, and what process was followed?

Thankyou,

sincerely Heather Caton,


Hornby Island resident



Brian Gregg <briangregg@sitepathconsulting.com>

Regarding the Rogers G5 Tower installation proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 1:57 PM

To: jan steen [REDACTED]

Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Dear Jan:

Thanks for your further response. Please find below my comments in blue text.

WITHOUT PERSONAL PREJUDICE

(Below shared with a large group of Hornby Island Community Residents.)

If others wish to obtain information, I would encourage them to reach out directly.

Please kindly note that my email responses are intended for the recipient on this email only.

Introduction:

Hello again Brian Gregg:

Although we can appreciate your personal efforts towards ensuring life and income as the assigned spokesperson for Rogers during their attempts to have a Tower built to carry their 5G (Fifth Generation Technology),

having done our homework about the health-affects of the new technology, we - as residents of Hornby Island - have gained clear insight in to the health dangers these RAYS will emit to both plant and animal life! [Clearly the reason we managed to stop your former employer TELUS from having their Tower built] **As you will see in my below responses, the Rogers proposal is different in terms of both technology and land use relative to the prior proposal. It is important to consider the unique aspects of each proposal.**

(Below are but 2 examples)

[REDACTED]

[REDACTED]

Please Note my RED inserts to your text in GREEN - (below!)

On Dec 5, 2022, at 1:14 PM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Jan:

Please find below my responses in green text.

=====

Hello Mr. Gregg:

As a Hornby Island resident, I and more and more others within our Community are becoming aware you are helping to spear-head the construction of a ROGERS Tower - with intentions of carrying a G5 strength Internet service.

Your website: sitepathconsulting.com clearly indicates your employment as an “experienced land manager and planner” as well as an



impressive lead land use and former **TELUS Senior Real Estate & Government Affairs Manager** for the TELUS wireless team in BC!

Mr. Gregg, you are clearly aware (and to remind you) - that based on **the known and proven physical harms of its rays** - a former, and official Community applied request for a G5 Tower by **TELUS**, was vehemently **voted DOWN by our community!**

As such we question your actions at this time, to think we, as a community, would feel any different about the construction of a **ROGERS** run G5 Tower!

With all due respect to your talents, Mr. Gregg, please desist from applying your experienced site acquisition talents towards seeing the ROGERS' tower become a Hornby Island reality. **It is NOT an innovative project, and WE - AS A COMMUNITY, - DO NOT WANT IT ON OUR ISLAND!**

This proposal is quite distinct relative to prior proposals on Hornby Island.

JS: We would much appreciate your detailing the above.

1) In what way is it “distinct?”

2) Other than the TELUS G5 TOWER proposal what were any others?

The location and land use context is different. The prior proposal was on a TELUS owned property in a more visible location. The subject Rogers proposal is on provincial crown land adjacent to a local fire hall, radio station (including an existing radiocommunication tower), works yard, recycling depot, Joe King Ball Park, vacant crown land and other mixed commercial and public uses.

The TELUS tower was proposed, at the time, to enable backup connectivity to the island in the event of a damaged submarine cable. The former TELUS proposal was not for wireless service or cell service. The current Rogers proposal is for cell service (voice and data service) which is important for both general connectivity and public safety since greater than 80% of calls to emergency responders are placed via wireless devices. There are many parts of Hornby Island where people cannot reliably place a cell phone call if they need to call for help, for instance.

In sum, the land use context and technology/infrastructure proposed is distinct. Of course, we understand that people will have varying perspectives on this proposal nonetheless.

The prior TELUS proposal, for example, was in a more visible location

JS: - to do harm to our children by being closer to the school!

and was also for a microwave back-up as redundancy to the submarine fibre cable that connected the island at that time.

JS: 'Redundant': No longer needed or useful; i.e. 'SUPERFLUOUS!'

(I admit not knowing enough about the dis-use of the "fibre cable.")


Redundant meaning it would have provided a back-up connection or additional layer of connectivity to the island in the event that the submarine cable were to be severed. Having a back up system or "redundancy" can be critical during emergency scenarios. Most island communities have cable and wireless connectivity in case one system goes down. Nonetheless, the current proposal has no relationship whatsoever to the former proposal. My only reason for mentioning that prior proposal is to advise that I learned much from that prior process.

The community did not support that prior proposed tower location and we learned a lot from that process.


JS: We would much appreciate sharing your gained knowledge about the discontinued TELUS application. I learned that substantial due diligence would need to be undertaken to identify a suitable location for a communication site if I were to be engaged in such work in the future.

The current proposal is for a cell tower that will provide mobile voice and data services. This is important not only for general connectivity but also for public safety since greater than 80% of calls to emergency responders (e.g. 911) are now placed via cell phones.


JS: Having given you a glimpse about the electro-magnetic physical and mental harm these rays will have on ALL life, the calls you mention will likely sky-rocket!



Rogers attests that the proposed tower will comply with Health Canada's Safety Code 6.



JS: Although I tried to find updates, the above (being some 7 years ago) is the latest
It is my understanding that Health Canada updated the safety code in approximately March of 2015.



=====

Additionally, Rogers pre-consulted the province, Islands Trust staff and local emergency responders prior to identifying this proposed tower location.

JS: Unless it was a verbal and lost exchange, we would very much appreciate sharing the input renditions of those who are out there representing and purportedly caring for our well-being!
You are more than welcome to reach out to the Islands Trust to share your input. Ultimately, this is a proposal only at this time so nobody has jumped to any conclusions and we are hopeful that the input received during this process will be informative for people of all perspectives.

Adjacent land uses include provincial crown land, the local radio station, the fire hall, the local road works yard and recycling depot. The Islands Trust land use bylaw allows for the proposed radiocommunication use, it would seem, similar to the radio tower at the local radio station across the street. We have attempted to find the most responsible location for the proposed infrastructure, albeit we acknowledge that there will be varying perspectives on such a proposal.

JS: Are you intimating the G5 Tower would have ZERO impact on the above (other) tower locations?
I am not clear on what you mean by this question. We are only proposing the Rogers tower and have no influence over any third parties. However, as per ISED protocols any relevant entity is welcome to apply to co-locate on or share the tower if desired.

At this time, we are consulting the community and welcome all input.

JS: Although it is clearly a foregone conclusion the imagined Rogers 5G supplied tower can in ANY WAY be safer, or different, in its negative health effects to the Community (as was the proposed Telus Tower) - as such there is very little else to discuss!

Still, let our present democracy run its allotted course by having direct communication with the groups you mention.

We have posted numerous public notices and will continue to welcome public input into 2023 via both the current federally mandated process and a future provincial referral process.

More information is attached.

JS: Thank you!

Please kindly provide your address for the purposes of this consultation.

JS: [REDACTED] Thank you.

Finally, please kindly note that as per ISED protocols you will have 21 days if you wish to submit further comments.

JS: Which "ISED protocols" are you referring to Brian? ...Are these legally binding rules governing our Provinces? If so, I am so far unaware of them.

I will bring it up in our next meeting.

I am referencing the following protocols stated in the ISED CPC-2-0-03

<https://ised-isde.canada.ca/site/spectrum-management-telecommunications/en/learn-more/key-documents/procedures/client-procedures-circulars-cpc/cpc-2-0-03-radiocommunication-and-broadcasting-antenna-systems>

I have copied ISED's regional office on this email in case they wish to top up with any input.

Appreciating the fact we are aware and kept informed at this stage, I thank you for your correspondence. We will likely connect at one of our public meetings.

That is great to hear. I agree it is best for all interested people to be informed and to have an opportunity to share information. Thanks.

**Sincerely,
Jan Steen**

As noted previously, please be advised that you will have 21 days if you wish to comment further.

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 10:57 AM jan.steen [REDACTED] wrote:

WITHOUT PERSONAL PREJUDICE

(Below shared with a large group of Hornby Island Community Residents.)

Introduction:

Hello again Brian Gregg:

Although we can appreciate your personal efforts towards ensuring life and income as the assigned spokesperson for Rogers during their attempts to have a Tower built to carry their 5G (Fifth Generation Technology),

having done our homework about the health-affects of the new technology, we - as residents of Hornby Island - have gained clear insight in to the health dangers these RAYS will emit to both plant and animal life! [Clearly the reason we managed to stop your former employer TELUS from having their Tower built] (Below are but 2 examples)

[in https://www.linkedin.com > pulse > effects-5g-human-body-judy-longstreet](https://www.linkedin.com/pulse/effects-5g-human-body-judy-longstreet)

THE EFFECTS OF 5G ON THE HUMAN BODY - linkedin.com

There are significant proven health **effects** from wireless technology and wireless devices. These include: Insomnia Headaches Fatigue Heart Palpitations Brain Fog More Serious Symptoms &...

[in https://www.linkedin.com > pulse > 5g-radiation-dangers-11-reasons-concerned-stephen-rob...](https://www.linkedin.com/pulse/5g-radiation-dangers-11-reasons-concerned-stephen-rob...)

5G Radiation Dangers - 11 Reasons To Be Concerned - LinkedIn

#8 - **EFFECTS ON PLANT HEALTH** One of the features of **5G** is that the MMW is particularly susceptible to being absorbed by plants and rain. **Humans** and animals alike consume plants as a food...

Please Note my RED inserts to your text in GREEN - (below!)

On Dec 5, 2022, at 1:14 PM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Jan:


Please find below my responses in green text.

=====

Hello Mr. Gregg:

As a Hornby Island resident, I and more and more others within our Community are becoming aware you are helping to spear-head the construction of a ROGERS Tower - with intentions of carrying a G5 strength Internet service.

Your website: [sitepathconsulting.com](https://www.sitepathconsulting.com) clearly indicates your employment as an “experienced land manager and planner” as well as an



impressive lead land use and former **TELUS Senior Real Estate & Government Affairs Manager** for

the TELUS wireless team in BC!

Mr. Gregg, you are clearly aware (and to remind you) - that based on **the known and proven physical harms of its rays** - a former, and official Community applied request for a G5 Tower by **TELUS**, was vehemently **voted DOWN by our community!**

As such we question your actions at this time, to think we, as a community, would feel any different about the construction of a **ROGERS** run G5 Tower!

With all due respect to your talents, Mr. Gregg, please desist from applying your experienced site acquisition talents towards seeing the ROGERS' tower become a Hornby Island reality. **It is NOT an innovative project, and WE - AS A COMMUNITY, - DO NOT WANT IT ON OUR ISLAND!**

This proposal is quite distinct relative to prior proposals on Hornby Island.

JS: We would much appreciate your detailing the above.

1) In what way is it "distinct?"

2) Other than the TELUS G5 TOWER proposal what were any others?

The prior TELUS proposal, for example, was in a more visible location

JS: - to do harm to our children by being closer to the school!

and was also for a microwave back-up as redundancy to the submarine fibre cable that connected the island at that time.

**JS: 'Redundant': No longer needed or useful; i.e. 'SUPERFLUOUS!'
(I admit not knowing enough about the dis-use of the "fibre cable.")**

The community did not support that prior proposed tower location and we learned a lot from that process.

JS: We would much appreciate sharing your gained knowledge about the discontinued TELUS application.

The current proposal is for a cell tower that will provide mobile voice and data services. This is important not only for general connectivity but also for public safety since greater than 80% of calls to emergency responders (e.g. 911) are now placed via cell phones.

JS: Having given you a glimpse about the electro-magnetic physical and mental harm these rays will have on ALL life, the calls you mention will likely sky-rocket!

Electromagnetic Spectrum - NASA

As it was explained in the Introductory Article on the Electromagnetic Spectrum , electromagnetic radiation can be described as a stream of photons, each traveling in a wave-like pattern, carrying energy and moving at the speed of light.

Rogers attests that the proposed tower will comply with Health Canada's Safety Code 6.

Safety Code 6 (2015)

The exposure limits in Safety Code 6 are based on an ongoing review of published scientific studies, including both internal and external authoritative reviews of the scientific literature, as well as Health Canada's own research. The code is periodically revised to reflect new knowledge in the scientific literature. The current version of Safety Code 6 reflects the scientific literature published up to August 2014 and replaces the previous version published in 2009.

JS: Although I tried to find updates, the above (being some 7 years ago) is the latest

Safety Code 6 - Canadians For Safe Technology (C4ST)

Safety Code 6 was originally created in the 1970's for the protection of federal employees and visitors to federal buildings. It has been expanded to include Wi-Fi, smart phones, smart meters and cell phone towers. It has not had any major revisions in the last 30 years. Why we should NOT Rely on current Safety Code 6 guidelines

=====

Additionally, Rogers pre-consulted the province, Islands Trust staff and local emergency responders prior to identifying this proposed tower location.

JS: Unless it was a verbal and lost exchange, we would very much appreciate sharing the input renditions of those who are out there representing and purportedly caring for our well-being!

Adjacent land uses include provincial crown land, the local radio station, the fire hall, the local road works yard and recycling depot. The Islands Trust land use bylaw allows for the proposed radiocommunication use, it would seem, similar to the radio tower at the local radio station across the street. We have attempted to find the most responsible location for the proposed infrastructure, albeit we acknowledge that there will be varying perspectives on such a proposal.

JS: Are you intimating the G5 Tower would have ZERO impact on the above (other) tower locations?

At this time, we are consulting the community and welcome all input.

JS: Although it is clearly a foregone conclusion the imagined Rogers 5G supplied tower can in ANY WAY be safer, or different, in its negative health effects to the Community (as was the proposed Telus Tower) - as such there is very little else to discuss!

Still, let our present democracy run its allotted course by having direct communication with the groups you mention.

More information is attached.

JS: Thank you!

Please kindly provide your address for the purposes of this consultation.

JS: 

Finally, please kindly note that as per ISED protocols you will have 21 days if you wish to submit further comments.

**JS: Which "ISED protocols" are you referring to Brian? ...Are these legally binding rules governing our Provinces? If so, I am so far unaware of them.
I will bring it up in our next meeting.**

Appreciating the fact we are aware and kept informed at this stage, I thank you for your correspondence. We will likely connect at one of our public meetings.

**Sincerely,
Jan Steen**

Kind Regards,

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 5, 2022 at 8:44 AM Jan Steen  wrote:

Hello Mr. Gregg:

As a Hornby Island resident, I and more and more others within our Community are becoming aware you are helping to spear-head the construction of a ROGERS Tower - with intentions of carrying a G5 strength Internet service.

Your website: sitepathconsulting.com clearly indicates your employment as an "experienced land manager and planner" as well as an

<Screen Shot 2022-12-05 at 8.15.11 AM.png>

impressive lead land use and former **TELUS Senior Real Estate & Government Affairs Manager** for the TELUS wireless team in BC!

Mr. Gregg, you are clearly aware (and to remind you) - that based on **the known and proven physical harms of its rays** - a former, and official Community applied request for a G5 Tower by **TELUS**, was vehemently **voted DOWN by our community!**
 As such we question your actions at this time, to think we, as a community, would feel any different about the construction of a **ROGERS** run G5 Tower!


With all due respect to your talents, Mr. Gregg, please desist from applying your experienced site acquisition talents towards seeing the ROGERS' tower become a Hornby Island reality. **It is NOT an innovative project, and WE - AS A COMMUNITY, - DO NOT WANT IT ON OUR ISLAND!**

<Mail-out Package - Rogers - W6420 - Hornby Island.pdf>

5 attachments



5G Exposure.png
110K



Screen Shot 2022-12-06 at 10.14.38 AM.png
183K



5 G > HealthEffects.png
99K



Screen Shot 2022-12-06 at 9.55.57 AM.png
85K



Screen Shot 2022-12-06 at 10.22.17 AM.png
114K



Brian Gregg <briangregg@sitepathconsulting.com>

Canada's Safety Code 6

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 9, 2022 at 1:33 PM

To: [REDACTED]

Dear Linda:

Thanks for your comments. From the outset, I am required to advise you that as per ISED protocols you will have 21 days if you wish to submit further comments.

My responses are below in green text.

Dear Brian, I appreciate you meeting with us on Zoom. I was glad to see you alive in the little window...which I must say is NOT a real meeting. You seem to me, to be a very patient, kind human being and I am sorry that you have to hear so much outrage.

Thanks for your kind words. It can be a challenging job at times to balance the often strongly varying perspectives. On the one hand, we have people who may say they do not want a tower anywhere, full stop. On the other end, as a service provider, we hear customers and community members complaining that they are paying customers and their devices can connect reliably to the network. This may be not only inconvenient but a matter of public safety since the majority of calls to emergency responders are placed via cell phones.

In my view, the meeting was quite engaging and well attended. I was pleasantly surprised.

However, You are very Uninformed if what you say is what you know to be true..., as many people in communities all around the world are experiencing, the extreme Health Effects and Environmental Damage caused by Microwave Exposure.

People have this Amazing mechanism called "Ignorance" and we are most often Naively trusting of others. If I would do no harm why would anyone else...plus "Denial" is almost a Saving Grace...how can we deal with this kind of truth...that what we are doing is Deeply Harming Mankind and All Beings in This Natural World.

These same frequencies that are pulsing from Towers and small cells, Smart Meters and Wireless Devices- laptops ,Computers and Cell Phones are used in Warfare Weaponry to damage human life. True Story!! Barrie Trower is "A Global Expert on Microwave Technology and All the applications they are used for...which includes the Military. I have been listening to him for over 11 years now...his message to the World and humanity, is only more URGENT.

I understand that everyone needs a job and good jobs are very hard to come by and I bet yours is fairly secure. However, knowingly or unknowingly, harming humanity and all beings in Nature is not a wholesome occupation and there is such a Law as Cause and Effect...what goes around comes around...this occupation is therefor harmful for you, if it is causing harm to others by your efforts. Knowing this, is a universal truth is important...these are laws built right into our Nature...we cannot harm others without first harming ourselves, by way of ignorance, or wrong intent!

These Telecom companies are Heartless, they have NO MORALITY.

We, Citizens around the World are Fighting for the Right to LIFE, we are fighting for the Plants and Animals and for our children's future; for the health of our WATER...did you know that microwaves damage the crystalline structure of water.

Look at the Crystalline structure of Water...<https://thewellnessenterprise.com/emoto/> this is important because this is the mechanism of harm. Microwaves damage the crystalline structure of water...of which all Life is mostly comprised of!

Here is clear " Scientific Evidence of Harm" caused by exposures to Microwave Frequency Radiation from technology and specifically Transmitters on Towers...studies have been accumulating for

Years...from one of our World's most Active and Knowledgeable Speakers on this subject. A recent talk delivered in language that we can all understand:

Barrie Trower <3

<https://www.youtube.com/watch?v=R0qGbyATfUQ>

Brian I have done the research...tons of it. I have talked to many many people regarding this subject for over 10 years.

Canada's Safety Code 6 was NOT protective in 2011,;you can read about that! When many of us began to wake up and see what was going on in our natural world with the proliferation ofWireless Technology when Smart meters began to be installed on Hornby Island. Many of us have been struggling with this Assault since that time. I experienced actual physical problems associated with this exposure and when we removed it from our home...the symptoms went away. It was like experiencing the power going out...the whole house calmed down. I have literally listened to hundreds of Specialists in this realm who know....Microwaves damage all living things.

We actually use them in "Mlcrowave ovens" the frequencies emitting from our technology just takes a longer time frame to " Cook Us". We have been seeing the damage done to Children who now commonly suffer from Attention Deficit Disorder and Attention Deficit and Hyperactive Disorder. The very common occurrence of Lyme's disease has been correlated because these frequencies cause microo rganisms go berserk and reproduce off the Charts...

I have a full time job for you if you want to read all the studies I have read since 2011...and I stopped after a while...but new information keeps flowing in.

Dr. Devra Davis...another prominent US speaker, speaking about harmful cell phone exposure...exposure now in Children... shows exposures to the head by way of heat sensitive imagery. I could literally send you hundreds of professional voices from around the World; who have printed legitimate scientific papers on this subject over the past decade!

People are fighting Cell towers and Antennas in many cities and towns in countries around the world. I know of a very recent case in the US where a citizen has Won and the Antenna had to be removed. We have her recipe...This will lead to MORE success for "Citizens for Safe Technology".

We are not going away...we actually cannot go away....we Live on this earth and we cannot accept this harmful continuous assault on all Biological beings. We have to say NO...we have no other course of Action. We will be meeting, we will be working diligently, aimed at Success. Until we begin using harmonious frequencies to deliver information we will be saying "NO"

This Can Be Delivered in a wholesome way. There are frequencies that are harmonious that can do the job; effectively and efficiently. Imagine that we live in a world, where there are wholesome ways to live, harmonious ways to live...but we are prevented from developing in these ways. I once saw a black and white home made film clip of a man who had developed a car engine that ran on WATER...He dissappeared...no one challenges the Oil and Gas industry. This has been going on for EVER on planet earth. We have to understand and refuse anything less; our future depends on this. We Cannot Loose our BEES and we are very very close to this reality now...our bees are being disoriented and damaged by these frequencies, they are very susceptible to diseases now as they have never been before.

We know the way forward for all Humanity, it has been shared with you. Help us achieve these goals for the Good of Mankind; A vibrant future is possible.

We have to allow it to Arise.

Thank you for your attention. Forgive me for being so Wordy!

Join in our efforts, .

with all sincerity,

Linda Armstrong

Rogers duty is to attest that it will comply with Health Canada's Safety Code 6. This is taken very seriously While you raise some interesting thoughts, I am not a medical scientist nor is it my role to debate the Health Canada safety protocols. In fact, ISED has deemed it outside the scope of my authority via this process to debate Health Canada's Safety Code 6. I say this kindly, as I know it is not the answer you desire, however you may find it more fruitful to take up this debate directly with Health Canada as they create the safety code that we are bound to follow as a condition of licence of using the specific radiofrequencies that are deployed on wireless networks.

I will save your comments on file for the decision makers and I appreciate your thoughtful input.

Please note that as per ISED protocols you will have 21 days if you desire to submit further comments.

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 9, 2022 at 12:24 PM arms5 [REDACTED] wrote:

Dear Brian, I appreciate you meeting with us on Zoom. I was glad to see you alive in the little window...which I must say is NOT a real meeting. You seem to me, to be a very patient, kind human being and I am sorry that you have to hear so much outrage.

However, You are very Uninformed if what you say is what you know to be true.., as many people in communities all around the world are experiencing, the extreme Health Effects and Environmental Damage caused by Microwave Exposure.

People have this Amazing mechanism called "Ignorance" and we are most often Naively trusting of others. If I would do no harm why would anyone else...plus "Denial" is almost a Saving Grace...how can we deal with this kind of truth...that what we are doing is Deeply Harming Mankind and All Beings in This Natural World.

These same frequencies that are pulsing from Towers and small cells, Smart Meters and Wireless Devices- laptops ,,Computers and Cell Phones are used in Warfare Weaponry to damage human life. True Story!! Barrie Trower is "A Global Expert on Microwave Technology and All the applications they are used for...which includes the Military. I have been listening to him for over 11 years now...his message to the World and humanity, is only more URGENT.

I understand that everyone needs a job and good jobs are very hard to come by and I bet yours is fairly secure. However, knowingly or unknowingly, harming humanity and all beings in Nature is not a wholesome occupation and

there is such a Law as Cause and Effect...what goes around comes around...this occupation is therefor harmful for you, if it is causing harm to others by your efforts. Knowing this, is a universal truth is important...these are laws built right into our Nature...we cannot harm others without first harming ourselves, by way of ignorance, or wrong intent!

These Telecom companies are Heartless, they have NO MORALITY.

We, Citizens around the World are Fighting for the Right to LIFE, we are fighting for the Plants and Animals and for our children's future; for the health of our WATER...did you know that microwaves damage the crystalline structure of water.

Look at the Crystalline structure of Water...<https://thewellnessenterprise.com/emoto/> this is important because this is the mechanism of harm. Microwaves damage the crystalline structure of water...of which all Life is mostly comprised of!

Here is clear " Scientific Evidence of Harm" caused by exposures to Microwave Frequency Radiation from technology and specifically Transmitters on Towers...studies have been accumulating for Years...from one of our World's most Active and Knowledgeable Speakers on this subject. A recent talk delivered in language that we can all understand:

Barrie Trower <3

<https://www.youtube.com/watch?v=R0qGbyATfUQ>

Brian I have done the research...tons of it. I have talked to many many people regarding this subject for over 10 years.

Canada's Safety Code 6 was NOT protective in 2011,;you can read about that! When many of us began to wake up and see what was going on in our natural world with the proliferation ofWireless Technology when Smart meters began to be installed on Hornby Island. Many of us have been struggling with this Assault since that time. I experienced actual physical problems associated with this exposure and when we removed it from our home...the symptoms went away. It was like experiencing the power going out...the whole house calmed down. I have literally listened to hundreds of Specialists in this realm who know....Microwaves damage all living things.

We actually use them in "Mlcrowave ovens" the frequencies emitting from our technology just takes a longer time frame to " Cook Us". We have been seeing the damage done to Children who now commonly suffer from Attention Deficit Disorder and Attention Deficit and Hyperactive Disorder. The very common occurrence of Lyme's disease has been correlated because these frequencies cause microo rganisms go berserk and reproduce off the Charts...

I have a full time job for you if you want to read all the studies I have read since 2011...and I stopped after a while...but new information keeps flowing in.

Dr. Devra Davis...another prominent US speaker, speaking about harmful cell phone exposure...exposure now in Children... shows exposures to the head by way of heat sensitive imagery. I could literally send you hundreds of professional voices from around the World; who have printed legitimate scientific papers on this subject over the past decade!

People are fighting Cell towers and Antennas in many cities and towns in countries around the world. I know of a very recent case in the US where a citizen has Won and the Antenna had to be removed. We have her recipe...This will lead to MORE success for "Citizens for Safe Technology".

We are not going away...we actually cannot go away....we Live on this earth and we cannot accept this

harmful continuous assault on all Biological beings. We have to say NO...we have no other course of Action. We will be meeting, we will be working diligently, aimed at Success. Until we begin using harmonious frequencies to deliver information we will be saying "NO"

This Can Be Delivered in a wholesome way. There are frequencies that are harmonious that can do the job; effectively and efficiently. Imagine that we live in a world, where there are wholesome ways to live, harmonious ways to live...but we are prevented from developing in these ways. I once saw a black and white home made film clip of a man who had developed a car engine that ran on WATER...He disappeared...no one challenges the Oil and Gas industry. This has been going on for EVER on planet earth. We have to understand and refuse anything less; our future depends on this. We Cannot Loose our BEES and we are very very close to this reality now...our bees are being disoriented and damaged by these frequencies, they are very susceptible to diseases now as they have never been before.

We know the way forward for all Humanity, it has been shared with you. Help us achieve these goals for the Good of Mankind; A vibrant future is possible.

We have to allow it to Arise.

Thank you for your attention. Forgive me for being so Wordy!

Join in our efforts, .

with all sincerity,

Linda Armstrong

Sent with [Proton Mail](#) secure email.

Judith Wamsley
[REDACTED]

This commenter left a voicemail on December 5, 2023 advising that they do not use email nor cell phones. They noted that they wish to live in a “cell phone free zone” and that they do not support the tower. We responded via voicemail and advised that we would make note of their voicemail stating their opposition to the proposal.



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island Public Information Meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 1:59 PM

To: Ross Birchall [REDACTED]

You are most welcome. I look forward to seeing you at the meeting.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 1:31 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Good Afternoon Ross:

Thanks for reaching out. Please find below the login details for the meeting.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com/l/meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the

web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft

Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

messageld=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>
Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à www.rogers.com/aviscourriel <<http://www.rogers.com/aviscourriel>>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 12:51 PM Ross Birchall [REDACTED] wrote:

Hi there,

Could I please receive the Microsoft Teams meeting information for the Hornby Island Public Information Meeting on December 8th, 2022?

Thank you,
Ross



Brian Gregg <briangregg@sitepathconsulting.com>

Meeting re Rogers on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 2:28 PM

To: Jan Radford [REDACTED]

Thank you, Jan. Please find below the login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

[Quoted text hidden]



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island Cell Tower Proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 2:31 PM

To: Isaac Thau [REDACTED]

Dear Isaac:

Please find below the login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 2:28 PM Isaac Thau [REDACTED] wrote:

Hello,

I would like to register for your information meeting regarding the above noted proposal.

Thank you,

Isaac Thau

Sent from my iPad

Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 – Hornby Island

1. Are you a cell phone or wireless device user?
 Yes
 No
2. Do you feel this is an appropriate location for the proposed facility?
 Yes
 No
Comments

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?
 Yes
 No
Comments:

Additional comments

I assume the proposed tower will be 5G and upgradeable as needed. Will Rogers share this towers with the other carriers? Will there be cellular modems available? Will this tower be sufficient to provide good coverage over the entire Island?

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name Isaac Thau

Mailing address

██████████
██████████████████

Email Address

██████████████████

Please email to briangregg@sitepathconsulting.com
Or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Attention: Brian Gregg
By January 13, 2023

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Cell Tower Proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 2:52 PM

To: Tom Ruth [REDACTED]

Dear Tom:

Please find below the login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87a6cc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 2:49 PM Tom Ruth [REDACTED] wrote:

Please register me for this meeting on siting the tower on Hornby Island.

Tom Ruth
Hornby Island



Brian Gregg <briangregg@sitepathconsulting.com>

response to public meeting for proposed cell tower on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 4:48 PM

Draft To: Helen Grond [REDACTED]

Dear Helen:

ISED (cc'd) requires that we advise people that they have 21 days to comment. There is certainly no intent to ignore as you suggest and indeed we are hosting a digital public meeting on December 8th at 5:00 pm. Below are the login details. We have also extended the public comment period until January 13, 2023 and there will be a subsequent provincial (crown land) referral process.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjKxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on theweb<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjKxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Thanks,**Brian Gregg, RPP, MCIP****SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com



Brian Gregg <briangregg@sitepathconsulting.com>

A question

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Jan 9, 2023 at 12:53 AM

To: Helen Grond [REDACTED]

Dear Helen:

Rogers was advised by Islands Trust planning staff many months ago that we would be required to follow the ISED Default Process. Via this process there is no requirement for any public meeting. Nonetheless we have hosted a digital public meeting.

We are meeting with the Islands Trust and ISED this week to discuss.

Please kindly note that as per ISED protocols you will have 21 days if you wish to comment further.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Jan 8, 2023 at 2:53 PM Helen Grond [REDACTED] wrote:

Dear Brian. I am unclear as to why you are not scheduling a public in person meeting for the Hornby Island Rogers' tower submission. According to my information, this is a requirement and an online meeting does not meet the criteria. Could you please give me your reasons for not doing so? Thank you, Helen

Helen Grond



Brian Gregg <briangregg@sitepathconsulting.com>

community letter

Brian Gregg <briangregg@sitepathconsulting.com>

Sat, Jan 14, 2023 at 1:54 AM

To: Helen Grond [REDACTED]

Dear Helen,

Each person is welcome to comment. We have heard from many of these people. We will save your letter on file for the decision makers. Please note that you will have 21 days if you wish to respond further via this portion of the consultation process, as per ISED protocols.

The suggestion that the process has been rushed is not accurate. Rogers has been discussing this proposal with the Islands Trust, province and First Nations for over 6 months. We only recently commenced the broader consultation process (in the winter of 2022) and have only started the first portion of the process as required per federal protocols via ISED.

We will be sharing details of the proposal with the LTC as per the Islands Trust model protocol and subsequently will be going through a provincially managed referral process. There is plenty of time to discuss and there should not be a false impression that this is rushed or that any decisions will occur immediately. That is not feasible on crown land.

Feel free to let me know if you wish to discuss any specific topics and clarify if you have specific questions that I have not already responded to.

By the way, who is "Mahony" with no last name in your letter?

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Jan 13, 2023 at 9:26 PM Helen Grond [REDACTED] wrote:

This is a recent letter with signatures. Thanks, Helen

Helen Grond

Urgent call for action regarding cell tower proposal on Hornby

Community members of Hornby Island have many questions regarding the Public Consultation Process underway - regarding the installation of a telecommunications tower by Rogers on our island. The purpose of a consultation process is to ensure that the public has the opportunity to gain clarity into the exact terms of any proposal; Rogers's is no exception.

There are many concerns regarding the location (crown land near highly populated areas and earmarked for low-income housing) of the tower, its present and future purposes, the need for a tower, health and safety issues, the risk of forest fires, the sensory impact of a 200 ft antenna running live for 24 hours, depreciation of land values and many others. This is a very complex issue and the rushed process – forced to take place over the busy Christmas season, has not given the community time to absorb and understand the complexities in a reasoned and convincing manner.

Our local Trustees appear to be in the dark as well, apparently due to a lack of clarity regarding the sharing of information by the Trust office; information the Trust has had for many months. We can't help but wonder if our Trustees are being unduly pressured to make a snap decision, without allowing both themselves and the Hornby community they have been elected to represent, the time to fully understand the implications of this proposal. As our elected representatives, we count on them to speak and act on our behalf according to the best interests of the community. They should not be hampered in this duty.

The Islands Trust Head Office needs to be held to account when not complying with their mandate to "preserve and protect" the fragile islands it is responsible for. Is it possible that they, too, are being influenced by the corporate/government partnership model that communities all over the world are fighting against? Mounting evidence about substantial damage wreaked by similar tower installations on all organic systems (bees, birds, humans, entire forests), is rapidly being revealed worldwide. Is this the primary motivation for rushing this process, regardless of the consequences?

Expressions of concern are being raised throughout the community, including members of the fire department, the depot staff, the elementary school, the social housing committee, the Spark and a large number of residents. Why orchestrate a process that, willingly or not, obscures the facts, potentially leading the public to accept a type of industrial installation that is yet to be proven necessary or safe and is potentially dangerous? What is the hurry? Shouldn't protection of our pristine environment and the health of our community-our elders, and small children, all proven vulnerable to a greater or lesser degree-be paramount?

We are in the process of deciding whether or not to seek legal advice. Technical advice we have already received has alarmed us and we will continue to inform ourselves and others. We need to understand what is actually happening. We need to know if our community can legally be forced to follow a process controlled by a large corporation based in Toronto. We need answers as to why our community is being pressured into feeling that we no longer have any say over our own destiny. This is not what we moved here for. This is not why we chose to raise our children here.

Corporate bullying and government overreach that seek to cut the public out of decisions heavily impacting our lives, must not be tolerated. It is not a stretch to say that this proposal and the process by which Rogers and its partners are attempting to implement it has possibly crossed a number of legal boundaries.

We implore our Trustees to support the community they were elected to represent and either vote NO to the proposal in the upcoming Trust Meeting, due to a lack of proper consultation, or put forth a motion to POSTPONE a decision to give the community the time it needs to understand the proposal and its implications properly. A vote that truly and dutifully represents the will and interest of the community needs to be one based on informed consent.

Submitted by a large and growing group of Concerned Citizens of Hornby Island

Elspeth Armstrong, Chris Armstrong, Linda Armstrong, Jennifer Armstrong, Alf Bangert, Cassandra Bassett, Cento Bevilacqua, Nanna Brehmer, Rex Brown, Christiane Brown, Gary Burtinsky, Heather Caton, Iyana Celestine, David Cloud, Fiona Connen, Jim Crawford, Sara de Rose, Michelle M. Easterly, Sylvia Elysiana, Jasmine Fallock, Elena Feder, Baily Gordon, Pam Gordon, Jean Gordy, Holly Grieve, Helen Grond, Aurora Grond, Lily Graham, Amanda Hale, Jackie Heim, Wrena Holliday, Ed Holliday, Gina-Rae Horvath, Cathie Howard, Mary Howard, John Howard, Sally Howard, Tom Howard, Francka Jenzer, Roger Jenzer, Lori Kemp, Carol Jones, Laaszlo Laczko, Linda Lake, Lief LeBaron, Lorraine Lightfoot, Ida Mackay, Carol May, Mahony, Russ Mahy, Janet Morgan, Kathleen O'Brien, Glen Rabena, Jeff Rabena, Vera Ronnigen, Sean Snowden, Jan Steen, John Struthers, Jane Talbot, Erin Towson, Kenneth Towson, Scott Towson, William Thomas, Nic Tunheim, Kees Vandervalk, Stani Veselinovic, Kleyo Walmsley, Judith Walmsley, Ian Walmsley, Louise Walters, Christa Yeomans

Tight time Constraints have limited our ability to canvass the island for signatures. We anticipate that this list will grow much longer as people become aware of what is being proposed and how the consultation process has been compromised.



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers cell tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 3:27 PM

To: stani veselinovic [REDACTED]

Dear Stani:

Please find below the login details as requested.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à www.rogers.com/aviscourriel <<http://www.rogers.com/aviscourriel>>

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 3:09 PM stani veselinovic [REDACTED] wrote:

Hi there Brian.....

Please send me a zoom invite for the zoom meeting regarding the cell tower on Hornby Island.

.....thank you



Brian Gregg <briangregg@sitepathconsulting.com>

Re: public information meeting about the proposal Cell Tower on Dec. 8 from 5:00-6:00pm

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 9, 2022 at 10:52 AM

To: John Grayson [REDACTED]

Good Morning John:

Thanks very much for your kind feedback. That is sincerely appreciated. I don't often hear peoples' thoughts on how the meetings are run so thank you for that.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 6:22 PM John Grayson [REDACTED] wrote:

Dear Brian,

Appreciate how this meeting was conducted. You are a skilled professional. As a result, your presentation and comments were always balanced, sincere, and informative.

Many thanks.

Cheers,

John

John Grayson
Vice-Chair
Hornby Island Economic Enhancement Corporation
[REDACTED]

Sent from my iPad

On Dec 6, 2022, at 3:35 PM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear John:

The login details are below.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjKxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjKxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à www.rogers.com/aviscourriel<<http://www.rogers.com/aviscourriel>>

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 3:33 PM John Grayson <johngraysonbc@gmail.com> wrote:

Sir,

**r.e. on-line public information meeting about the proposal on Dec. 8 from 5:00-6:00pm.
Please pre-register John Grayson**

Thank you.

John Grayson

[REDACTED]

Hornby Island, BC V0R 1Z0

[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers tower

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 4:14 PM

To: Christl Hansen [REDACTED]

Dear Christl and Neil:

Thanks very much for sharing your comments. Please kindly note that as per ISED protocols you will have 21 days if you wish to comment further.

If you would like please feel free to attend the digital public meeting on December 8th at 5:00 pm. Below are the login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à www.rogers.com/aviscourriel <<http://www.rogers.com/aviscourriel>>

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 4:10 PM Christl Hansen [REDACTED] wrote:

Christl and Neil Hansen of Hornby Is. agree with the Rogers tower proposal.

Regards

Get [Outlook for iOS](#)



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby housing

Brian Gregg <briangregg@sitepathconsulting.com>
To: Katherine Ronan [REDACTED]

Tue, Dec 6, 2022 at 4:37 PM

Good Evening Katherine:

Thanks very much for taking the time to speak with me over the phone yesterday. I found the discussion to be very helpful and it allowed me (and perhaps both of us) to unpack a number of thoughts and considerations that we will need to navigate if we are to work together toward a mutually acceptable outcome. As you noted, it also strikes me that the subject provincial crown land property is fairly large and thus there appears to be plenty of space to potentially accommodate both a communication site and a future affordable housing project. I truly look forward to discussing further and finding the best way forward. Your project is greatly needed and inspiring for the community and hopefully our project will garner a similar response.

Please note that although there will be a future provincial referral and consultation process, if you wish to submit any further comments as part of the federally regulated process, I am required to advise you that you will have 21 days to do so per ISED protocols. I imagine that we will have plenty of opportunities to discuss regardless and I look forward to speaking again in the future.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 5, 2022 at 3:49 PM Katherine Ronan [REDACTED] wrote:

Hi Brian,

Thank you for having such a lengthy telephone conversation this morning about Rogers proposed cell tower location on Hornby. I believe a cell tower will be most beneficial to the community but it is regrettable the site selected happens to be right in the middle of the area planned for our community housing project.

It is unfortunate we were not made aware of Rogers plans earlier during the process but understand why this has happened due to the necessity of completing all the preliminary work required to determine the feasibility of the project. HICEEC (Hornby Island Community Economic Enhancement) is in a similar dilemma with our community housing project. Although we have been doing due diligence for this project for over a year now, we have not been in a position to make a presentation to the public.

So that you are aware of what we are working on, here is an aerial photograph showing the location of the community housing project outlined in red:



As I said on the phone we are very open to working with you to find a solution so that both of these worthwhile projects can go ahead. It is fortunate there is an extensive Crown Land area on Hornby Island so I am confident we will find suitable locations.

Kind regards,
Katherine

PS: I have Cc'd the HICEEC board

Katherine Ronan DPLG ARCH



Hornby Island, V0R 1Z0





Brian Gregg <briangregg@sitepathconsulting.com>

Dec 8 meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 9:18 AM

To: Katherine Ronan [REDACTED]

Hi Katherine

Please find below the login details for you and Brian.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 9:17 AM Katherine Ronan [REDACTED] wrote:

Hi Brian,

Please sign me up for the meeting.
If you feel that it might be of benefit, I would be willing to attend both sessions.

Would you please also sign up Brian Pannell?

[REDACTED]

Thank you.

Kind regards,
Katherine

Katherine Ronan DPLG ARCH
RONAN DESIGN

[REDACTED]

Hornby Island [REDACTED]

[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Zoom meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 5:02 PM

To: Sharon Wasserman [REDACTED]

Sharon:

I am currently writing you from an Apple device and use Apple devices to host and attend all these meetings.

The link should be accessible on all devices.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 5:01 PM Sharon Wasserman [REDACTED] wrote:

Nothing for apple devices?

On Tue, Dec 6, 2022 at 4:50 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Sharon:

The meeting login details are as follows.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<[https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjKxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?](https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjKxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d)[context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d](https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjKxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d)>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on theweb<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=>

[173789574](https://dialin.teams.microsoft.com/usp/pstnconferencing)> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 4:48 PM Sharon Wasserman [REDACTED] wrote:

We would like to join the zoom call. --

Sharon

--

Sharon



Brian Gregg <briangregg@sitepathconsulting.com>

2nd proposed tower for Hornby Island - Round 2

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 4:56 PM

To: William Thomas [REDACTED]

Dear Mr. Thomas:

Thanks for sharing your comments. Since your input mirrors that of a few other people, please find below the same response that we have provided to those who have shared this concern. Our responses are in green text below.

Dec. 6, 2022

SitePath Consulting Ltd.

Dear Brian Gregg:

As a longtime Hornby Island resident, I am angered and appalled over attempts by SitePath and Rogers to undermine our long established protocols for land use development proposals.

In his letter to you of Dec. 3, Mr. Burtinsky succinctly and specifically outlined Comox Valley Regional District policies "P89 - Telecommunication Antenna System Application and Consultation Process" and ISED CPC-2-0-3. Please read it again.

Such underhanded tactics as foregoing face-to-face public consultations and demanding community responses on short notice during the Christmas/New Year's holidays may be considered a clever industry tactic. But please be assured they are not appreciated here. As SitePath "should" have learned while conducting spin for the defeated Telus tower application, this is not how we operate on Hornby Island.

Another example of telecom industry tactics is this letter, which I was asked to write three days ago, and which I am now informed is being submitted "too late" for consideration by a non-decision-making a PR firm — instead of the Rogers official in charge of this covert operation.

Since I do not "do" Zoom, I further strongly protest this blatant discrimination against myself and many Hornby Islanders in the same situation.

I respectfully suggest that SitePath and Rogers immediately drop such a ~~slimy~~ disrespectful approach, follow community rules, and engage in open dialogue here on Hornby Island — where apparently, even our Trust representatives were once again blindsided by peremptory announcements of industrial intentions.

In fact, why not drop this entire project. I can't think of a better Christmas

present.

Very Sincerely,
William Thomas

cc:

briangregg@sitepathconsulting.com

Alex Alan aallen@islandstrust.bc.ca

Grant Scott gscott@islandstrust.bc.ca

Formal notice of protest to: Dyan Russel CAO CVRD

It is our understanding, upon reviewing this proposal with Innovation, Science and Economic Development (ISED) Canada, Islands Trust and Ministry of Forests, Lands and Natural Resource Operations (MFLNRO) staff that the Islands Trust is the applicable land use authority on Hornby Island for most matters including this proposal. However, as Rogers' proposal is on Provincial Crown Land, we will also be working closely with the crown via the MFLNRO. I have not been advised at this time that the CVRD is the applicable land use authority.

Nonetheless, I have shared your question with ISED to clarify however I can assure you that we pre-consulted ISED, the Island Trust and the MFLNRO extensively on this proposal prior to moving into public consultation and it is our understanding that the aforementioned comments are accurate re: the Islands Trust and MFLNRO having decision making capacity.

It is our intent to complete the digital public meeting on December 8th as advertised. From there, we will review whether additional engagement is merited in the new year. Please be assured that there will be plenty of opportunity for additional engagement as we are currently only completing the required federal (ISED) portion of the consultation however since the proposal is on Provincial Crown land there will also be a provincial referral and consultation process including another round of public notices.

I can assure you that this proposal has been posted in four local publications including the Grapevine, Comox Valley Record, The First Edition and the Hornby Tribune as well as on social media. We also sent referrals to all relevant First Nations early on in the process before advising the Hornby Island community.

Lastly, I am not aware of any submission from a Mr. Burtinsky.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you desire to submit further input. Please find attached a copy of Rogers' consultation package for additional context.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 4:36 PM William Thomas [REDACTED] wrote:
Dec. 6, 2022

SitePath Consulting Ltd.

Dear Brian Gregg:

As a longtime Hornby Island resident, I am angered and appalled over attempts by SitePath and Rogers to undermine our long established protocols for land use development proposals.

In his letter to you of Dec. 3, Mr. Burtinsky succinctly and specifically outlined Comox Valley Regional District policies "P89 - Telecommunication Antenna System Application and Consultation Process" and ISED CPC-2-0-3. Please read it again.

Such underhanded tactics as foregoing face-to-face public consultations and demanding community responses on short notice during the Christmas/New Year's holidays may be considered a clever industry tactic. But please be assured they are not appreciated here. As SitePath "should" have learned while conducting spin for the defeated Telus tower application, this is not how we operate on Hornby Island.

Another example of telecom industry tactics is this letter, which I was asked to write three days ago, and which I am now informed is being submitted "too late" for consideration by a non-decision-making a PR firm — instead of the Rogers official in charge of this covert operation.

Since I do not "do" Zoom, I further strongly protest this blatant discrimination against myself and many Hornby Islanders in the same situation.

I respectfully suggest that SitePath and Rogers immediately drop such a ~~slimy~~ disrespectful approach, follow community rules, and engage in open dialogue here on Hornby Island — where apparently, even our Trust representatives were once again blindsided by peremptory announcements of industrial intentions.

In fact, why not drop this entire project. I can't think of a better Christmas present.

Very Sincerely,
William Thomas

CC:

briangregg@sitepathconsulting.com

Alex Alan aallen@islandstrust.bc.ca

Grant Scott gscott@islandstrust.bc.ca

Formal notice of protest to: Dyan Russel CAO CVRD

NOTE: This email may be freely distributed on/off Hornby Island.

William Thomas

Sent with [Proton Mail](#) secure email.



Mail-out Package - Rogers - W6420 - Hornby Island.pdf

878K



Brian Gregg <briangregg@sitepathconsulting.com>

NO to Rogers' proposed Hornby cell tower

Brian Gregg <briangregg@sitepathconsulting.com>

Sat, Jan 14, 2023 at 4:14 AM

To: William Thomas [REDACTED]

Dear William:

Thanks for your input. Please find below Rogers' comments in green text.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Please kindly provide your legal address for the purposes of this consultation process.

Brian Gregg
SitePath Consulting
Jan. 13, 2023

Dear Mr. Gregg:

As a 23-year resident of Hornby Island, I am writing once again to strongly object to your current client's plan to impose of a forest-topping RF/microwave/millimeter transmission tower on an island community who rejected a similar proposal put forward by your lobbying firm five years ago. What's changed since then is the buried fibre optic network we voted for instead. That project will break ground here shortly.

Fibre optic service will be excellent; however, fibre will only deliver fixed internet to one's home or place of business. Rogers' proposal is for mobile service.

Having a fibre connection at one's house will not be of much help out on the waterways or if people are not at home when they need to call for help, for example. Over 80% of calls to emergency responders are placed via cell phones so this is a matter of public safety.

In disturbing contrast, the nearly 300-foot-high industrial structure proposed by Rogers would permanently blight the rural values that brought us to settle here, and which continue to delight and refresh countless wild and human lives.

In the Islands Trust "MODEL STRATEGY FOR ANTENNA SYSTEMS" (passed on May 3, 2018), Section C: "Discouraged Locations" stipulates that cell tower sites which "adversely impact view corridors" or "affect the scenic qualities of a corridor" are forbidden. These scenic views encompass our entire island, which is largely dependent on revenues from tourists seeking Hornby's natural attractions.

Thanks for sharing this. You may find it noteworthy that the proposed facility is a permitted use in the Islands Trust own land use by-law. I am not clear as to any other such location that offers this land use designation where Rogers would be prepared to propose such a facility from a technical perspective. Are you aware of such a location?

Specifically, the proposed tower is proposed to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are

permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).

As context, the surrounding land uses include a fire hall directly to the east on Crown Grant land (including an existing radiocommunication facility), the Hornby Island Recycling Depot to the West on a Crown Lease, the Hornby Island Radio Station (CHFR) also to the east (including an existing radiocommunication facility), public trails to the south that enter Mt Geoffrey Regional Nature Park and crown land to the north also with trails. There are also a number of recreational facilities (Hornby Island Disc Golf course) and commercial establishments including the Hornby Island Farmer's Market along Central Road. There do not appear to be any residences in the immediate vicinity which we hope represents respectful tower siting.

Unfortunately, corporate predators are also drawn here. Though for more cynically venal motives. Yesterday's resistance meeting took particular offence at Rogers' attempts to usurp a site intended for desperately needed affordable housing. Kindly explain to those awaiting accommodation why Rogers wants to deny them a place to live.

Upon review of the proposed tower location with the province (land management authority for the property), we were advised that there have been no applications made for other uses that would conflict with this proposal. Multiple locations were reviewed and this is one that appeared potentially feasible.

Additionally, the subject property is very large so there is plenty of space for housing or other uses. Rogers' proposed footprint is nominal and less than a single family house. There are many instances wherein communication sites are in proximity to other uses such as housing.

We do not appreciate any corporation seeking to cash in on our community at our lingering expense. Our future will *not* be decided in distant boardrooms by profit-blinded executives dismissive of the harm inflicted by their policies and technologies on those they will never meet.

Hornby Island is not a city. We refuse to be treated like a concrete metropolis by technocrats totally detached from our daily experience, which does *not* revolve around handheld screens. Current cell coverage from Texada and Qualicum towers is more than adequate. And our emergency services have been coordinated via a fire department radio mast for years.

* * *

Our Model Strategy further stipulates that for a tower exceeding 15 meters in height, a "public information meeting" is required.

Instead, ongoing efforts by Rogers and SitePath to undermine our community process confirm that neither entity can be trusted. Continue insulting this community by ignoring our regulations and refusing to meet with us, and even residents in favour of that Trojan tower will turn hard against Rogers.

We already hosted a digital public meeting. Our prior experience with an in person meeting on Hornby Island was very problematic.

We are discussing with the Islands Trust.

I suggest that attempting to circumvent our community's priorities and protocols is ill-advised. As Trust Regional Planning Manager, Kauer noted for the record on September 9, 2022: "The Model Strategy federally compels companies to engage in extensive public consultation before installation of cell towers."

Underline, federal.

On an island with streaming-internet challenges and lack of personal computers, Rogers' "gift" of a single Zoom linkup so exclusionary our own local trust representative was unable to log on — and whiney emails casting yourself as the shocked victim of comments your strategy incited here last time around — hardly qualify as "extensive public consultation." Or bizarrely hyped fears for your life. **Your trust representative advised that they were not able to attend in advance of the meeting. There was no issue logging on for the 30+ people who joined. Anyone who has had questions has received swift responses and we intend to be forthcoming with information.**

If another digital session is hosted, we understand that there are community organizations that can offer secure internet access for anyone who may not have it.

[Quoted text hidden]

Rogers' is required to attest that it will comply with Safety Code 6. This is a regulatory requirement. We realize that you have concerns and do not agree with this personally however per ISED protocols we are not authorized to debate the safety protocols. Please refer to the ISED CPC section 4.2 which notes:

<https://ised-isde.canada.ca/site/spectrum-management-telecommunications/en/learn-more/key-documents/procedures/client-procedures-circulars-cpc/cpc-2-0-03-radiocommunication-and-broadcasting-antenna-systems>

Concerns that are not relevant include:

- **disputes with members of the public relating to the proponent's service, but unrelated to antenna installations**
- **potential effects that a proposed antenna system will have on property values or municipal taxes**
- **questions whether the Radiocommunication Act, this document, Safety Code 6, locally established by-laws, other legislation, procedures or processes are valid or should be reformed in some manner**

Most sincerely,
William Thomas

Thanks William. Your input has been saved in the consultation file.

This letter may be distributed freely

Cc: LTA trustees, Islands Trust planning dept., CVRD General Manager of Planning and Development Services

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Jan 13, 2023 at 4:45 PM William Thomas [REDACTED] wrote:

[Quoted text hidden]



Brian Gregg <briangregg@sitepathconsulting.com>

Cell Tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 5:01 PM

To: Roger Jenzer [REDACTED]

Dear Mr. Jenzer:

Please find below our responses in green text. Please kindly note that as per ISED protocols you will have 21 days if you desire to reply further.

December 5th 2022

To Brian Gregg- SitePath Consulting Ltd.

briangregg@sitepathconsulting.com

Dear Brian Gregg;

I live on Hornby Island and I nearly missed your ad on the virtual "Public information Meeting", about the proposed Cell Tower near the old firehall, as it was so small in size. Many people on Hornby Island missed it.

May I suggest a larger size, especially for important issues like this Tower.

Thanks for your suggestion. Rogers posted its notice in four (4) local publications including the Grapevine, Hornby Tribune, Comox Valley Record and the First Edition. The notice has also been posted on numerous local social media groups such as on Facebook. The size of the notices, from my review, is fairly typical or similar to other such notices. Nonetheless we will certainly take into account your suggestion in the future as it has been our objective to get the word out to local people who are interested.

I want to take part in this public consultation process, but I'm not equipped for zoom and I'm not familiar with the software.

The meeting is accessible via whatever device you are currently sending this email from. You do not need any software and can simply click the following links.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<[https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?](https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d)[context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d](https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d)>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on theweb<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=>

173789574> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjKxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Luckily there are at the moment no public health restriction, so a meeting can be hosted, here on Hornby, in person as per CVRD requirements.

I realize that it would take time for you to get organized.

And since Christmas- New Year is such a busy time for us islanders as well as for you and your co-workers, I would suggest a postponement of the said meeting to next year.

Thanks for respecting our needs

It is our understanding, upon reviewing this proposal with Innovation, Science and Economic Development (ISED) Canada, Islands Trust and Ministry of Forests, Lands and Natural Resource Operations (MFLNRO) staff that the Islands Trust is the applicable land use authority on Hornby Island for most matters including this proposal. However, as Rogers' proposal is on Provincial Crown Land, we will also be working closely with the crown via the MFLNRO. I have not been advised at this time that the CVRD is the applicable land use authority.

Nonetheless, I have shared your question with ISED to clarify however I can assure you that we pre-consulted ISED, the Island Trust and the MFLNRO extensively on this proposal prior to moving into public consultation and it is our understanding that the aforementioned comments are accurate re: the Islands Trust and MFLNRO having decision making capacity.

It is our intent to complete the digital public meeting on December 8th as advertised. From there, we will review whether additional engagement is merited in the new year, including your suggestion of an in person meeting. Please be assured that there will be plenty of opportunity for additional engagement as we are currently only completing the required federal (ISED) portion of the consultation however since the proposal is on Provincial Crown land there will also be a provincial referral and consultation process including another round of public notices.

Sincerely,
Roger Jenzer

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you desire to submit further input. Please find attached a copy of Rogers' consultation package for additional context.

Thanks,

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 5, 2022 at 2:52 PM Roger Jenzer [REDACTED] wrote:
| December 5th 2022

To Brian Gregg- SitePath Consulting Ltd.
briangregg@sitepathconsulting.com

Dear Brian Gregg;

I live on Hornby Island and I nearly missed your ad on the virtual "Public information Meeting", about the proposed Cell Tower near the old firehall, as it was so small in size. Many people on Hornby Island missed it.

May I suggest a larger size, especially for important issues like this Tower.

I want to take part in this public consultation process, but I'm not equipped for zoom and I'm not familiar with the software.

Luckily there are at the moment no public health restriction, so a meeting can be hosted, here on Hornby, in person as per

CVRD requirements.

I realize that it would take time for you to get organized.

And since Christmas- New Year is such a busy time for us islanders as well as for you and your co-workers,

I would suggest a postponement of the said meeting to next year.

Thanks for respecting our needs

Sincerely,
Roger Jenzer

 **Mail-out Package - Rogers - W6420 - Hornby Island.pdf**
878K



Brian Gregg <briangregg@sitepathconsulting.com>

Dec 8 online info session Roger's tower Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 6, 2022 at 5:16 PM

To: Norm Webster [REDACTED]

Hi Norm:

Yes, please find below the login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

[Quoted text hidden]



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby cell tower meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 9:10 AM

To: John Heinegg [REDACTED]

Good Morning John:

Please find below the login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 9:04 AM John Heinegg [REDACTED] wrote:

I would like to register for this meeting, please.

Thanks,
John Heinegg



Brian Gregg <briangregg@sitepathconsulting.com>

8 December Hornby Information Meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 9, 2022 at 11:58 AM

To: Daniel Siegel [REDACTED]

That all sounds great to me. I will look into whether we can get a Zoom licence. Rogers seems to use Microsoft Teams for whatever reason. :)

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 9, 2022 at 11:40 AM Daniel Siegel [REDACTED] wrote:

Thanks for your response, Brian.

The poll we will do is just a Zoom term. If we do the poll (and we only will if the assembly wants it), then it will be limited to that group which shows up for our meeting next Wednesday. As we often do with the CVRD, we will record the number of votes on each side as, again, representative only of the people who came. I will say that often our vote counts do mesh with the larger community's feelings and I noticed quite a bit of support at yesterday's meeting. We will make it a simple up or down and leave it to individuals to use your feedback form for more nuanced responses.

As far as the video is concerned: people are used to Zoom and the host has control over muting at least and maybe video as well. What we do is remind people that they can mute or hide themselves and then they tend to do it.

Thanks again.

Daniel



Powered by **Mailbutler** - still your inbox, but smarter.

On Dec 9, 2022, at 10:23 AM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Good Morning Daniel,

Thanks for reaching out. My responses are below.

Hi Brian

Thank you for your thoughtful and honest presentation and with your good humour.

Thank you for your kind words. I do try to be straightforward with people and allow room for some

humor as I know there are varying perspectives and it can help to try to relate to everyone as much as possible.

I was the one who asked about disseminating the feedback page. As the president of the Hornby Island Residents and Ratepayers Association, our plan is to allow for brief discussion and then an informal poll of the attendees offering only for and against. We will also send a copy of the feedback sheet to our members to fill out individually.

That is an interesting idea. I imagine as with any poll the results may depend on how the questions are worded, who is engaged, etc. It has been my experience, through many similar processes, that oftentimes people who have concerns are more motivated than those who may be ambivalent or even supportive. So, that is something to keep in mind as you may find that such a poll may attract people who are against such a proposal vs. those who are supportive. It might be interesting to know of your sample size, how your poll is distributed, who received it, where they are located (will they be required to provide an address?), etc. In any event, I am sure you have done this before and know what's best. Thanks for sharing your idea.

One technical thing: I found it unfair that people who turned their video on to speak remained visible, in one case all the way to the end of the meeting. I think that's inconsiderate to keep people on camera when they are unaware. I posted that in the chat but nothing changed.

That is helpful feedback. I am not an expert on Microsoft Teams and I am not clear on whether there is a way for our moderator to turn off peoples' cameras after they speak. However, I do know that people have control on their end of the system to turn off and on their camera themselves at anytime as well as to mute or unmute their microphone. Thus, at a minimum, that would have been an option for people if they were aware of how to turn off and on their video and microphone.

I'll ask Rogers about the video feature going forward and whether there are other ways to set up the video discussions. I'm relatively new to the software. I have found it to be generally quite effective but there are always ways to improve.

Daniel Siegel

Please kindly note that I am required to advise you as per ISED protocols that you will have 21 days if you desire to submit further comments (as part of the federal portion of the consultation process).

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com



Brian Gregg <briangregg@sitepathconsulting.com>

I forgot

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 14, 2022 at 10:31 AM

To: Daniel Siegel [REDACTED]

Thanks for letting me know I have passed this along to Rogers.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 13, 2022 at 4:44 PM Daniel Siegel [REDACTED] wrote:

One thing I forgot to mention, though you should have heard this already, is that people will want a Rogers technical person at the in person meeting.

Again, thanks for the time.

Daniel

PS: You can see the Mailbutler message below. That's in exchange for only using their free services.



Powered by **Mailbutler** - still your inbox, but smarter.



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Cell Tower Proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 10:06 AM

To: Peter Mills [REDACTED]

Dear Peter:

Please find below the login details for the meeting (Microsoft Teams link).

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 9:49 AM Peter Mills [REDACTED]

I would like to attend the information session on Zoom. I am currently on the board of 'The Hornby Spark' at 3850

Central Rd. which is a neighbour to the proposed tower site.
Best Regards
Peter Mills



Brian Gregg <briangregg@sitepathconsulting.com>

Dec. 8th zoom meeting on Hornby Island.

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 10:07 AM

To: Ted Goodden [REDACTED]

Good Morning Ted:

Please find below the Microsoft Teams login details for the meeting.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>**Brian Gregg, RPP, MCIP****SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 6:48 PM Ted Goodden [REDACTED] wrote:

I would like to register for this meeting. Will you send the zoom link please?

Ted Goodden, Visual Artist,

www.tedgoodden.net

Standing Still, Still Standing 4 min video, latest ceramic sculptures

<https://www.youtube.com/watch?v=YqONscaYGRk>

Cosmic Bowling with Cornelia Hoogland, Guernica, 2020



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island cell tower proposal meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 8, 2022 at 9:54 AM

To: Faroe [REDACTED]

Thank you.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 6:58 AM Faroe [REDACTED] wrote:

Hi Brian,

Yes, my address is [REDACTED], Hornby Island, BC V0R 1Z0.
Thank you for sending the meeting information.

Faroe

El mié, 7 dic 2022 a la(s) 10:50, Brian Gregg (briangregg@sitepathconsulting.com) escribió:

Hi Faroe:

Please kindly provide your address for the purposes of this consultation.

Below is the login information.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com/join/19%3ameeting_MGQ3YTg4ZmMtMzQ2Yy00Nzg2LThmZTktdNDgyMzEwOWJIMWNj%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 290 186 219 337

Passcode: MT37bb

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on theweb<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 112 330 806 6

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1123308066&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,999463631#<tel:+16043346420,,999463631#> Canada, Vancouver

Phone Conference ID: 999 463 631#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=999463631>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>
Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.
Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_MGQ3YTg4ZmMtMzQ2Yy00Nzg2LTNmZTktdNDgyMzEwOWJIMWNj@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 4:28 AM Faroe [REDACTED] wrote:

Hello,

I would like to be added to the on-line public information meeting about the proposed cell tower on Hornby Island on Dec. 8 from 5:00-6:00pm.

Thank you,
Faroe

--

--



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Cell Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Sat, Jan 7, 2023 at 10:57 PM

To: Ray Therrien [REDACTED]

Thank you, Ray. We will save your comment sheet on file.

Please be advised that you will have 21 days to comment further as per ISED protocols.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sat, Jan 7, 2023 at 8:42 PM Ray Therrien [REDACTED] wrote:

Hi Brian,

Please see the attached comment sheet

Thanks

Ray Therrien
[REDACTED]

Hornby

On Fri, Dec 9, 2022 at 10:55 AM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Hello Ray:

I heard from Angela as well who noted that she is your wife. I am not entirely sure as to why you had issues accessing the meeting. The meeting was well attended by over 30 people. If we had received your request to login, we would have let you in. Perhaps there was a connection or technical issue of some kind. Nonetheless, I mentioned to Angela and would like to offer to you as well that we would be pleased to arrange some time to walk through the proposal and the presentation we shared at the meeting.

You are welcome to call me at 778 870 1388 if you would like to arrange some time to discuss.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you wish to submit further input as part of the federally mandated consultation process.

Finally, please find attached a copy of Rogers' consultation package for your reference in the interim.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 5:08 PM Ray Therrien [REDACTED] wrote:
Hi Brian,

I am trying to connect but the link is saying it is trying to connect but will not.

Ray

On Wed, Dec 7, 2022 at 10:51 AM Brian Gregg <briangregg@sitepathconsulting.com> wrote:
Hello Ray:

Please find the login details below.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_MGQ3YTg4ZmMtMzQ2Yy00Nzg2LThmZTktdNDgyMzEwOWJIMWNj%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 290 186 219 337

Passcode: MT37bb

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the

web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 112 330 806 6

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1123308066&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,999463631#<tel:+16043346420,,999463631#> Canada, Vancouver

Phone Conference ID: 999 463 631#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=999463631>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_MGQ3YTg4ZmMtMzQ2Yy00Nzg2LThmZTktdNDgyMzEwOWJIMWNj@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 6, 2022 at 9:34 PM Ray Therrien [REDACTED] wrote:

Hello Brian

I would like to take part in the on-line meeting Dec. 8 from 5:00-6:00pm.

Thank you

Ray Therrien

[REDACTED]
Hornby Island

Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 – Hornby Island

1. Are you a cell phone or wireless device user?

Yes

No

2. Do you feel this is an appropriate location for the proposed facility?

Yes

No

Comments

It is centralized

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?

Yes

No

Comments:

Its a tower - They are everywhere..

Additional comments

I am all for the tower. I am not a Rogers user but still think it is needed.

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name

Ray Therrien

Mailing address

Email Address

Please email to briangregg@sitepathconsulting.com
Or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Attention: Brian Gregg
By January 13, 2023

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

meeting registration

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 9, 2022 at 1:22 PM

To: Diane Smith [REDACTED]

Hello Diane:

My responses are below in green text.

Hello Brian,

Thank you. I was amongst many who couldn't get on this call, which was disappointing, b/c we have questions to ask and opinions to share.

There is a large body of Hornby residents who are opposed to the installation of a Cell Tower here. This call was for some reason far more complicated than Zoom and didn't function properly. This process of 'asking questions' needs to be immediately rectified so this process can be effective.

The call was very well attended with over 30 people on the videoconference. There were both dial in (phone/audio) options as well as video. In our public notices, we advised people to reach out by no later than December 7 (24 hours before the meeting) if they wanted to receive the access code. Microsoft Teams is quite a straightforward tool as people don't even need to download the software and can simply click a link or dial in from their phone if they don't have a computer. We provided people with all such options. I think the vast majority of people had no issues joining the call and we have received a number of people complementing us on the quality of the meeting. Of course, as always, there will be all perspectives and not everyone may be satisfied but over all I left with a surprisingly positive feeling that the meeting was well attended and generally engaging.

Nobody, Rogers included, can run the risk of hurrying this process, and it is being hurried. It needs to be effective in the process of either providing or gathering community consent, or it will be one nightmare after another across the board. We live on a very small island that carries high impact with projects such as this. We deserve and will request due process in working with you.

I do not think the process has been rushed at all. For instance, I spent numerous months prior to getting to this public consultation stage pre-consulting First Nations, the Islands Trust planning staff, the province, local emergency responders at the fire hall, amongst others. We are required as per ISED guidelines to stick to certain timelines once the process commences however as noted during the meeting yesterday the ISED (federal) process is only part 1. Part 2 of the process will be the province's referral process which will include another round of public notices.

I have reiterated to a number of people including at yesterday's meetings that we will review all the comments received and consider additional opportunities for engagement. I can tell you, for example, that the public meeting was hosted voluntarily and is not a requirement so I trust that we have already taken some steps to demonstrate good faith and will continue to do so where possible.

I have questions:

- how are you 'making note' of our (Hornby residents) comments? **I always keep a log of every comment. I respond to all reasonable and relevant concerns as per ISED protocols. I save all comments and my responses. I then share the comments with the relevant land use authority and ISED.**

- are you gathering questions or comments? There is a difference. **I am gathering both questions and comments as well as our responses in each case.**

- how are they (notes) delivered to the 'decision makers'? **I will deliver a report at the end of the comment period to the land use authority(s). All public comments received and my responses provided will be shared, with personal contact information redacted.**

- who are the 'decision makers'? **The decision makers typically are the relevant land use authority as per ISED protocols, which within Islands Trust territory has typically been the Islands Trust. I know that some people have been trying to suggest it could be the CVRD or others, however that has never really been the case within the Islands Trust -- usually it has been my understanding that the Islands Trust is the land use authority for cell tower proposals on all such islands (not the CVRD, CRD or surrounding regional districts). I've asked ISED to confirm however I did review all our consultation materials with ISED and the Islands Trust prior to commencing this process and at that time everyone approved the materials wherein we provided contact details for the Islands Trust, ISED and Rogers as the applicable contacts. Nobody advised otherwise and the review was thorough so I believe my above comments are accurate. If I am advised otherwise by ISED I will let you know.**

To be clear, I am not a decision maker nor is Rogers other than to the extent that we can make a proposal and facilitate the required process.

In sum, at this time, I am of the understanding that the Islands Trust is the land use authority and have asked ISED to verify that. However, ISED does have jurisdiction over such matters so they can, in theory, also be a decision maker where pertinent however it has been our practice to make an effort to work cooperatively with local governments. ISED at this time is monitoring the process as always.

- how transparent is your process to all involved, inclusive of Hornby residents and Roger officials? **I share all comments received and responses provided with the land use authority, ISED and Rogers.**

- why was Islands Trust not informed as far back as Roger's proposal was put forward **This is not accurate. The Islands Trust planning staff were engaged many months ago, earlier this year.**

- why does Rogers want to install a cell tower on Hornby Island? **There is not reliable service on most of the island, regardless of service provider. As a service provider, Rogers desires to provide reliable connectivity to its customers. This is for both general connectivity reasons and also for public safety since the majority of calls to emergency responders are placed via wireless devices.**

- why do you want to put a Cell Tower on Hornby Island in a densely populated/trafficed area? **Is this densely populated? The subject property is vacant crown land and the lots in the area are large in size for the most part. There are no immediately adjacent homes. The adjacent uses include a fire hall, radio station, recycling depot, road works yard, vacant crown land, Joe King Ball park and then further away other mixed commercial and public uses. With that said, the answer would be that yes we do want to service the population and areas where people reside. Service upgrades are made in response to demand and generally occur where people live and work, similar to other infrastructure.**

Regarding land use, the proposed tower is to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).

Certainly people are welcome to share their ideas.

I look forward to your reply, and thanks for now.

DS

Please note that you will have 21 days as per ISED protocols if you wish to comment further as part of this federal portion of the process.

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com



Brian Gregg <briangregg@sitepathconsulting.com>

Further to our initial conversation

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 26, 2022 at 10:41 AM

To: Diane Smith [REDACTED]

Hello Diane:

Thanks for your additional email. Please find below our responses to your feedback.

1. Rogers intends to complete the current consultation process as advertised for consistency and will review possibilities for additional engagement in the new year.
2. The process is still ongoing and Rogers does not intend to cancel the proposal at this stage. It will be important to allow the process to be completed as advertised as there are numerous stakeholders to consider with varying perspectives.

I believe that we already discussed and responded to the other subjects in your email, however we will save your additional comments on file for the decision makers.

Please note that as per ISED protocols you will have 21 days if you wish to comment further as part of the federally mandated process.

Thanks,
Brian Gregga

Sent from my iPhone

On Dec 26, 2022, at 9:59 AM, Diane Smith [REDACTED] wrote:

Hello Brian,

Thank you for your lengthy reply to my mail which engaged us in a conversation regarding the proposal to install a Cell Tower here on Hornby Island. I'm replying to you fresh, without adding to that thread. I'm opposed to this proposal, and have authentic concerns about the emission of electromagnetic frequency and radiation emissions on our small island. Since our initial correspondence I've attended our town hall meeting with a good number of other concerned community residents and have done my research to better reply to you. I do not want to see a 63mtr tower erected on the grounds across from the Fire Hall, towering over the local community center, cemetery, recycling depot, school, games facility (Joe King Ballpark), medical clinic, local residents and frequently used biking and walking trails. **My first request is that the three week period of response be extended beyond January 13**, taking into account that the Islands Trust staff error prevented the Trust reps and community from knowing about the proposal, that the online meeting held Dec 8th was not effectively available to all, and that you are mandated to vet this process through public consultation at a town hall meeting, I trust that you will make this amendment. There are people on this island who don't have internet access or telephones, and this Microsoft Zoom-type meeting did not include all the voices that need to be heard from. You

noted that 30 people attended that call, while 50 (in opposition) attended the town hall meeting.

I am flatly opposed. Why?

- the mainstream data (ISED) that promotes the so called 'safety' of EMF Radiation does not include or honour the alternative data that demonstrates how unsafe it is to the human organism, animals, plants, trees and the general environment. Code 6 is an example of this, stating that: 'most' vital organs are unaffected by EMF Radiation. While which others aren't?
- this technology has not been tested over time and there is no wisdom in implementing it and gambling with its potential dangers. If you have children, this could matter to you.
- the human body and all living organisms on earth, including earth itself operate on a fixed frequency of 7.4 hz. In comparison, pulsating EMF frequencies run at 50-60 hz and by assault affects the natural frequency resulting in childhood leukemia, cancers, cardiac problems, neurological irregularities, etc.
- Quadra and Cortes Island in particular, have blocked the installation of cell towers, and cities around the world are successfully exercising opposition to EMF Cell Towers, which demonstrates the viability of concerns about it.
- Hornby Island is one of many bastions of environmental simplicity, where exposure to the health dangers of modern living are less. We need places like this during these times where the human body is being hijacked towards ill health in favour of adopting technologies that are not compatible with optimum human health.
- Housing is an island issue, as it is in most communities. There is a pending proposal for a housing project on the spot this cell tower is proposing to occupy. This is not good. This future use must be considered. Do you want to see a 63mtr tower hanging over this potential housing project with emissions affecting the health and well being of those inhabitants? I don't.
- The 'Decision Makers' of this proposal do not live here, are not invested in the health of this community, are data biased, and are not visible to the community. This is not right and unnerving. Who makes direct decisions for you and your family?

My second request is that this proposal be trashed, as was the last one a few years back which suggested a cell tower be placed nearer to the public school. I'm pleased to know that an application for this current project has yet to be submitted and we are in the early stages where it can be effectively stopped.

Thank you for now,
Diane Smith

I gratefully acknowledge that I love, live, and grow on this sacred planet Earth which spins in a vast universe.

[Redacted]
[Redacted]
[Redacted]

Hornby Island

[Redacted]
[Redacted]

Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 – Hornby Island

1. Are you a cell phone or wireless device user?

€ Yes

€ **NO**

2. Do you feel this is an appropriate location for the proposed facility?

€ Yes

€ **NO**

Comments

- Hornby Island is one of dwindling bastions of environmental simplicity, where exposure to the health dangers of modern living are less. We need places like this during these times where the human body is being hijacked towards ill health in favour of adopting technologies that are not compatible with optimum human health.

- Housing is an island issue, as it is in most communities. There is a pending proposal for a housing project on the spot this cell tower is proposing to occupy. This is not good and the future of this plan to provide residential housing must be considered. A 63mtr cell tower hanging over this potential housing project with emissions affecting the health and well being of those inhabitants, is unwise and not cost effective to the medical system.

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?

€ Yes

€ **NO**

Comments:

The changes I would suggest is to cancel the project entirely. I do not want to see a 63mtr tower erected on the grounds across from the Fire Hall, towering over the local community center, cemetery, recycling depot, school, games facility (Joe King Ballpark), fire hall, medical clinic, art gallery, homes of local residents and frequently used biking and walking trails.

Additional comments

- the mainstream data (ISED) that promotes the so called 'safety' of EMF Radiation does not include or honour the alternative data that demonstrates how unsafe it is to the human organism, animals, plants, trees and the general environment. Code 6 is an example of this, stating that: 'most' vital organs are unaffected by EMF Radiation. While which others aren't?
- this technology has not been tested over time and there is no wisdom in implementing it and gambling with its potential dangers. If you have children, this could matter to you.
- the human body and all living organisms on earth, including earth itself operate on a fixed frequency of 7.4 hz. In comparison, pulsating EMF frequencies run at 50-60 hz and by assault affects the natural frequency resulting in childhood leukemia, cancers, cardiac problems, neurological irregularities, etc.
- Quadra and Cortes Island in particular, have blocked the installation of cell towers, and cities around the world are successfully exercising opposition to EMF Cell Towers, which demonstrates the viability of my concerns about it.

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name Diane Smith

Mailing address



Email Address



Please email to briangregg@sitepathconsulting.com
Or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Attention: Brian Gregg
By January 13, 2023

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Comment Sheet

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Jan 16, 2023 at 3:32 PM

To: Diane Smith [REDACTED]

Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Hello Diane:

I read your email and will respond to the key issues

- Rogers attests that it will comply with Health Canada's Safety Code 6. This is a regulatory requirement. We have no influence over the safety protocols. We are also not authorized, as per ISED protocols, to debate the safety code. You may wish to inquire with Health Canada and their policy makers directly if you have concerns with their protocols.
- It is critical that we act in good faith and respond to reasonable and relevant concerns as per ISED's expectations. We take ethics, integrity and professionalism very seriously and are always available to discuss.
- We have not amended the comment timeline that was publicly posted; however, we will be discussing next steps with the Islands Trust, ISED and also ultimately the province regarding the subsequent provincially managed referral process.

We'll be working in good faith to ensure that the public and Islands Trust have been consulted in alignment with ISED's expectations.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Jan 16, 2023 at 10:23 AM Diane Smith [REDACTED] wrote:

Thank you Brian, I do have new concerns which I'll address to you here.

I've been continuing my research and awareness on the ill effects of Electromagnetic Frequencies on the human body and all of nature. Fortunately, there are mountains of stand alone peer reviewed evidence of how deleterious this technology is and will continue to be. Discovering that there are countries, communities and powerful organizations successfully lobbying against it is very hopeful in the long run gains of having this information made more public (and palpable). I'm grateful that we're living in such transparent times and it doesn't take much hindsight or foresight to see into the truth of corruption and roughshod systems being forced into place. Granted, societies are terribly divided by information and running with economic gains whatever the cost. However, the 'insightful' are many, and positive changes will come through this growing (global) force, demanding that choices for societies are being made for 'the good for the organism', promoting the good health and wellbeing of humans, wildlife and the environment. I hope that in your well paid position you are studying the intelligent scientific data that is the foundation for this. My first concern is a question. Is there adequate planning and budgeting for future lawsuits against companies (and governments) that are installing cell towers and currently ignoring the ill effects on

the biology of living life? The symptoms of exposure to EMF have well begun and will without a doubt increase. Lawsuits don't seem that far into the future.

I'm a fairly reclusive island resident. I generally stay out of divisive goings on and hold the party line that 'we're all in this together', which in fact we are, divided or not. I've been very disappointed to learn that your (professional) reputation isn't entirely a trusted one and that you are not working in 'good faith' with your position of informing the public and holding due process in providing information and gathering community response to this important issue of erecting cell towers on Vancouver Island, and the gulf islands. I'm so sorry to be knowing this, as it erodes my trust in your representation of our concerns. I can see how pervasive, full data on EMF technology is not included in your presentations and the organizations of meetings and vetting communities isn't going well. What do you think? Are you acting in good faith here?

One last question. Have you extended the deadline of January 13, which ended the vetting process, which in full ineffectiveness, spanned the holidays? I hope so. There is much more to be heard, from many concerned island residents, locally and regionally.

Thank you for now, Diane Smith

On Mon, Jan 2, 2023 at 5:29 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Diane:

Please note that we have saved your comment sheet on file. I believe we have already responded to each of your comments, questions and concerns and so I will not respond further unless you desire further clarification.

Thank you,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 30, 2022 at 9:17 AM Diane Smith [REDACTED] wrote:

Please find my completed Rogers Comment Sheet here:

<https://docs.google.com/document/d/1a2ZSQM7QF7tSM5niPYjKM6d47APxFcPW/edit?pli=1>

I gratefully acknowledge that I love, live, and grow on this sacred planet Earth which spins in a vast universe.

[REDACTED]
[REDACTED]
[REDACTED]
Hornby Island
[REDACTED]
[REDACTED]

--

I gratefully acknowledge that I love, live, and grow on this sacred planet Earth which spins in a vast universe.



Brian Gregg <briangregg@sitepathconsulting.com>

Cell tower

Anne Ngan [REDACTED]
To: Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 8:10 PM

My address is: [REDACTED] Hornby Island, B.C, V0R1Z0, CANADA

On Wed, Dec 7, 2022 at 11:23 AM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Thanks for sharing your input, Ann. I will save your comments on file for Rogers, ISED and the land use authorities to consider.

It would be appreciated if you could kindly share your address for the purposes of this consultation.

Please kindly note that as per ISED protocols you will have 21 days if you wish to comment further.

Best Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 11:18 AM Anne Ngan [REDACTED] wrote:

Please, no cell tower pn Hornby.

Sent from my iPhone



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Tower Proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 15, 2022 at 1:56 PM

To: Arn Coleman [REDACTED]

Dear Arn:

Thanks for sharing your comments. Your input will be saved on file for the Islands Trust, ISED, province (who manage the lands in question) as well as Rogers.

In response to your feedback, I can confirm that Rogers has already advised other carriers including TELUS of the proposed tower to welcome applications for tower sharing. Emergency service responders have also been advised. We are awaiting their formal responses however I can advise you that Rogers will do its part to share the tower in accordance with federal requirements for tower sharing.

Please kindly note that I am required to advise you per ISED guidelines that you will have 21 days if you wish to submit further comments. Notwithstanding the foregoing, this is only for the federal portion of the consultation process and since the proposal is on provincial crown land there will be an additional round of public notification in the new year. We are also exploring the possibility of another public meeting on the island however those details are to be determined.

Please feel free to call me at 778 870 1388 should you desire any further information.

Thank you again for your input. I hope that you have a wonderful holiday season.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 1:17 PM Arn Coleman [REDACTED] wrote:

Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 – Hornby Island

1. Are you a cell phone or wireless device user?

- Yes
- No

2. Do you feel this is an appropriate location for the proposed facility?

- Yes
 - No
- Comments

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?

- Yes
 - No
- Comments:
Not really, but I guess that's what modern communications towers look like.

Additional comments

I'm in favour of the proposal on the condition that other cellular providers can share the tower.

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name

Arn Coleman

[REDACTED] Hornby Island, BC

[REDACTED]

[REDACTED]

Please email to briangregg@sitepathconsulting.com

Or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Attention: Brian Gregg

By January 13, 2023

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers telecommunications tower

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 11:23 AM

To: iyana celestine [REDACTED]

Dear Iyana:

Thanks for sharing your input. I will save your comments on file for Rogers, ISED and the land use authorities to consider.

It would be appreciated if you could kindly share your address for the purposes of this consultation.

Please kindly note that as per ISED protocols you will have 21 days if you wish to comment further.

Best Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 11:23 AM iyana celestine [REDACTED] wrote:

Absolutely **NO** to the tower on hornby.

Sent from Yahoo Mail for iPad



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Cell Tower Proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 12:35 PM

To: Arn Coleman [REDACTED]

Good Afternoon Arn:

Please find below the login details. Please kindly provide your address for the purposes of this consultation.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à www.rogers.com/aviscourriel <<http://www.rogers.com/aviscourriel>>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 12:30 PM Arn Coleman [REDACTED] wrote:

Hello Brian,

Please register me for the December 8 online information session.

I do have an important question. Will the tower be able to be used by all other cellular networks or only by Rogers?

Regards,

Arn Coleman



Brian Gregg <briangregg@sitepathconsulting.com>

Please register for Hornby Discussion.

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 1:41 PM

To: Donna Tuele [REDACTED]

Hello Donna:

Please see below the login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 1:32 PM Donna Tuele [REDACTED] wrote:

Thank you

Donna Tuele
Sent from my iPhone



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 1:43 PM

To: Donna Tuele [REDACTED]

Hello Donna:

Thanks for your feedback. I may not fully understand what you mean by "support" but I can assure you that Rogers would have no concerns with there being neighbouring housing or other uses on the remainder of the site. The lot is very large and Rogers' proposed footprint is quite minimal -- a 15 m x 15 m compound for the tower, mostly underground power and largely use of existing access roads with minor improvements.

I think Rogers would have no concerns with there being adjacent housing.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you wish to comment further.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 1:31 PM Donna Tuele [REDACTED] wrote:

Good afternoon Brian

I would like to address the cell tower location for Hornby Island. I feel this location has potential but I would prefer to see workforce housing allowed on that site and would like to see the tower there only if Rogers supported work force housing on there same site.

If this isn't possible then I would prefer a different site.

Thank you

Donna Tuele

[REDACTED]
Hornby Island, BC
[REDACTED]

Sent from my iPhone



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Cell Tower Information Session

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 2:42 PM

To: Ryan May [REDACTED]

Hello Ryan

Please find below the login details.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à www.rogers.com/aviscourriel <<http://www.rogers.com/aviscourriel>>

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 2:38 PM Ryan May [REDACTED] wrote:

Please register my wife and I for the information session and send instructions on how to log on.

Thanks,

Ryan

--

Growing with nature in mind...

Ryan May
[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Request invitation to the 5pm presentation today Dec 7

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 3:22 PM

To: Lynn Nunley [REDACTED]

Hi Lynn:

The invitation is tomorrow (Dec 8) at 5:00 pm. Details are below.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_MGQ3YTg4ZmMtMzQ2Yy00Nzg2LThmZTktdNDgyMzEwOWJIMWNj%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 290 186 219 337

Passcode: MT37bb

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 112 330 806 6

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1123308066&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,999463631#<tel:+16043346420,,999463631#> Canada, Vancouver

Phone Conference ID: 999 463 631#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=999463631>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_MGQ3YTg4ZmMtMzQ2Yy00Nzg2LThmZTktdNDgyMzEwOWJIMWNj@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à www.rogers.com/aviscourriel <<http://www.rogers.com/aviscourriel>>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 3:16 PM Lynn Nunley [REDACTED] wrote:

Could you email me the link to the presentation this afternoon?

Thank you so much.

Lynn



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island site path consultation

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 8, 2022 at 10:16 AM

To: Toglia Baird [REDACTED]

Thank you, Toglia.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 8:04 AM Toglia Baird [REDACTED] wrote:

My address is [REDACTED] Hornby island

Sent from my iPad

On Dec 7, 2022, at 6:38 PM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Good Evening Toglia:

Please see below. Please kindly provide your address for the purposes of this consultation.

Microsoft Teams meeting Join on your computer, mobile app or room device Click here to join the meeting<https://teams.microsoft.com/l/meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818 Passcode: cZRSfU Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>>| Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>Join with a video conferencing device rogersvc@m.webex.comVideo Conference ID: 117 646 713 2 Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only) +1 604-334-6420,,173789574#<tel:+16043346420,,173789574#>

Canada, Vancouver Phone Conference ID: 173 789 574# Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>>| Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID

above. Learn More<<https://aka.ms/JoinTeamsMeeting>>
| Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 5:56 PM Toglia Baird [REDACTED] wrote:

Hi there,
Please send me a link to you online site path consultation for Hornby Island tomorrow.

Thank you,
Toglia Baird

Sent from my iPad



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers tower on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 8, 2022 at 2:30 PM

To: [REDACTED]

Thank you

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 11:38 AM [REDACTED] <[REDACTED]> wrote:

My address is

[REDACTED]
Hornby Island BC
V0R 1Z0On Dec 8, 2022, at 13:06, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Thanks Rachel. If you would like the decision makers to know where you reside relative to such a proposal it can be helpful information for them to take into account.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 8:39 PM [REDACTED] <[REDACTED]> wrote:

I love on Hornby Island.

Thank you
Rachel PlattOn Dec 7, 2022, at 21:39, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Good Evening Rachel:

Please find below the login details. Please kindly provide your civic address for the purposes of this consultation.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjYkxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting

options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjYkxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 5:20 PM [REDACTED]

wrote:

Please register me for the information meeting tomorrow. Thank you
Rachel Platt
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Transcript for Hornby Island Proposal?

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 14, 2022 at 10:15 AM

To: [REDACTED]

Hi Rachel:

We do not record the meetings nor are we authorized to provide quotes for the media on behalf of Rogers.

Please note that as per ISED protocols you will have 21 days if you wish to submit further comments.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 13, 2022 at 4:17 PM [REDACTED] wrote:

Is the transcript available for the recent meeting regarding the tower on Hornby Island?

I'd like to be able to quote accordingly.

Thank you

Rachel Platt



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island - Proposed Rogers Cell Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 7, 2022 at 6:41 PM

To: Joanne Ovitsland [REDACTED]

Dear Joanne:

Thanks for sharing your perspective. We will save your comments on file for the Islands Trust, ISED and Rogers to consider.

It is our intent to complete the digital public meeting on December 8th as advertised. From there, we will review whether additional engagement is merited in the new year. Please be assured that there will be plenty of opportunity for additional engagement as we are currently only completing the required federal (ISED) portion of the consultation however since the proposal is on Provincial Crown land there will also be a provincial referral and consultation process including another round of public notices.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you wish to submit further comments as part of the initial federally mandated consultation process.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 5:10 PM Joanne Ovitsland [REDACTED] wrote:

Dear Mr. Gregg,

Unfortunately, I will not be able to attend the online consultation for the proposed Hornby Island Rogers Cell Tower due to prior commitments.

I am strongly opposed to this proposal.

I strongly recommend that there is in-person community consultation scheduled in early 2023 regarding this proposal..

Regards,
Joanne Ovitsland
Hornby Island Resident (20 years)



Brian Gregg <briangregg@sitepathconsulting.com>

Zoom meeting tomorrow

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 8, 2022 at 10:05 AM

To: Gemma Colin [REDACTED]

Thank you

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 10:04 AM Gemma Colin [REDACTED] wrote:

My address is [REDACTED] on Hornby.

On Thu, Dec 8, 2022 at 9:41 AM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Good Morning Gemma:

Please find below the Microsoft Teams meeting login details. Please kindly share your civic address for the purposes of this consultation.

Thanks,

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjKxYjkxZjYtOTJjYS00NmZiLWl4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on theweb<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>
Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à www.rogers.com/aviscourriel <<http://www.rogers.com/aviscourriel>>

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 9:20 PM Gemma Colin [REDACTED] wrote:

How do we register for this?

--
||||

--
||||



Brian Gregg <briangregg@sitepathconsulting.com>

Register for info meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 9, 2022 at 10:47 AM

To: April Lewis [REDACTED]

Hello April:

Thanks for your feedback. I thought the meeting was quite positive. Hopefully it was helpful.

Please find attached our consultation package. This contains most of the pertinent information. I'll have to ask Rogers and the Islands Trust about whether they have a website that this information could be posted on. To be honest we do not usually have an online repository but from time to time the land use authority will post our consultation package or a summary online.

I have thusfar been able to garner the following additional data for you:

- Commscope [FFV4S4-65C-R7](#) is the antenna that will likely be used (though we note that this can evolve over time depending on how long it takes to deploy the facility). You can see the specifications by clicking on the link.
- Rogers provides voice and data services on the following bands: 600/700/850/1900/2100/2600/3500MHz.

The coverage maps that we shared at the public meeting last night provided some preliminary or predictive (software based) coverage estimates. Of course, actual coverage may vary due to items in the environment such as tree heights, building materials, etc.

I'll ask Rogers if they have additional data to share however as of this time I have provided you with everything I know.

Please kindly note that as per ISED protocols you will have 21 days if you wish to submit further comments.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 6:11 PM April Lewis [REDACTED] wrote:

Thanks for a good first meeting, Brian. Your easy style was very welcome and helpful. If you could set up a central place for information updates, that would be great, the more facts, the better, now many requests for new service, improved service, etc. Also interested in the coverage gaps, what the frequency is, the radius that the frequency goes out to and how much the service diminishes the farther away you are. Hope that makes sense. April

On Thu, Dec 8, 2022 at 9:45 AM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Hello April:

Please find below the login details for the meeting. Please kindly provide your civic address for the purposes of this consultation.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com/l/meetup-join/19%3ameeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

This communication is confidential. We only send and receive email on the basis of the terms set out at www.rogers.com/web/content/emailnotice<<http://www.rogers.com/web/content/emailnotice>>

Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à www.rogers.com/aviscourriel <<http://www.rogers.com/aviscourriel>>

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 7, 2022 at 9:16 PM April Lewis [REDACTED] wrote:

Hi, My name is April Lewis and I wish to register for the information meeting tomorrow on Hornby (hoping our power is on - major wind storm tonight). Please confirm my registration. Thank you. April



Mail-out Package - Rogers - W6420 - Hornby Island.pdf

878K



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Cell tower proposal

Larry Martin [REDACTED]
Reply-To: [REDACTED]
To: Brian Gregg <briangregg@sitepathconsulting.com>
Cc: [REDACTED], hornbyisresidentsratepayers@gmail.com

Thu, Dec 8, 2022 at 11:27 AM

Thank you Brian.

Larry F. Martin

[REDACTED] Hornby Island:

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

From: Brian Gregg [mailto:briangregg@sitepathconsulting.com]
Sent: December 8, 2022 11:53 AM
To: [REDACTED]
Cc: [REDACTED]
Subject: Re: Rogers Cell tower proposal

Hello Larry:

Thanks for reaching out. In response to your questions, please find my comments below in green text.

I would appreciate being included in this evenings online public information session on your cell tower proposal.

Please find the login details below at the bottom of this email.

Improved cell phone coverage on Hornby is critical and I hope you will receive favourable consideration.

I do have two questions:

Will the proposed tower provide 100% coverage on the island and if not, what areas of Hornby are likely to not benefit from the tower?

We will be sharing coverage maps at tonight's meeting. The majority of the island will be covered however it is not possible to predict with 100% certainty until a site is built as we can only do software predictions.

According to the coverage maps I have seen, the areas where service may be limited still is portions of Mt. Geoffrey and eastern portions of Helliwell (parks).

Will to tower provide service for all cell phone providers (e.g. Telus) or will it be exclusive to Rogers customers?

Third parties like TELUS are welcome to apply to co-locate. TELUS is aware of the tower and is reviewing, I believe. Rogers is required to comply with ISED (federal) guidelines regarding tower sharing.

Thank you.

Larry F. Martin

[Redacted]

Hornby Island [Redacted]

[Redacted]

[Redacted]

Please kindly note that as per ISED protocols, I am required to advise you that for this federally mandated portion of the consultation process you will have 21 days if you wish to submit further comments.

Microsoft Teams meeting Join on your computer, mobile app or room device Click here to join the meeting<https://teams.microsoft.com/l/meetup-join/19%3ameeting_ZjKxYjkxZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d> Meeting ID: 275 419 180 818 Passcode: cZRSfU Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>> Join with a video conferencing device rogersvc@m.webex.com Video Conference ID: 117 646 713 2 Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>> Or call in (audio only) +1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver Phone Conference ID: 173 789 574# Find a local

number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>> Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above. Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 10:25 AM Larry Martin [REDACTED] wrote:

I would appreciate being included in this evenings online public information session on your cell tower proposal.

Improved cell phone coverage on Hornby is critical and I hope you will receive favourable consideration.

I do have two questions:

Will the proposed tower provide 100% coverage on the island and if not, what areas of Hornby are likely to not benefit from the tower?

Will to tower provide service for all cell phone providers (e.g. Telus) or will it be exclusive to Rogers customers?

Thank you.

Larry F. Martin

[REDACTED]
Hornby Island [REDACTED]
[REDACTED]





Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island Cell Tower Question and Comments

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 16, 2022 at 11:34 AM


To: [REDACTED]

Good Morning Larry:

Thank you for sharing your comments. Below are the requested coverage maps. Please note that Rogers generally does not share coverage maps publicly before a tower is built because such maps are preliminary and there is a margin of error as they are a software-based projection or estimate only. For example, we of course do not know the height of every tree or other such obstacle that may or may not impact the signal. With that said, the below maps generally show that the majority of the island will be covered if this tower proceeds. The exceptions appear to be the higher portions of Mt. Geoffrey and the eastern portions of Helliwell Park. In any event, these maps are not always 100% accurate and it does not necessarily mean there will not be spillover coverage and some service in additional areas including for instance the surrounding waterways. The green areas below show the highest signal strength, grey is where the signal strength will be available but potentially less reliable, and white are areas that may be little to no reliable service.

BEFORE

AFTER



I hope this helps. I know that some people have asked about why we do not propose to put the tower on Mt. Geoffrey to cover the maximum area possible. While that is an interesting idea I think the challenge would be that it appears to be a protected area (park land) and there is no existing access roads or power lines (required supporting infrastructure) nearby so we'd have to proposed to clear more area to bring in an access road and power line up the mountain. I'm not sure if the community would support that (seems like a substantial added challenge). The location that we are currently proposing on the other hand has supportive zoning from the Islands Trust (albeit, zoning does not apply to our federally regulated) and allows us to tie into existing nearby access and power. The vast majority of the island will be covered from this location, though there will be some potential exceptions.

With that said, there are ways to explore providing additional infill coverage with "small cells" (additional smaller installations on utility poles) if there are still coverage gaps in the future. Often we start with a single tower then re-evaluate if there are coverage gaps and can then look for additional ways to fill in any coverage exceptions.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land. This is a little complex as there are both federal and provincial consultation requirements to consider as well as local requests for additional engagement that we are reviewing.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.
PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 9:50 PM Larry Martin [REDACTED] wrote:

Hi Brian:

I attended your recent on line meeting regarding the cell tower proposal. Thank you for your presentation and your skills at chairing the crowd.

You showed a service coverage area model for the proposed location.

If that illustration is something you can share, may I have a copy to look over.

Personally , I am keen for improved cell coverage on Anderson Drive. We are on Anderson just north of Balcarra on the water front not the area around Whaling Station Bay.

More important to the Island community and visitors, there are currently many areas of Hornby with poor to non-existent coverage. This presents a serious safety breach for residents of these areas and the obvious inconvenience of not being able to receive voice, text or internet.

It seems incredible to me in 2022/23 that cell coverage is not reliable at the Coop , the busiest place on the Island, Joe King Park, etc. Any place on where people gather or live should have coverage.

In the summer the number of people on the trails, in Helliwell Park and on Mount Geoffrey and on the water is substantial and all would benefit and stay safer with improved and reliable access to 911. I would think that it would make fire, rescue and ambulance service more effective.

I think these are some of the key issues to validate your project and ones that should be promoted.

Thanks Brian.

Larry F. Martin

[REDACTED]

Hornby Island [REDACTED]

[REDACTED]

[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Re: Rogers Cell tower proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 9, 2022 at 4:44 PM

To: Kevin Woods [REDACTED]

Hello Kevin:

Per our consultation package, the approximate coordinates are 49.535055, -124.672134.

The height above sea level is approximately 66 meters

Proposed tower height is 63 m (including lightning rod)

The tower will be blocked by Mt Geoffrey towards the southwest since we are at a much lower terrain than the mountain.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 9, 2022 at 3:24 PM Kevin Woods [REDACTED] wrote:

Brian,

Would you please find out for me:

The Lat/Long of the base of the tower,
The height above sea level of the base of the tower,
The proposed total height of the tower.

I am in discussion with the local AREDN amateur network technical coordinator.

Do you know if the tower is going to be high enough to be omnidirectional , or is it low enough to be blocked by the terrain I.e. Mount Geoffrey?

Kevin

On Thu, Dec 8, 2022, 15:50 Brian Gregg, <briangregg@sitepathconsulting.com> wrote:

Hello Kevin:

It is my understanding that effectively every cell tower goes through the process to allow E 911 services. I believe this is required and I understand that even people who do not subscribe to a given provider's network can still place 911 calls typically.

I am not tasked with this specific piece of the work (it's handled internally by each carrier) but I'll look into this further for you.

This would not in any way preclude or hinder any existing communication services on the island and would only expand upon such services.

Please note that you will have 21 days are per ISED protocols if you desire to comment further.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 11:18 AM Kevin Woods [REDACTED] wrote:

Thanks Raina,

I am copying Brian in this note here.

My understanding is that 911 signals come from the Tower at the Spark. This needs to be explored, and BC 911 must sign off either way.

Brian, do you have a 911 sign-off?

On Thu, Dec 8, 2022 at 10:30 AM HIRRA Administrator [REDACTED] wrote:

Hello Kevin,

good point that Fire Rescue should have input about any impacts to emergency services.

I assume that they received the same hard-copy letter that HIRRA and Spark did since they are a "neighbour".

Although it is true that there is some sort of Fire Department radio tower at Spark, it is my understanding that the main 911 tower is located on the top of Mt. Geoffrey.

I encourage you to direct feedback and questions to the consultant Brian Gregg:

briangregg@sitepathconsulting.com

Cheers,

Reina LeBaron, Executive Administrator

Hornby Island Residents' and Ratepayers' Association (HIRRA)

Ph: [REDACTED]

Email: [REDACTED]

I respectfully acknowledge that I live and work on the unceded traditional territory of the K'ómoks First Nation.

On Tue, Dec 6, 2022 at 8:46 PM Kevin Woods [REDACTED] wrote:

Its important to understand that the local 911 communication tower would be very close to that facility. Its up on the tower over the firehall. It would be important to get a signoff from them too before proceeding. The remote islanders live or die based on the 911 service.

K

On Tue, Dec 6, 2022 at 2:17 PM HIRRA Administrator [REDACTED] wrote:

Hello HIRRA members,

HIRRA recently received a hard copy of Rogers Cell Tower Proposal for a 63 meter tall tower (including 3m lightning rod) housing "numerous panel antennas and dishes" and having a small fenced and locked "compound" at the base containing "equipment necessary to operate the facility", to be located in the old gravel pit between Recycling Depot and Spark building.

HIRRA was notified as a "neighbour".

Details of the proposal were published in the winter First Edition and the Nov. 29 Tribune.

Rogers has scheduled an on-line public information meeting about the proposal on Dec. 8 from 5:00-6:00pm (pre-register by Dec. 7 Email: briangregg@sitepathconsulting.com). Public has 30 days (month of Dec.) to submit comments/questions.

There will also be discussion at the Dec. 14 HIRRA meeting (7:30-9:30pm). Members may attend by Zoom from home or come to the Community Hall to share a Zoom connection provided by an Executive member.

Cheers,

Reina LeBaron, Executive Administrator

Hornby Island Residents' and Ratepayers' Association (HIRRA)

██████████ Email: ██████████

I respectfully acknowledge that I live and work on the unceded traditional territory of the K'ómoks First Nation.



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Cell tower proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 16, 2022 at 11:00 AM

To: [REDACTED]

Cc: HIRRA Administrator <office@hirra.ca>, Samuel Sugita <Samuel.Sugita@rci.rogers.com>

Thank you. We will review and be in touch.

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 4:25 PM HIRRA Administrator [REDACTED] wrote:

Thank you for your response, Brian.

Am in person meeting on Hornby with a Rogers representative would be very welcome.

Cheers

Reina

On Thu, Dec 15, 2022, 3:27 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Hello Reina:

Thanks for sharing this update. This is good to know.

I've cc'd Sam at Rogers to keep him in the loop as well.

Please note that as per ISED protocols I am required to advise that you will have 21 days if you wish to submit further comments as part of the federal portion of the consultation process. However, there will be additional opportunities for engagement via the provincial referral process and we are looking into options for a potential additional public meeting in the new year.

Regards,

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 12:08 PM HIRRA Administrator [REDACTED] wrote:

Hello Brian,

as you are aware, the Rogers Cell Tower proposal for Hornby Island is stimulating some divisive discussion in

our community.

It is my understanding that the HIRRA president, Daniel Siegel, has attended information meetings and spoken with you by phone.

HIRRA received a package and comment sheet as a neighbour and has opted to circulate a PDF of the proposal package and a Word document of the comment sheet to all HIRRA members on our email list.

Members have been invited to complete the comment sheet and respond directly to you.

Cheers,

Reina LeBaron, Executive Administrator

Hornby Island Residents' and Ratepayers' Association (HIRRA)

Ph: (250) 335-1131 Email: [REDACTED]

I respectfully acknowledge that I live and work on the unceded traditional territory of the K'ómoks First Nation.



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers TOWER on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Jan 10, 2023 at 6:10 PM

To: Daniel Siegel [REDACTED]

Cc: Lynn Nunley [REDACTED]

Hello Daniel

Thanks for your comments. We align with you on many of your concerns and comments with the exception of your suggestion that we should withdraw the application. We do not intend to withdraw the application but there will be plenty of time for public comments via both the current process and additional provincial referral process since the proposal is on crown land. There will be substantial time for the community to provide input.

As an update, we had a good meeting with Islands Trust staff today and intend to formally share the proposal at the upcoming LTC meeting. We reviewed the model strategy for antenna systems that you reference below and in reality the process we have already completed covers effectively all the requirements stated in that protocol. In order to bring the proposal into alignment with the model strategy, one item we need to do is formally share the proposal with the trustees at an LTC meeting which we will be doing shortly.

From there, we should be able to work through additional engagement opportunities.

I would be happy to discuss with you again when you have some time.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Jan 10, 2023 at 2:55 PM Daniel Siegel [REDACTED] wrote:

Hi Brian

I hope you had a good holiday with family time and a chance to rest.

I have been thinking about the possibility of another information session, either in person or on Zoom and I wanted to share the tentative conclusions of that thinking with you as promised.

Your descriptions of previous and unpleasant sessions makes me and other

members of the HIRRA Executive wary of inviting you here, only to experience that unpleasantness again. We assume that attendance could be heavily slanted toward those opposed to the tower, partially because there are many community members who are still cautious about attending indoor events with people who are likely not vaccinated, others who are away for parts of the winter, and no indication that I could see that part time residents were actively solicited to participate.

There have been too many places where correct protocol has not produced the desired results. This includes the fact that our trustees had not been informed of the application when you went to the Islands Trust staff. There is also the “Model Strategy for Antenna Systems” which was passed by the Hornby LTC on September 29 of last year (<https://islandstrust.bc.ca/document/model-strategy-for-antenna-systems-with-northern-ltc-adoption-dates/>), which didn't seem to be part of what you knew in advance.

The glitches in the process which led to its being presented to Hornby residents close to the winter holidays made this an inopportune time for our community to deal with yet another major change being proposed for our island. Many year-round residents are away at this time of year. Further, our community is dealing with many profound changes already (including a housing shortage, the pending arrival of fibre optics, and significant proposed changes to our OCP).

It therefore seems that this is not the right time or approach and I suggest that Rogers withdraw the application for now and allow our community to work on the issues we are already facing.

Daniel



Powered by **Mailbutler** - still your inbox, but smarter.



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Tower on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 8, 2022 at 2:19 PM

To: Albin Lapierre [REDACTED]

Hello Albin:

You can certainly join and I'll be happy to share the login details. Please see below.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on the web<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGIxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Regarding your interview request, I'll have to ask Rogers. I am not generally authorized to provide media interviews on Rogers' behalf but will share your inquiry with the management at Rogers.

Thank you,

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 12:45 PM Albin Lapierre [REDACTED] wrote:

Hi,

I am aware you are conducting a meeting this evening with community members.

I didn't sign up for a link to the meeting because I had an officer meeting with the local fire department scheduled at the same time.

It was cancelled a moment ago so I thought I would ask if I could join, even if it is last minute. I expect this won't be possible, and I understand.

Also I produce a news and informative radio show on our local radio here on Hornby, so I was curious if we could have a phone conversation so I could play on the radio for our listeners who don't use the internet.

My name is Albin Lapierre, and you can reach me here or by phone [REDACTED], or cell [REDACTED].

Thank you,



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Cell Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 8, 2022 at 2:28 PM

To: Rich [REDACTED]

Hi Rich:

Please find below the login details for the Microsoft Teams meeting this evening at 5:00 pm. It would be appreciated if you could kindly share your civic address for the purposes of this consultation process.

Microsoft Teams meeting

Join on your computer, mobile app or room device

Click here to join the meeting<https://teams.microsoft.com//meetup-join/19%3ameeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm%40thread.v2/0?context=%7b%22Tid%22%3a%220ab4cbbf-4bc7-4826-b52c-a14fed5286b9%22%2c%22Oid%22%3a%225d1b2b73-e5d9-45d0-92bb-e20140f838e8%22%7d>

Meeting ID: 275 419 180 818

Passcode: cZRSfU

Download Teams<<https://www.microsoft.com/en-us/microsoft-teams/download-app>> | Join on theweb<<https://www.microsoft.com/microsoft-teams/join-a-meeting>>

Join with a video conferencing device

rogersvc@m.webex.com

Video Conference ID: 117 646 713 2

Alternate VTC instructions<<https://www.webex.com/msteams?confid=1176467132&tenantkey=rogersvc&domain=m.webex.com>>

Or call in (audio only)

+1 604-334-6420,,173789574#<tel:+16043346420,,173789574#> Canada, Vancouver

Phone Conference ID: 173 789 574#

Find a local number<<https://dialin.teams.microsoft.com/9aa1cfbb-dfa5-4718-ade3-0c87aecc6c10?id=173789574>> | Reset PIN<<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

Note: To connect to a Microsoft Teams Conference bridge from a meeting room, select the 'Microsoft Teams' button on the Video Conference panel, then enter the VTC Conference ID above.

Learn More<<https://aka.ms/JoinTeamsMeeting>> | Meeting options<https://teams.microsoft.com/meetingOptions/?organizerId=5d1b2b73-e5d9-45d0-92bb-e20140f838e8&tenantId=0ab4cbbf-4bc7-4826-b52c-a14fed5286b9&threadId=19_meeting_ZjkkYjkkZjYtOTJjYS00NmZiLWI4NTktOWYwMGlxY2Q4NGRm@thread.v2&messageId=0&language=en-CA>

Thank you,

Brian Gregg, RPP, MCIP**SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 1:08 PM Rich [REDACTED] wrote:

Yes, I would like to register for the Zoom meeting regarding the cell tower.

Sent from Mail for Windows



Brian Gregg <briangregg@sitepathconsulting.com>

Trying to get onto info meeting

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 12, 2022 at 3:56 PM

To: "Angela Hudson (personal)" [REDACTED]

Cc: Heather Oliver [REDACTED]

Dear Angela,

Thanks very much for letting me know of this.

I'll save your comments on file for the Island Trust, Rogers and ISED.

Please kindly note that I am required to advise you that you will have 21 days if you wish to submit further input.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 12, 2022 at 2:37 PM Angela Hudson (personal) [REDACTED] wrote:

Hi Brian,

My husband and I are in favor of the tower. I think Ray has already replied to you with that as well. We appreciate you following up with the information.

Angela

On Fri, Dec 9, 2022 at 10:51 AM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

That's very strange. I am sure we would have let you in if we had received the request. Perhaps there was some kind of a technical issue or connection issue wherein we did not receive the request.

In any case, would you like to arrange some time to review the proposal? I'd be happy to arrange some time or you can call me at 778 870 1388. I can walk you through the presentation we shared for example.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 9, 2022 at 10:45 AM Angela Hudson [REDACTED] wrote:

Hello Brian

My husband Ray Therrien was on the list and had the email from you. He had registered on time by your deadline. As I mentioned the link said when the meeting starts the host will let you in. But it said that for 20 min until we gave up.

Angela

[Get Outlook for Android](#)

From: Brian Gregg <briangregg@sitepathconsulting.com>

Sent: Friday, December 9, 2022 10:39:34 AM

To: Angela Hudson (personal) [REDACTED]

Cc: Heather Oliver <heatheroliver@sitepathconsulting.com>; Claudia Castro [REDACTED]

Subject: Re: Trying to get onto info meeting

Hello Angela:

I am sorry to hear of your challenges. I was hosting and presenting from 5:00 pm onwards and thus was not in a position to check my emails during that period of time. This is why our public notices advised people to contact me by no later than December 7th for login details. It would seem from your below email that you reached out to me at 5:15 pm, 15 minutes after the meeting had started during which time I would have been presenting and hosting the meeting (not checking emails simultaneously).

Claudia and Heather (cc'd), do you know if Angela was on the record of attendees or whether she was able to be let in? The meeting was well attended with over 30 people so I trust we let everyone in who requested to attend. It is possible that there could have been a technical or connection issue however we also provided people with dial in (audio access) details.

Please feel free to let me know if you would like to arrange some time to discuss with me directly. I'd be pleased to make sure that you have full information. In the interim, please find attached our consultation package.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 5:15 PM Angela Hudson (personal) [REDACTED] wrote:

Hi we are trying to get onto the information meeting and it is 5:14. Teams said it will let the host know when the meeting starts that I am waiting. But not being let in. Please assist.

Thanks

Angela



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed cell tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 9, 2022 at 1:36 PM

To: "Tina.Wayne Wai" [REDACTED]

Dear Wayne and Tina:

Thanks for sharing your comments. I will save your input on file for the Islands Trust, ISED and Rogers to consider.

Since you referenced the TELUS tower, I feel I should clarify why this proposal is quite different not only in terms of location but also technology. The TELUS tower was proposed to be a microwave tower which would have provided a back-up link to Vancouver Island in the event that a submarine cable were ever damaged (which indeed happened). The TELUS tower was not a cell tower and would not have delivered voice or data services.

Rogers' proposal is for a cell tower. Regarding land use, the proposed tower is to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).

Notwithstanding the foregoing, we sincerely appreciate your comments and will save them on file for the decision makers.

Please note that as per ISED protocols you will have 21 days if you wish to submit further comments.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 8, 2022 at 6:31 PM Tina.Wayne Wai [REDACTED] wrote:

Dear Sir,

I am writing to inform you that we are vehemently opposed to the erection of the proposed cell tower by Rogers on Hornby Island. The community defeated the Telus proposal in the past and the pros and cons are well remembered in our community. No means NO! I am glad to know our opposition will be communicated to Rogers and Island Trust.

Respectfully,

Wayne and Tina Wai

[REDACTED]
Hornby Island, BC



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Cell Tower Proposal for a 63 meter tall tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 12, 2022 at 10:13 AM

To: Fabrizio Cross [REDACTED]

Dear Fabrizio:

Thanks for sharing your comments. Rogers noted at the recent public meeting that it will be prepared to share the tower in accordance with ISED protocols. A number of emergency response providers and other wireless carriers (e.g. TELUS which supports Bell customers) have been advised of the tower location and we await their formal comments. Of course, we cannot guarantee whether any third party will desire to share the tower however Rogers will offer space on the tower in alignment with ISED's tower sharing protocols in the ISED CPC. <https://ised-isde.canada.ca/site/spectrum-management-telecommunications/en/learn-more/key-documents/procedures/client-procedures-circulars-cpc-2-0-03-radiocommunication-and-broadcasting-antenna-systems>

Your input is well understood and it's an important consideration for this proposal on Hornby.

Please kindly note that I am required to advise you that as per ISED protocols you will have 21 days if you desire to comment further.

Finally, it would be sincerely appreciated if you could kindly share your civic address for the purposes of this consultation process.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Dec 11, 2022 at 11:28 AM Fabrizio Cross [REDACTED] wrote:

Hello Brian,

I am writing to inquire about the proposal from Rogers Communication for a 63 meter cell tower on Hornby Island.

I would like to know how we can guarantee that this new tower will be available for other service providers to locate antennas and equipment in the interest of preventing antenna proliferation. In general I am in favour of a tower to improve network coverage, but whatever goes up must be available for other users.

Thanks

Fabrizio Cross
Hornby Island



Brian Gregg <briangregg@sitepathconsulting.com>

Re: proposed ROGERS tower Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>
 To: Art Haus [REDACTED]

Mon, Dec 12, 2022 at 11:21 AM

Dear Gina:

Thanks for submitting your comments. Please find below my responses in green text.

Dear Brian,


I am writing to tell you that I do not want a ROGERS tower on Hornby Island. I know you are busy, and so am I. I will lay out my reasons in point form for the sake of brevity. **Your opposition is noted on file for the decision makers.**

-There are many people living and working within the 400 meter safe zone. The Recycling Depot, The Spark, The Joe King Recreation Facility, The families living on the Department of Highways property, The Fire Hall, and 3 homes on Carmichael Road. **Below is a slide from our recent public meeting showing the adjacent land uses which include the Hornby Island Fire Rescue property; local radio station including their existing radiocommunication tower; recycling depot; road maintenance yard; Joe King Ball Park, vacant provincial crown land and other mixed commercial and public service uses. All adjacent uses are substantially setback from the proposed tower including the homes you reference on Carmichael Road.**

Regarding land use, the proposed tower is to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the Radio Communication Act (cell towers fall under this legislation).

There is no formal requirement for a "400 meter safe zone". Rather, all such proposed installations much comply with Health Canada's Safety Code 6 and Rogers attests that its installation will achieve the safety code requirements.

Proposed Tower Location - Aerial Photo and Summary of Adjacent Land Uses



ADJACENT LAND USES

- Hornby Island Fire Rescue property
- CHFR Hornby Community Radio Society including an existing radiocommunication facility
- Hornby Island Recycling Depot
- Hornby Island Road Maintenance Yard
- Joe King Ball Park
- Provincial Crown land
- Other mixed commercial and public service uses.

-The Recycling Depot has a staff of about eight people who are adamantly against this, and among them is a young woman fighting breast cancer. She is very upset and does not want this project anywhere near her.

My husband is the manager of this facility and spends 35 hours a week up there. It's too darn close to be safe. **Rogers attests that its installation will comply with Health Canada's Safety Code 6. Compliance with Health Canada's safety code 6 is taken very seriously. More information on the safety protocol can be found at the following link and in the attached PDF.**
<https://www.canada.ca/en/health-canada/services/health-risks-safety/radiation/occupational-exposure-regulations/safety-code-6-radiofrequency-exposure-guidelines/technical-guide.html>

- A cell tower will ruin the rural character of our island. We moved here because we did not want to live among towers and other things that to our eyes, are UGLY. **We can certainly appreciate the beauty of Hornby Island. I have spent considerable time on the island visiting with friends, many of whom routinely advise me of the lack of cell service. It can be sincerely challenging to find a suitable location for the needed infrastructure that everyone can support. This is why we have sought to propose the facility near the existing fire hall, radio station and other such public service uses on vacant crown land. The mature trees in the area will screen the lower portion of the tower from view from many vantage points.**

-Many business owners profit from Hornby being remote, quiet and beautiful. Healing Centres and Meditation Retreats do not profit from big ugly towers. We profit from quiet bird song and lovely vistas. People come to Hornby to LEAVE ugliness and connectivity and noise behind.
Thanks for your perspective. As you can imagine, we hear varying perspectives during these consultation processes including those similar to your views and on the other end

of the spectrum we hear from people who are complaining about the lack of service and who find it to be problematic for numerous reasons including public safety and emergency response needs.

- We are connected enough. We have websites and connectivity. We don't need cell connection every darn place on this island. Believe it or not, many guests are charmed when they are told "sorry, you can't make a cell call from here, use the land-line" They LOVE the big old dial phone on the wall. They call it "old-school". And for us, a dial phone works in power outages too. I understand this view yet it must be balanced with the views of all stakeholders. While some people align with your thought process; I can confirm that there are others who want improved cell service as it is lacking on much of Hornby.

-Our community has slated this exact area for a housing development. Infrastructure is challenging on our small rock of an island. We will require lots more land than you can imagine to create this project. Viable septic fields, wells, roads. It will be extensive in it's scope, and not compatible with your tower proposal. The subject property is quite large in size and should be able to accommodate all the uses you noted. As of the time of our application, we have not been advised of any other formal applications including for housing (i.e. while such ideas have been discussed, there are no formal applications underway at the time of our tower proposal). Nonetheless, Rogers' footprint is very minimal at around 15 m x 15 m for the tower compound as well as use of existing access and largely underground power. Rogers has been in touch with the workforce housing proponents and has expressed a willingness to explore ways to co-exist and find potentially mutually acceptable solutions.

- I do not believe Komoks First Nation has been correctly consulted on this matter. We on Hornby Island respect Komoks First Nation, and their guidance regarding the environment and correct stewardship. I can confirm that all relevant First Nations as identified in the Province's First Nation Consultation Areas Database received a referral before the broader public consultation process commenced. The First Nations will also receive another round of referrals from the crown in the future. I can assure you that the Komoks Nation received a referral per your input.

- Hornby Island is NOT the place for your tower. We are a tiny rural island. We are about 6 km wide, and we have NO place for your Rogers tower anywhere. Thanks for sharing this view. As noted above, your thoughts are valued however we must take into account the input of all stakeholders.

- Please leave us in peace to be who we are and do not ruin the character of our small rural community that we love so much. There are plenty of cities and towns for people who are addicted to towers and such. There are many rural communities that have reasonable connectivity. Indeed, Hornby Island is receiving fibre optic connectivity and already has cell service near the co-op and in limited areas via another service provider. However, there are many portions of the island that do not have reliable service. This can be a challenge for numerous reasons including for emergency response purposes since over 80% of calls to 911 are now placed via cell phones. For example, one may not be located near a landline when they need to call for help. This includes people on the adjacent waterways, roads, trails, etc. I understand that this may not align with your personal objectives however it is important to understand all perspectives.

- We are happy the way we are and do not want our views obstructed or our property values dropping. The subject of property values is outside the scope of my authority to debate via this process as per ISED protocols.

One possibility for someone with your perspective might be to consider not subscribing to a wireless service provider. There is no obligation to do so as the service offerings are optional to subscribe to. It is often possible to carry on with the status quo even if there are options for cell service.

- Please know there is a large, dedicated and strong group of people who do not want to see this Rogers tower project proceed on Hornby Island. It is my understanding that there are varying perspectives on this proposal, as is often the case. It is truly a challenge to satisfy everyone's objectives. For instance, if we do not proceed with any tower there will be people who continue to be disappointed or deeply concerned with the lack of mobile connectivity. In contrast, there will be people who advise that they will not support any tower anywhere. Therein lies the challenge for service providers like Rogers. How can we satisfy both of those objectives simultaneously? It's effectively impossible. Typically, the most responsible way forward for a company like Rogers is to try to find a responsible location for the proposed infrastructure that considers local land use planning objectives.

We have been told that Rogers gave incomplete and inaccurate information to the Saltspring local trust committee (LTC) regarding the public consultation they undertook in advance of the tower approval. We also have been told that Rogers has pretty much ignored First Nations archeological features in the area, and an Islands Trust Channel Ridge master plan covenant on the land. Please do better than this regarding the process for Hornby Island. We want correct process, and correct public consultation. I have not been involved in the other project you reference. However, I can assure you that for the Hornby Island proposal I am doing my best to ensure that all required consultation processes are adhered to.

Thank-you for your time,

Respectfully,

Gina-Rae Horvath

Thanks Gina. Please kindly provide your civic address for the purposes of this consultation.

Please kindly note that as per ISED protocols you will have 21 days if you wish to comment further.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Dec 11, 2022 at 3:50 PM Art Haus [REDACTED] wrote:
Dear Brian,

I am writing to tell you that I do not want a ROGERS tower on Hornby Island. I know you are busy, and so am I. I will lay out my reasons in point form for the sake of brevity.

-There are many people living and working within the 400 meter safe zone. The Recycling Depot, The Spark, The Joe King Recreation Facility, The families living on the Department of Highways property, The Fire Hall, and 3 homes on Carmichael Road.

-The Recycling Depot has a staff of about eight people who are adamantly against this, and among them is a young woman fighting breast cancer. She is very upset and does not want this project anywhere near her.

My husband is the manager of this facility and spends 35 hours a week up there. It's too darn close to be safe.

- A cell tower will ruin the rural character of our island. We moved here because we did not want to live among towers and other things that to our eyes, are UGLY.

-Many business owners profit from Hornby being remote, quiet and beautiful. Healing Centres and Meditation Retreats do not profit from big ugly towers. We profit from quiet bird song and lovely vistas. People come to Hornby to LEAVE ugliness and connectivity and noise behind.

- We are connected enough. We have websites and connectivity. We don't need cell connection every darn place on this island. Believe it or not, many guests are charmed when they are told "sorry, you can't make a cell call from here, use the land-line" They LOVE the big old dial phone on the wall. They call it "old-school". And for us, a dial phone works in power outages too.

-Our community has stated this exact area for a housing development. Infrastructure is challenging on our small rock of an island. We will require lots more land than you can imagine to create this project. Viable septic fields, wells, roads. It will be extensive in it's scope, and not compatible with your tower proposal.

- I do not believe Komoks First Nation has been correctly consulted on this matter. We on Hornby Island respect Komoks First Nation, and their guidance regarding the environment and correct stewardship.

- Hornby Island is NOT the place for your tower. We are a tiny rural island. We are about 6 km wide, and we have NO place for your Rogers tower anywhere.

- Please leave us in peace to be who we are and do not ruin the character of our small rural community that we love so much. There are plenty of cities and towns for people who are addicted to towers and such.

- We are happy the way we are and do not want our views obstructed or our property values dropping.

- Please know there is a large, dedicated and strong group of people who do not want to see this Rogers tower project proceed on Hornby Island.

We have been told that Rogers gave incomplete and inaccurate information to the Saltspring local trust committee (LTC) regarding the public consultation they undertook in advance of the tower approval. We also have been told that Rogers has pretty much ignored First Nations archeological features in the area, and an Islands Trust Channel Ridge master plan covenant on the land. Please do better than this regarding the process for Hornby Island. We want correct process, and correct public consultation.

Thank-you for your time,

Respectfully,

Gina-Rae Horvath

2 attachments



Health and Safety - Rogers.pdf

25K



Statement from CMHO re Cell Phones.pdf

1122K



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island proposed cell tower (Rogers file: W6420)

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 12, 2022 at 1:23 PM

To: Julian Laffin [REDACTED]

Dear Julian:

Thanks for sharing your input. Please find my response below in green text.

To Whom it May Concern,

I am writing regarding the proposed Rogers cell tower slated to be built on Hornby Island. I strongly oppose the construction of this tower for health reasons. Having had personal health challenges, I am against having anymore radiation transmitted from such a tower in our local environment.

Rogers attests that its installation will comply with Health Canada's Safety Code 6.

Hornby already has sufficient cell coverage if you are willing to seek it out.

The vast majority of the island does not have reliable service. This is not only inconvenient but also a public safety concern especially for emergency responders since greater than 80% of calls to 911 are placed via cell phones. People may not be located near a landline or within one of the limited service areas when they need to call for help.

Most residents live here to avoid the EMF smog of more populated areas and I should hope it will remain like this.

There are varying perspectives on this proposal, as is always the case.

With fibre optic high speed internet nearing completion on the island, our tech needs will be more than met. Hornby does not need this tower.

This proposal is for mobile voice and data services. The fibre project is an amazing undertaking but it will only provide fixed service to one's home or place of business. Thus, having fibre optic internet service does not replace a need for mobile connectivity, just as mobile connectivity generally does not replace a need for fibre optic service. Most communities desire robust wireless and wireline service.

As noted above, this is also a matter of public safety. People may not be located at home next to their landline or fibre cable when they need to call for help. Often, people are on the waterways, roads, trails or out in the community when they need to call emergency responders. Also, not everyone may have a permanent home with a fibre optic connection.

Thank you,

Julian Laffin

Thanks for sharing your perspective, Julian. Please be assured that your comments will be saved on file for the decision makers.

Please note that as per ISED protocols you will have 21 days if you desire to submit further comments.

Thanks,

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 12, 2022 at 11:58 AM Julian Laffin [REDACTED] wrote:

To Whom it May Concern,

I am writing regarding the proposed Rogers cell tower slated to be built on Hornby Island. I strongly oppose the construction of this tower for health reasons. Having had personal health challenges, I am against having anymore radiation transmitted from such a tower in our local environment. Hornby already has sufficient cell coverage if you are willing to seek it out. Most residents live here to avoid the EMF smog of more populated areas and I should hope it will remain like this. With fibre optic high speed internet nearing completion on the island, our tech needs will be more than met. Hornby does not need this tower.

Thank you,

Julian Laffin



Brian Gregg <briangregg@sitepathconsulting.com>

No thank you to Rogers tower on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 14, 2022 at 10:38 AM

To: Chelka [REDACTED]

Dear Rachel:

Thanks for submitting your comments.

Rogers attests that its proposed installation will comply with Health Canada's Safety Code 6. This is taken very seriously and is required.

Please kindly note that as per ISED protocols you will have 21 days if you wish to submit further comments.

It would be appreciated if you could kindly provide your civic address for the purposes of this consultation.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 14, 2022 at 12:30 AM Chelka [REDACTED] wrote:

Dear Brian,

I hope they pay you well. Perhaps you believe that 'science' funded by industry is reliable, I do not, and I think the effects of these technologies are still very much in question. I'm sorry to say I don't trust Health Canada to protect us with adequate safety guidelines either.

I don't own a cell phone, I don't want a cell phone and if I did, I certainly wouldn't pay Rogers for their services.

Sincerely,
Rachel Mackeson

I gratefully acknowledge that I live, love, work, grow and play on the traditional unceded territory of the K'omoks First Nation, the Eitsen, Pentlach, Sasitla and Sahtloot peoples

Sent with [Proton Mail](#) secure email.



Brian Gregg <briangregg@sitepathconsulting.com>

Public consultation regarding the cell tower proposal on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 15, 2022 at 11:11 AM

To: Petra Chambers-Sinclair [REDACTED]

Cc: aallen@islandstrust.bc.ca, gscott@islandstrust.bc.ca

Good Morning Petra:

Rogers is reviewing the idea of hosting another in person meeting. It will take a little time to review the concept but preliminarily there is support for it. We may need to firm up the specifics in the new year but certainly we want to provide opportunities for engagement.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land. This is a little complex as there are both federal and provincial consultation requirements to consider as well as local requests for additional engagement that we are reviewing.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 10:58 AM Petra Chambers-Sinclair [REDACTED] wrote:

Dear Brian,

I had tried to get a link to take part in the online consultation regarding the cell tower proposal on Hornby Island, but a typo (my error) meant that you did not receive my email. I am still very interested in receiving more information about this proposal and I know that many of my neighbours, some of whom are elders with no internet access, are interested as well.

Please schedule an in-person consultation on Hornby in the new year so that all stakeholders can access information and share their feedback.

Thank you,

Petra Chambers
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

NO, NO, NO to Rogers tower on Hornby!!!

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Jan 12, 2023 at 1:29 AM

To: Shannon Warwick [REDACTED]

Hi Shannon:

It seems that the below has been copied and pasted as someone else also sent this exact language to us. In any case, please find below some comments.

Regarding the cell tower proposal for Hornby Island by Rogers from a 42 yr resident of Hornby:

"- September 9, 2022 - The Islands Trust Model Strategy for Antenna Systems was adopted at our Local Islands Trust Committee meeting. The Minutes of that meeting record the adoption of that document along with a comment from Regional Planning Manager Kauer that "the Model Strategy federally compels companies to engage in extensive public consultation before installation of cell towers."

- Nov.14, 2022 - A notice is sent to Hornby residents/landowners that Rogers is "proposing to build a 63.0 meter tall self-support tower on Provincial Crown land....." this notice incorrectly lists ISED'S Default Public Consultation process as the process to be used. No correction has been issued, to my knowledge, by Brian Gregg, to acknowledge that the Islands Trust Model Strategy for Antenna Systems is the process that must be used.

Rogers has discussed with the Islands Trust. Upon reviewing the model protocol with Islands Trust planning staff it would seem that the only item that we may need to add to the process is a notification to the LTC which we have now set in motion. Rogers is working to fulfil all relevant consultation requirements.

- Dec.8, 2022 - Brian Gregg, Roger's consultant held a one hour public digital zoom meeting for public input and information. He appears, since that meeting, through numerous written communications, to be very reluctant to hold an in-person on-island public information session for Hornby Island residents.

* Of note regarding digital meetings; many Hornby Is. residents and ratepayers do not have sufficient internet access to attend a zoom meeting. **There are some local organizations who have suggested that they might be open to sharing internet access at their venue(s) if we were to host another meeting, however no additional meeting has been confirmed at this time.**

The process for community information and discussion around the proposed tower has been woefully inadequate and flawed. Rogers has not even given a clear picture of where, and by how much, cell phone reception would be increased by having a cell tower on Hornby Island. This is vital information to cell phone users who want more coverage.

This is not true. We have shared coverage maps including at the public meeting we hosted. Most of the island would be served with the exception of Mt. Geoffrey and eastern portions of Helliwell Park, we believe. This is an estimate only of course.

Cell phone coverage is already available in many areas throughout Hornby Island, via off-island already installed towers. It is not clear, at this time, what improvement to existing cell phone access would be achieved by this proposal.

See comments above.

In addition, City West is in the process of bringing vastly improved internet coverage, via fiber optic cable, to every Hornby Island residence that wants it. This very much improved internet connection will facilitate educational, recreational and business opportunities for all, and can even facilitate cell phone use through apps such as Facebook Messenger.

The fibre optic project will be excellent however it will not offer mobile service. Rogers proposal is for mobile service which is critical for public safety and emergency responders.

Concerns expressed about the need for increased cell phone coverage for safety reasons could benefit from a public presentation by the Fire Department and First Responders as to what "workarounds" they are currently using, and how

improved cell coverage would assist them. Given Hornby Island topography and the number of trees on the island, promises, or assumptions, of wide improvement in cell coverage are vague and unsubstantiated. You are certainly welcome to discuss with the emergency responders. The fact is that most calls to emergency responders are placed via wireless devices.

Will the existing Hornby Island Radio station, in quite close proximity to the proposed Rogers cell tower site, be adversely affected by the cell tower output?
Rogers uses licensed radiofrequency spectrum that only Rogers is authorized to use so there should be no interference.

Given the above points, I would like to request that the Rogers cell tower proposal be postponed until after the City West fiber optic installation is up and running on Hornby Island. This would also give Roger's consultant, Brian Gregg, the opportunity to improve upon his initial approach with a fulsome timeline of steps and phases of the public consultation process that he is compelled federally to do."
We intend to carry forward with the process as it has already started and there will be a provincial referral process upcoming as well. There will be plenty of opportunities for engagement.

This proposal has no relationship to the fibre optic project that you have referenced.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Jan 11, 2023 at 3:57 PM Shannon Warwick [REDACTED] wrote:

Regarding the cell tower proposal for Hornby Island by Rogers from a 42 yr resident of Hornby:
"- September 9, 2022 - The Islands Trust Model Strategy for Antenna Systems was adopted at our Local Islands Trust Committee meeting. The Minutes of that meeting record the adoption of that document along with a comment from Regional Planning Manager Kauer that "the Model Strategy federally compels companies to engage in extensive public consultation before installation of cell towers."
- Nov.14, 2022 - A notice is sent to Hornby residents/landowners that Rogers is "proposing to build a 63.0 meter tall self-support tower on Provincial Crown land....." this notice incorrectly lists ISED'S Default Public Consultation process as the process to be used. No correction has been issued, to my knowledge, by Brian Gregg, to acknowledge that the Islands Trust Model Strategy for Antenna Systems is the process that must be used.
- Dec.8, 2022 - Brian Gregg, Roger's consultant held a one hour public digital zoom meeting for public input and information. He appears, since that meeting, through numerous written communications, to be very reluctant to hold an in-person on-island public information session for Hornby Island residents.
* Of note regarding digital meetings; many Hornby Is. residents and ratepayers do not have sufficient internet access to attend a zoom meeting.
The process for community information and discussion around the proposed tower has been woefully inadequate and flawed. Rogers has not even given a clear picture of where, and by how much, cell phone reception would be increased by having a cell tower on Hornby Island. This is vital information to cell phone users who want more coverage.
Cell phone coverage is already available in many areas throughout Hornby Island, via off-island already installed towers. It is not clear, at this time, what improvement to existing cell phone access would be achieved by this proposal.
In addition, City West is in the process of bringing vastly improved internet coverage, via fiber optic cable, to every Hornby Island residence that wants it. This very much improved internet connection will facilitate educational, recreational and business opportunities for all, and can even facilitate cell phone use through apps such as Facebook Messenger.
Concerns expressed about the need for increased cell phone coverage for safety reasons could benefit from a public presentation by the Fire Department and First Responders as to what "workarounds" they are currently using, and

how improved cell coverage would assist them. Given Hornby Island topography and the number of trees on the island, promises, or assumptions, of wide improvement in cell coverage are vague and unsubstantiated.

Will the existing Hornby Island Radio station, in quite close proximity to the proposed Rogers cell tower site, be adversely affected by the cell tower output?

Given the above points, I would like to request that the Rogers cell tower proposal be postponed until after the City West fiber optic installation is up and running on Hornby Island. This would also give Roger's consultant, Brian Gregg, the opportunity to improve upon his initial approach with a fulsome timeline of steps and phases of the public consultation process that he is compelled federally to do."

On Wed, Jan 4, 2023 at 1:24 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Thanks for your thoughts, Shannon.

If another digital meeting were to be hosted (this is not confirmation as we do not have firm plans yet), I have been advised that there are local organizations that would be able to provide internet access for local attendees. That is one such option.

As noted, Rogers attests that its proposed installation will comply with Health Canada's Safety Code 6.

As per ISED protocols, I am required to advise you that you will have 21 days if you wish to comment further.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Jan 3, 2023 at 9:36 PM Shannon Warwick [REDACTED] wrote:

Concerning the proposed Roger's cell phone tower for Hornby Island:

The one-hour digital public meeting in early December, hosted by you was, in my opinion, woefully inadequate in providing the fulsome public discussion that this project warrants. Until the City West fiber optics project is completed, many people on Hornby simply do not have adequate internet service to attend an online digital meeting and so, are prevented from participating.

Please check this website for all the government organizations that warn against this technology
:<https://cellphonetaskforce.org/governments-and-organizations-that-ban-or-warn-against-wireless-technology/>

On Thu, Dec 15, 2022 at 2:38 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Shannon:

Thanks for sharing your input. Your comments will be saved on file for the Islands Trust, province (as they manage the property), ISED and Rogers.

As you likely know, Rogers' proposal has no relationship to satellites in outer space. That is certainly interesting data in any event. That is a massive increase in satellite launches into orbit. Thanks for sharing. That is very interesting.

Please kindly find attached a copy of Rogers' consultation package.

As per ISED protocols, I am required to advise you that you will have 21 days if you wish to comment further.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 1:58 PM Shannon Warwick [REDACTED] wrote:

Please with an open mind, have a look at the information below to consider repercussions.


We don't want this cell tower on our island!!! Nobody is going to be completely served by it anyway. We've done fine without it.

Corporate pushovers should not be given priority when it comes to the islands trust. Stay away!

Shannon Warwick

----- Forwarded message -----

From: **Arthur Firstenberg** [REDACTED]
Date: Wed, Dec 14, 2022 at 8:30 PM
Subject: Ecocide from space
To: [REDACTED]



NUMBER OF OPERATING SATELLITES PASSES 7,000

On the evening of Thursday, December 8, 2022, OneWeb launched 40 satellites from Cape Canaveral, Florida, bringing the total number of active satellites in orbit around the Earth to more than 7,000. These cell towers in space are altering the electromagnetic environment of the entire planet and are debilitating and exterminating all life on it.

Even the first fleet of 28 military satellites launched by the United States caused a worldwide pandemic of influenza when they became operational on June 13, 1968. The Hong Kong flu began in June 1968, lasted through April 1970, and killed up to four million people worldwide. To understand why requires a proper understanding of our connection to the universe and what it is that really gives us life and health, and makes our bodies move. In a sense, we are all puppets on invisible strings that connect us to heaven and earth, strings that resonate at the age-old frequencies of the biosphere in which we live, the space between Earth and Sky, whose dimensions never change. And when we modulate and pulsate those strings at random from thousands of locations in space, we change the beautiful music of the earthly orchestra into a discordant chaos that scatters bodies all over the world, helpless before it.

On March 24-25, 2021, the chaos was brought to a new level, that the world now accepts as normal. In that 24-hour period, a record 96 satellites were launched into space on a single day—60 by SpaceX and 36 by OneWeb—and on the same day SpaceX dramatically increased the speed of its satellite internet connections. On that day, people all over the world suddenly could not sleep, were weak and exhausted, had muscle spasms, and hurt and itched all over, especially in their feet and legs. They had skin rashes, were dizzy and nauseous, and had stomach aches and diarrhea. The ringing in their ears was suddenly amplified. Their eyes were inflamed, and their vision suddenly worsened. They had heart arrhythmias, and their blood pressure went out of control. Some had nosebleeds, or coughed up blood. They were anxious, depressed or suicidal, and irritable. Their cats, dogs, chickens, goats and cows were sick at the same time.

My newsletter of April 15, 2021, [Survey Results](#), quoted from some of the thousand letters I received from people young and old, from people who called themselves electrosensitive and from people who did not, from people who had no wireless technology and from people who had smart meters and 5G antennas outside their homes and who emailed me from their cell phones, all reporting the same experiences, commonly reporting that not only they, but their spouse, children, parents, neighbors, friends, coworkers, clients, and everyone else they knew were sick, exhausted and irritable on March 24 or 25 and had trouble sleeping. The reports came from 42 states and 50 countries.

Deaths of blue titmice spiked in Germany beginning on March 25, 2021. March 25

registered the second highest number of COVID-19 deaths in 2021, and the fifth highest since the pandemic began. The number of mass shootings in the US rose suddenly on March 25 and remained high for three weeks. An average of 6 shootings involving 4 or more victims occurred every day between March 25 and April 13. Photographs of [hundreds of worms](#), and of [hundreds of sheep](#), moving silently in perfect spirals, were taken on March 25 and March 26.

Long-term pain, sickness, and debility has become so common that it is now accepted as a normal part of life that the world thinks it can address with endless vaccinations, mask-wearing, and the wiping of all hands and surfaces with toxic disinfectants.

Last week, on December 8, 2022, on the day OneWeb launched satellites that will expand its coverage across the US, Europe, the Middle East and Asia, I experienced within my body, and heard from some other people both locally and far away that the pains and debilities from which we have been suffering at some level for the past 20 months suddenly intensified. I was almost crippled for three days. As on March 24-25, 2021, I would like to find out how widespread this is. **Please reply to this email if you have experienced something similar.**

Although SpaceX and OneWeb are (so far) building the largest fleets of Earth-destroying satellites, they are far from the only entities launching them. The 7,000 satellites presently operating were launched by governments or private companies of the following countries:

Algeria, Argentina, Australia, Austria, Azerbaijan, Bangladesh, Belarus, Belgium, Bolivia, Brazil, Bulgaria, Canada, Chile, China, Colombia, Czech Republic, Denmark, Ecuador, Egypt, European Space Agency, Estonia, Ethiopia, Finland, France, Germany, Greece, Hungary, Indonesia, Iran, Iraq, Israel, Italy, Japan, Jordan, Kazakhstan, Kuwait, Laos, Lithuania, Luxembourg, Malaysia, Mexico, Monaco, Morocco, Multinational, Nepal, Netherlands, New Zealand, Norway, Pakistan, Paraguay, Peru, Poland, Qatar, Russia, Saudi Arabia, Singapore, Slovenia, South Africa, South Korea, Spain, Sri Lanka, Sudan, Sweden, Switzerland, Taiwan, Thailand, Tunisia, Turkey, Turkmenistan, Ukraine, United Arab Emirates, United Kingdom, United States, Uruguay, Venezuela, Vietnam

And they were launched from the following spaceports:

Baikonur Cosmodrome (Kazakhstan)
Cape Canaveral (Florida, USA)
Dombrovsky Air Base (Russia)
Guiana Space Center (French Guiana)
Jiuquan Satellite Launch Center (Inner Mongolia, China)
Kodiak Launch Complex (Alaska, USA)
Kwajalein Island (Marshall Islands)
Naro Space Center (South Korea)
Palmachim Launch Complex (Israel)
Plesetsk Cosmodrome (Russia)
Rocket Lab Launch Complex 1 (New Zealand)
Satish Dhawan Space Centre (India)
Pacific Ocean (from Odyssey Sea Launch vessel)
Shahroud Missile Range (Iran)
Svobodny Cosmodrome (Russia)
Taiyuan Launch Center (China)
Tanegashima Space Center (Japan)
Uchinoura Space Center (Japan)
Vandenberg Air Force Base (California, USA)
Vostochny Cosmodrome (Russia)
Wallops Island Flight Facility (Virginia, USA)
Wenchang Satellite Launch Center (China)
Xichang Satellite Launch Center (China)
Yellow Sea (from a mobile sea platform)

Other Satellite News

European IRIS Satellites

The European Union just got into the act with its own program to provide high-speed broadband from space to all of Europe and Africa. On December 5, 2022, the Council of the EU and the European Parliament reached a provisional agreement to launch 170 new satellites called Infrastructure for Resilience, Interconnection and Security (IRIS). "This new component of the EU Space Programme will put an end to dead zones in Europe as well as the whole of Africa using the constellation's North-South orbits through a resilient and ultra-secure space and ground-based system," says the EU's Space Program (EUSPA) website.

AST SpaceMobile

On September 10, 2022, AST SpaceMobile launched the largest, and probably the most powerful, commercial communications array ever put into space. It is the first

of a planned fleet of 243 Bluebird satellites designed to connect directly with people's existing mobile phones, no matter where on Earth they may be located. The size of its solar array -- 64 square meters -- is causing alarm among astronomers because it is as bright as the brightest stars during the hours after sunset and before sunrise.

So far AST SpaceMobile is working with Rakuten Mobile, AT&T, Bell Canada, Telecom Argentina, Africell, Liberty Latin America and Orange, for a potential customer base of 1.8 billion mobile phone subscribers.

The immensely powerful signals from the Bluebird satellites are also worrying radio astronomers, as well as human beings who are concerned for their well-being. The effective radiated power of each satellite, according to AST's filings with the FCC, will be up to 83 million watts, and the exposure level at the surface of the earth from such beams, according to my calculations, will be up to 3 nanowatts per square centimeter, which is 100 times more radiation than what I am exposed to in my house in Santa Fe from the nearest cell towers.

"Every person should have the right to access cellular broadband, regardless of where they live or work. Our goal is to close the connectivity gaps that negatively impact billions of lives around the world," said Abel Avellan, CEO of AST SpaceMobile.

We beg to differ, Mr. Avellan. Every person, every animal, and every plant should have the right to drink from the Earth's natural frequencies, and not to be bombarded with artificial radiation from space.

Donations to support this work are needed. The Cellular Phone Task Force is a 501(c)(3) nonprofit organization, and donations from U.S. residents are tax-deductible. Our Tax ID Number is 11-3394550.

DONATE

Arthur Firstenberg
President, [Cellular Phone Task Force](#)
Author, [The Invisible Rainbow: A History of Electricity and Life](#)
Administrator, [International Appeal to Stop 5G on Earth and in Space](#)
Caretaker, [ECHOEarch.org](#) (End Cellphones Here On Earth)



December 14, 2022

The last 51 newsletters, including this one, are available for viewing on the [Newsletters page](#) of the Cellular Phone Task Force. To subscribe, go to www.cellphonetaskforce.org/subscribe. To share on Facebook:



[Unsubscribe](#)

|

--
Shannon
Be The Change~

--
Shannon
Be The Change~

--
Shannon
Be The Change~



Brian Gregg <briangregg@sitepathconsulting.com>

comments on Proposed Hornby Island cell tower 2022

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 15, 2022 at 3:16 PM

To: [REDACTED]

Dear Mike:

Thanks for sharing your thoughtful comments. Your experience with your severed artery resonates with me as I had ruptured vessel in my stomach years ago and if it weren't for my cell phone I likely would have been unable to call for help.

Please note that your comments will be saved on file for the Islands Trust, ISED, Rogers and the province (land management authority) to consider.

Please kindly note that as per ISED protocols I am required to advise you that you will have 21 days if you wish to submit further comments. With that said, there will be an additional provincial referral process in the new year so there will be plenty of opportunities for additional discussion.

Please feel free to call me at 778 870 1388 should you desire any discussion.

Thanks again and I hope that you have a good holiday season.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 2:46 PM [REDACTED] wrote:

|

Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 – Hornby Island

1. Are you a cell phone or wireless device user?

- Yes yes
- No

2. Do you feel this is an appropriate location for the proposed facility?

- Yes yes
- No

Comments I fully support the installation of the tower and would strongly recommend that this tower be co-shared by all cell service providers. I support the need not only on practical day to day reasons but for emergency responses. I live in the sandpiper are and cell service via telus at our house is spotty at best, This past summer I was in need of emergency medical attention had my cell phone but could not contact 911 from the back of my residence. I had severed an artery in my foot and had to get myself to the house to use the landline which fortunately we have. It only made me think that if I had been unable to get myself to the house what the consequences might have been. I would also suggest that having improved cell coverage would assist in search and rescue activities as well . many summer visitors do not have access to land lines and we should be providing them with every opportunity to be safe.i

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?

- Yes yes
- No

Comments:

Additional comments

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposesk

Mike Pedneault [REDACTED] Hornby [REDACTED]
[REDACTED]

Name Mike Pedneault

Mailing address [REDACTED] [REDACTED]

Email Address

Please email to briangregg@sitepathconsulting.com
Or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Attention: Brian Gregg
By January 13, 2023

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Public consultation proposed Hornby Island cell tower

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 16, 2022 at 10:21 AM

To: Henk van Klinken [REDACTED]

Good Morning Henk:

Thanks for reaching out. I see that your email is added onto Ms. Chamber's original email. I will thus provide you the same response we provided to her.

In summary, Rogers is reviewing the idea of hosting another in person meeting. It will take a little time to review the concept but preliminarily there is support for it. We may need to firm up the specifics in the new year but certainly we want to provide opportunities for engagement.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land. This is a little complex as there are both federal and provincial consultation requirements to consider as well as local requests for additional engagement that we are reviewing.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 16, 2022 at 6:18 AM Henk van Klinken [REDACTED] wrote:

Dear Brian,

Unfortunately I was unable to attend the online consultation about the proposed Rogers cell tower on Hornby Island due to poor internet connectivity. I am interested to learn more about this proposal and would request an in-person consultation so I can share my feedback.

Regards,

Henk van Klinken
[REDACTED]

From: Petra Chambers-Sinclair
Sent: December 15, 2022 10:58 AM
To: briangregg@sitepathconsulting.com
Cc: aallen@islandstrust.bc.ca; gscott@islandstrust.bc.ca
Subject: Public consultation regarding the cell tower proposal on Hornby Island

Dear Brian,

I had tried to get a link to take part in the online consultation regarding the cell tower proposal on Hornby Island, but a typo (my error) meant that you did not receive my email. I am still very interested in receiving more information about this proposal and I know that many of my neighbours, some of whom are elders with no internet access, are interested as well.

Please schedule an in-person consultation on Hornby in the new year so that all stakeholders can access information and share their feedback.

Thank you,

Petra Chambers





Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island Proposed Cell Phone Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 16, 2022 at 10:38 AM

To: Anita Lewis [REDACTED]

Good Morning Anita:

Thanks for sharing your input. I will save your comments on file for the Islands Trust, ISED, Rogers and the province (land management authority for this parcel) to consider.

As you noted, the tower will not only help with general communication needs but will also greatly improve emergency response services.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land. This is a little complex as there are both federal and provincial consultation requirements to consider as well as local requests for additional engagement that we are reviewing.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 1:09 PM Anita Lewis [REDACTED] wrote:

Hello Mr. Gregg,

I am a resident of Hornby Island and I am writing to let you know I am 100% behind the proposed tower. I am a Rogers customer already but apart from that, this island needs reliable cell phone service for myriad reasons. Health and Safety immediately come to mind as a priority. My husband is a volunteer first responder (EMR) with HIFR and I can't tell you the number of times their efforts have been hamper by lack of a cellular signal. Beyond that, I would love to FaceTime with my mother who lives in Montreal without having to rely on our terrible internet service. We are a remote rural community and I believe this is a critical step toward safeguarding us all.

Thank you and I sincerely hope you move forward with this proposed tower both in location and in look. I really don't think we will even see it after the initial view.

Best to you and yours this holiday season!

Anita Lewis

From my iPad



Brian Gregg <briangregg@sitepathconsulting.com>

proposed tower on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 16, 2022 at 11:18 AM

To: mary lynn desroches [REDACTED]

Good Morning Mary Lynn:

Thank you for sharing your input. As with any proposal on Hornby Island (or other similar communities), we are hearing all perspectives. There is strong support as well as some opposition.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 4:51 PM mary lynn desroches [REDACTED] wrote:

Hi Brian

I am writing to support the proposal to build a tower on Hornby.

I own a vacation home there and have long been frustrated by the poor cell signal, especially in the area near where the tower is planned.

Please forge on and ignore the naysayers!

Mary Lynn DesRoches

[REDACTED] Hornby Island



Brian Gregg <briangregg@sitepathconsulting.com>

Rodgers cell tower Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 16, 2022 at 11:21 AM

To: Bob Gilligan [REDACTED]

Good Morning Bob:

Thank you for sharing your input. As with any proposal on Hornby Island (or other similar communities), we are hearing all perspectives. There is strong support as well as some opposition.

In response to your feedback, you may find it interesting to note that Rogers stated at the recent public meeting that it will be prepared to share the tower in accordance with ISED protocols. A number of emergency response providers and other wireless carriers (e.g. TELUS which supports Bell customers) have been advised of the tower location and we await their formal comments. Of course, we cannot guarantee whether any third party will desire to share the tower however Rogers will offer space on the tower in alignment with ISED's tower sharing protocols in the ISED CPC. <https://ised-isde.canada.ca/site/spectrum-management-telecommunications/en/learn-more/key-documents/procedures/client-procedures-circulars-cpc/cpc-2-0-03-radiocommunication-and-broadcasting-antenna-systems>

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Dec 15, 2022 at 6:40 PM Bob Gilligan [REDACTED] wrote:

Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 – Hornby Island

1. Are you a cell phone or wireless device user?

€ Yes yes I am but not with Rodgers

€ No

2. Do you feel this is an appropriate location for the proposed facility?

€ Yes yes

€ No

Comments

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?

€ Yes Yes

€ No

Comments: the cell service on Hornby is terrible. I live on Anderson drive and there is virtually no cell service. I have to have a land line and that's an unnecessary expense because I have a cell phone that doesn't work. I would change to Rodgers if there was a good connection. It's ridiculous that we have such poor service on Hornby - both Internet and cell phone - in this day and age. Let's get with the times and have a reliable connection.

Sent from my iPad



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Tower - Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Sat, Dec 17, 2022 at 2:53 PM

To: John McLachlan [REDACTED]

Good Afternoon John:

Thanks for your follow up. As you noted, this type of infrastructure is critical for communities like Hornby Island. The island has many areas with little or no such service and it can be problematic for numerous reasons including public safety (emergency response) as well as for general connectivity reasons. It is Rogers' hope that this location is responsible from a land use perspective.

Your email input is sufficient. I would urge you to consider attending any upcoming public meeting in the new year as well. We have not scheduled any such meeting yet but it will be good to make sure that all voices are present to ensure a balanced decision making process.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further.

You are welcome to call me at 778 870 1388 if you would like to discuss.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sat, Dec 17, 2022 at 12:45 PM John McLachlan [REDACTED] wrote:

Thanks, Brian.

I would like to add that I am highly in favour of this tower proposal. I think it is a key piece of communications infrastructure that is very much needed for Hornby Island.

If you need me to state this in a different format than this email, I will.

Best,

John

John McLachlan - [REDACTED]

On Dec 16, 2022, at 11:36 AM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Good Morning John:

Thank you for sharing your input. As with any proposal on Hornby Island (or other similar communities), we are hearing all perspectives. There is strong support as well as some opposition. It is good that we are receiving lots of comment sheets and emails.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 16, 2022 at 11:23 AM John McLachlan [REDACTED] wrote:

Comment Sheet

Proposed Telecommunications Tower

Coordinates: 49.535055, -124.672134

Rogers File: W6420 – Hornby Island

- Are you a cell phone or wireless device user?
 - Yes

- Do you feel this is an appropriate location for the proposed facility?
 - Yes

- Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?
 - Yes

- Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name: John McLachlan

Mailing address: [REDACTED], Hornby Island BC V0R 1Z0

Email Address: [REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

rogers tower

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 16, 2022 at 1:44 PM

To: Darcy McMurray [REDACTED]

Dear Darcy:

Thank you for sharing your input. Please kindly provide your civic address for the purposes of this consultation process.

As with any proposal on Hornby Island (or other similar communities), we are hearing all perspectives. There is support as well as some opposition. It is good that we are receiving lots of comment sheets and emails.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 16, 2022 at 12:30 PM Darcy McMurray [REDACTED] wrote:

Hello Brian,

I am writing to let you know, I would NOT like the tower to be placed anywhere on Hornby Island. I know I speak for the majority of the islanders when I say this.

Thank you for understanding and moving along to other projects.

Regards,
Darcy



Brian Gregg <briangregg@sitepathconsulting.com>

W6420 - Hornby Island proposed telecom tower

Brian Gregg <briangregg@sitepathconsulting.com>

Sun, Dec 18, 2022 at 10:49 AM

To: [REDACTED]

Thank you, Goya. I hope that you have a good holiday season!

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Sun, Dec 18, 2022 at 3:19 AM [REDACTED] wrote:

Hi Brian,

My name is Goya Ngan and my home is at [REDACTED].

Thanks,

Goya

Sent from my iPhone

On Dec 17, 2022, at 2:50 PM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Good Afternoon:

Thanks for sharing your input. We will save this on file for the Islands Trust, ISED, Rogers and the province (land management authority).

May it be possible to kindly request your name and civic address for the purposes of this consultation?

Finally, please kindly note that you will have 21 days as per ISED protocols if you wish to comment further.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Sat, Dec 17, 2022 at 12:05 PM [REDACTED] wrote:

Sent from my iPhone

Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 – Hornby Island

1. Are you a cell phone or wireless device user?
 Yes
 No
2. Do you feel this is an appropriate location for the proposed facility?
 Yes
 No

Comments

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?
 Yes
 No

Comments: Please retain as many trees as possible around it and especially between the tower and the road.

Additional comments

Please share the tower with other cell phone providers.

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name

Mailing address

Email Address

Please email to briangregg@sitepathconsulting.com
Or mail to PO Box 20138, Vancouver RPO, Fairview,
BC V5Z 0C1
Attention: Brian Gregg
By January 13, 2023

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Proposed Cell Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 19, 2022 at 8:49 AM

To: Jim Garton [REDACTED]

Perfect thanks Jim. That would be great if you could stay engaged and your attendance at a public meeting in the new year if we host one would be appreciated.

Thanks for taking the time to comment. I hope that you enjoy the holidays!

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 19, 2022 at 8:47 AM Jim Garton [REDACTED] wrote:

Brian

Thank you for the response. I will continue as needed.

Jim

On Dec 19, 2022, at 8:42 AM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Good Morning Jim:

Thanks for your input. Your email summarizes some of the key reasons as to why Rogers is proposing such a facility.

We are hopeful that there will be a balanced discussion on this proposal. As is typical, we are hearing all views.

Rogers is reviewing the idea of hosting an in person meeting in the new year at the request of the Islands Trust and some community members. I think this will be worth considering as long as all perspectives can be heard in a respectful manner.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land. This is a little complex as there are both federal and provincial consultation requirements to consider as well as local requests for additional engagement that we are reviewing.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 19, 2022 at 8:37 AM Jim Garton [REDACTED] wrote:

Subject: Hornby Proposed Cell Tower

Brian

It is not unusual for Hornby to seriously question any changes of infrastructure on the Island. That's ok as long as the various debates are balanced. This does not always happen.

Over the years I've been privileged to be involved in many significant infrastructure upgrades on the Island- fire hall, clinic, Coop and more.

Good cell service is important to Hornby. Currently it is not good with many dead areas and many more that are unreliable. Our world is relying more and more on technology and cell service becomes essential. Health care for example is now administered from Courtenay and good communication with Health Care workers as they move around the island is needed. The same is true for contractors and repairmen coming to the Island. They need it to do business. Home based business, which have an economic spin off to the community depend of various technologies including good cell service.

I appreciate the opportunity to write to you and only ask that this debate regarding cell service on Hornby receives a well balanced review.

Thank you .

Jim Garton

[REDACTED]
Hornby Island. B.C.

[REDACTED]

[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Cell Tower

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 19, 2022 at 3:54 PM

To: Cheryl Milner [REDACTED]

Good Afternoon Cheryl:

Thanks for your input. I will save your comment sheet on file for the Islands Trust, ISED, Rogers and the province (land management authority) to consider.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land. This is a little complex as there are both federal and provincial consultation requirements to consider as well as local requests for additional engagement that we are reviewing.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 19, 2022 at 2:50 PM Cheryl Milner [REDACTED] wrote:

Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 – Hornby Island

1. Are you a cell phone or wireless device user?

Yes

No

2. Do you feel this is an appropriate location for the proposed facility?

Yes

No

Comments

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?

Yes

No

Comments:

Additional comments

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name

Cheryl Milner

Mailing address

Email Address



Please email to briangregg@sitepathconsulting.com

Or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Attention: Brian Gregg

By January 13, 2023

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island Cell tower proposal

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 19, 2022 at 3:59 PM

To: Robert Lewis [REDACTED]

Good Afternoon Robert:

Thanks for reaching out. I will save your comments on file for the Islands Trust, ISED, Rogers and the province (land management authority for the subject property) to consider.

As you noted, enabling reliable wireless service is important for emergency response purposes. I believe the latest stats show that greater than 80% of calls to 911 for example are now placed via cell phones across Canada. With that said, we do understand that appropriate siting of the infrastructure is critical especially in communities such as Hornby Island where people can be quite passionate. We are already widely varying perspectives on this proposal.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land. This is a little complex as there are both federal and provincial consultation requirements to consider as well as local requests for additional engagement that we are reviewing.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 19, 2022 at 1:54 PM Robert Lewis [REDACTED] wrote:

Dear Mr Gregg; I trust this let finds you well.

I am writing a quick note to voice my unequivocal support for the Rogers cell tower proposal on Hornby Island.

Beyond being a Rogers customer who will welcome the extra service, I am also involved in emergency services, and rely heavily on my cell phone as part of that work.

Unfortunately, protocol does not allow me to voice my opinion in relation to my role, but I can tell you that this tower will help save lives.

I know that you will be inundated with conspiracy theories, and uniformed opposition based on bad science, but please do know that the silent majority are in support of the benefits that this tower will bring. Please side with this group.

My best to you during this holiday season.

Thanks;

Rob

Robert Lewis




Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island comment sheet

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 19, 2022 at 4:01 PM

To: Randy Milner [REDACTED] >

Good Afternoon Randy:

Thanks for your input. I like your idea of camouflaging the tower in hemp leaves. Perhaps the locals can help with that.

I will save your comment sheet on file for the Islands Trust, ISED, Rogers and the province (land management authority) to consider.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 19, 2022 at 1:41 PM Randy Milner [REDACTED] wrote:

COMMENT SHEET
PROPOSED TELECOMMUNICATIONS TOWER
COORDINATES: 49.535055, -124.672134
ROGERS FILE: W6420 – HORNBY ISLAND

1. Are you a cellular phone or wireless device user?

- Yes
 No

2. Do you feel this is an appropriate location for the proposed facility?

- Yes
 No

Comments

3. Are you satisfied with the appearance / design of the proposed facility? If not, what changes would you suggest?

- Yes
 No

Comments

*IF YOU SEE SOME TOWERS WITH FAKE FRONDS OR BRANCHES.
IT WOULD BE COOL IF THE TOWER COULD BE
CAMOUFLAGED (WHOLLY OR PARTIALLY) IN HEMP LEAVES !!
VERY HORNBY!*

Additional Comments

Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes.

Name RANDY MILNER

(Please print clearly)

Mailing Address

Email Address

Please email to briangregg@sitepathconsulting.com
or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
ATTENTION: Brian Gregg
by January 13th, 2023.

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed cell tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 20, 2022 at 1:04 PM

To: Gale Hanson [REDACTED]

Thanks Gale. We'll review the idea.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 20, 2022 at 11:04 AM Gale Hanson [REDACTED] wrote:

Hi Brian,

Thank you for your communication.

My civic address is: [REDACTED]

Hornby Island, BC
[REDACTED]

I do hope our community will get more information by way of an in person meeting in the reasonable future.

Sincerely,
Gale Hanson

Sent from my iPad

On Dec 19, 2022, at 4:03 PM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Gale:

Rogers is reviewing this possibility.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land. This is a little complex as there are both federal and provincial consultation requirements to consider as well as local requests for additional engagement that we are reviewing.

It would be appreciated if you could kindly provide your civic address for the purposes of this consultation.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Kind Regards,

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 19, 2022 at 12:33 PM Gale Hanson [REDACTED] wrote:

Hello Mr.Gregg,

I respectfully request an in-person public meeting regarding your request for a cell tower on Hornby Island.

Thank you for your attention to this matter.

Sincerely,

Gale Hanson (resident of Hornby Island)

Sent from my iPad



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed cell tower - Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 20, 2022 at 1:49 AM

To: Al Cannon [REDACTED]

Good Morning Al:

Thanks for sharing your comment sheet. I will save your input on file for the Islands Trust, ISED, Rogers and the province (land management authority).

It is positive to hear your feedback that the location is reasonable. Regarding land use, as you may know, the proposed tower is to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation). Although we are not beholden to zoning as a federally regulated use, I think it is interesting that we do seem to align with the local zoning.

Please feel free to stay in touch as this process unfolds. As per ISED protocols, please kindly note that you will have 21 days if you wish to submit further comments. With that said, there will be additional opportunities for engagement in the new year via the province's referral process since this proposal is on crown land.

Best Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 19, 2022 at 10:22 PM Al Cannon [REDACTED] wrote:

COMMENT SHEET
PROPOSED TELECOMMUNICATIONS TOWER
COORDINATES: 49.535055, -124.672134
ROGERS FILE: W6420 - HORNBY ISLAND

1. Are you a cellular phone or wireless device user?

- Yes
- No

2. Do you feel this is an appropriate location for the proposed facility?

- Yes
- No

Comments
An excellent choice of location. Minimal environmental or visual impact.

3. Are you satisfied with the appearance / design of the proposed facility? If not, what changes would you suggest?

- Yes
- No

Comments

Additional Comments
I'm glad to see a cell tower coming to Hornby. It will greatly enhance the safety + efficiency of my workplace(s).

Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes.

Name _____
(Please print clearly)

Mailing Address _____

Email Address _____

Please email to briangregg@sitepathconsulting.com
or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
ATTENTION: Brian Gregg
by January 13th, 2023.

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers tower

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Dec 19, 2022 at 4:56 PM

To: Fred Hunt [REDACTED]

Thanks Fred. I converted your comment sheet into a PDF as attached. I will save your comment sheet on file for the Islands Trust, ISED, Rogers and the province (land management authority) to consider.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land.

Are you able to kindly share your civic address for the purposes of this consultation?

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Dec 19, 2022 at 4:40 PM Fred Hunt [REDACTED] wrote:

Hi Brian,

Comments re the proposed Roger's cell tower attached.

Fred Hunt

**Comment - Fred Hunt.pdf**

80K

Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 - Hornby Island

1. Are you a cell phone or wireless device user?

€ Yes

2. Do you feel this is an appropriate location for the proposed facility?

€ No

A tower of this height is an affront to the natural beauty of Hornby Island and contrary to the spirit and intent of the Island Trust Act. I strongly oppose.


3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?

€ No

See above.

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name Fred Hunt

Email Address 

Please email to briangregg@sitepathconsulting.com

Or mail to PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Attention: Brian Gregg

By January 13, 2023

Thank you for your input.



Brian Gregg <briangregg@sitepathconsulting.com>

Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Dec 20, 2022 at 12:05 PM

To: Margaret Sinclair [REDACTED]

Dear Margaret:

Rogers' proposal will not impact your email from a third party provider such as TELUS.

You can continue to subscribe to whichever service provider you prefer.

Thanks for your question. Please kindly note that as per ISED protocols you will have 21 days if you wish to submit any further comments.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 20, 2022 at 10:29 AM Margaret Sinclair [REDACTED] wrote:

Hello Brian

I have a home on Hornby Island -just one question: If Rogers puts in a cell tower -can I still keep my Telus email account?

Thanks

Margaret Sinclair

[REDACTED]
Hornby Island



Brian Gregg <briangregg@sitepathconsulting.com>

Comment sheet for cell tower proposal Hornby island

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 21, 2022 at 9:29 AM

To: Kim Harder [REDACTED]

Thank you, Kim. I will save your input on file for the Islands Trust, ISED, Rogers and the province (land management authority since the proposal is on provincial crown land).

Please note that I am required to advise you that as per ISED protocols you will have 21 days if you wish to submit further comments as part of this first consultation process (federal process). With that said, there will also be a provincial referral or consultation process in the new year since the proposal is on provincial crown land so there will be plenty of time for people to comment into 2023 as well.

Thanks very much and I hope that you have a great holiday season.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 21, 2022 at 9:27 AM Kim Harder [REDACTED] wrote:

Sorry about that. We are in support of the cell tower as proposed.

Best regards,

Kim Harder

On Wed, Dec 21, 2022 at 9:24 AM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Hello Kim,

For some reason, the sheet you sent through to me was blank or not filled out when I opened it. Are you able to re-send a completed sheet?

Alternatively, you are welcome to simply email me any comments (the comment sheet is optional).

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Dec 20, 2022 at 3:42 PM Kim Harder <19packngo@gmail.com> wrote:
See attached comment sheet below



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers File: W6420 – Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 21, 2022 at 11:28 AM

To: Rob Zielinski [REDACTED]

Good Morning Rob:

Thanks for sharing your comments. It is interesting for us to hear your feedback as a volunteer fire fighter. I will save your input on file for the Islands Trust, ISED, Rogers and the province (land management authority).

Regarding land use, as you may know, the proposed tower is to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation). Although we are not beholden to zoning as a federally regulated use, I think it is interesting that we do seem to align with the local zoning. As you may know, the fire hall and local radio station are in the same zone and have existing communication sites, for example.

Per your feedback, we have proactively submitted referrals to all relevant First Nations as identified in the Province's First Nation Consultation Areas Database. The province (as property owner/land management authority) will also submit referrals to the same nations through their duty to consult First Nations.

Please feel free to stay in touch as this process unfolds. As per ISED protocols, please kindly note that you will have 21 days if you wish to submit further comments. With that said, there will be additional opportunities for engagement in the new year via the province's referral process since this proposal is on crown land. We are weighing the possibility of another public meeting and considering the best format to do.

Best Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 21, 2022 at 11:16 AM Rob Zielinski [REDACTED] wrote:

This is my comments on the proposed cell tower on Hornby Island.

As a long time serving member of the Hornby Island Fire dept I do not want to see a cell tower installed near my place of work.

I am concerned with the health issues around cell towers and do not want to be exposed when I am required to be at the Fire Hall.

As a resident of Hornby I feel the the island does not need this service and it is not wanted here.

There a a few small areas that lack service but this is to be expected of a rural area.

I think it is important the you provide in person meeting on Hornby for people to give their feedback directly. You also have on mention of First Nations consultation in your application.

To conclude I do not support the install of a cell tower on Hornby Island.

Rob Zielinski

[REDACTED]
Hornby Island BC [REDACTED] [REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers File: W6420 – Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Dec 21, 2022 at 4:24 PM

To: Amanda Zielinski [REDACTED]

Dear Amanda:

As I responded to your husband already, you may wish to review our reply to him as we provided some pertinent information.

Regarding your additional health concerns, Rogers attests that its installation will comply with Health Canada's Safety Code 6. This is a requirement and is taken very seriously. The wireless carriers rely on Health Canada to establish the appropriate safety protocols and adherence to the safety code is a strict requirement.

We will save your comments on file for the Islands Trust, ISED, Rogers and the province (land management authority).

Please kindly note that as per ISED protocols you will have 21 days if you wish to comment further.

Best Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 21, 2022 at 3:04 PM Amanda Zielinski [REDACTED] wrote:

Here my comments on the proposed cel tower on Hornby Island:

I think the risks to human health and ecosystem health are not worth any benefit.

I do not think it will improve safety, security, or emergency preparedness in any meaningful way.

I prefer my community to not have total connectivity all the time. That is a benefit that I do not want to lose.

My husband is on the Fire Department, my friends volunteer at Spark, my friends work at Highways, my family uses Joe King facilities. None of these community facilities should be exposed to a cel tower.

I do not support the installation of a cel tower on Hornby Island.

Best regards,

Amanda Zielinski
[REDACTED]Hornby Island [REDACTED]
[REDACTED]
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed Rogers telecommunications tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Dec 22, 2022 at 8:22 AM

To: geo mcrae [REDACTED]

Dear George:

Thanks for sharing your comments. I will save any input that you provide in our consultation file for the Islands Trust, ISED, Rogers and the province as land management authority for this particular lot.

If you would like we can certainly arrange some time to discuss over the phone perhaps in the new year. My cell number is 778 870 1388 if you would like to call me anytime.

In relation to your specific questions about health care potential, there may be a Rogers team member that is better suited than me to address that particular application of this technology. With that said, having improved connectivity does open up a range of possibilities for telemedicine including taking appointments remotely. It also will allow people to call for help in the event that they run into challenges if they are not near a landline (e.g. sometimes people have accidents when they are outside of their house or may be unable to get to a landline and a cell phone call resolve this issue). This is important since over 80% of calls to emergency responders are now placed via wireless devices like cell phones.

Please kindly note that I am required to advise you that you will have 21 days if you wish to comment further as per ISED (federal) protocols. With that said, there will be plenty of opportunities for engagement in the new year as the province will also be commencing a separate consultation and referral process since the proposal is on crown land.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 21, 2022 at 6:50 PM geo mcrae [REDACTED] wrote:

Dear Mr. Gregg,

We represent the Hornby and Denman Island Community Health Care Society (HDCHCS), a charitable, non-profit organization founded 43 years ago and providing essential services to residents of Hornby and Denman Islands. The society is community-based and offers primary care, home support, counselling, family programming, community outreach, and hospice services funded by a combination of grants, contracts, and donations (<https://hornbydenmanhealth.com/>). We realize that improved telecommunications are vital to the health and well-being of Hornby and Denman Island residents, particularly the

frail, unwell, and/or elderly community who are a major focus for us. We would like to inform our constituency of how the planned tower might enhance the health care services we provide. Would you be able to send us more information on that potential?

We would be happy to have a short telephone call with you and/or others at Rogers to improve our knowledge. Let us know if that would work for you. In the meantime, many thanks for anything you can send us that will help.

Sincerely,

George McRae

Chair

Hornby & Denman Island Community Health Care Society



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed cell tower on Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Dec 23, 2022 at 5:46 PM

To: Ambika Kelerchian [REDACTED]

Dear Ambika:

Thanks for sharing your input. Your comments will be saved on file for the Islands Trust, ISED, Rogers and the province (land management authority).

In summary, Rogers is reviewing the idea of hosting another public meeting. We may need to firm up the specifics in the new year but certainly we want to provide opportunities for engagement.

Please kindly note that I am required to advise you per ISED protocols for the federal portion of the consultation process that you will have 21 days if you wish to comment further. Please however be assured that there will be additional engagement as part of the provincial consultation process since this proposal is on crown land. This is a little complex as there are both federal and provincial consultation requirements to consider as well as local requests for additional engagement that we are reviewing.

It would be appreciated if you could kindly share your address for the purposes of this consultation.

Thanks for reaching out. You are welcome to call me at 778 870 1388 if you would like to discuss.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Dec 23, 2022 at 2:28 PM Ambika Kelerchian [REDACTED] wrote:

Dear Mr Gregg,

I'm writing to tell you I, and many others, am totally opposed to the construction of Roger's cell tower. It is extremely important, and is necessary, that there be an IN PERSON PUBLIC MEETING on Hornby Island in January regarding this matter.

Our community's concerns, and our health and well-being need to be respected.

Thank you, Ambika Kelerchian



Brian Gregg <briangregg@sitepathconsulting.com>

inadequate consultation re Rogers tower Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Jan 3, 2023 at 9:21 AM

To: Robear LeBaron [REDACTED]

Dear Robert:

Please find below our comments in green text.

28 Dec 2022

Brian Gregg, SitePath Consulting

Mr. Gregg:

This letter concerns the proposed Rogers cell-tower on Hornby Island.

Rogers has not adequately consulted with the general public about this proposed tower. The information presented in miniscule print and the very limited opportunity to comment by Zoom are not enough.

Rogers has consulted the public on the basis of the Innovation, Science and Economic Development (ISED) Canada Default Process as is required in such instances. Many months of pre-consultation occurred with Islands Trust planning staff, the province (since the proposal is on crown land), relevant First Nations and now most recently with residents on Hornby Island via newspaper notices in four (4) publications as requested by the Hornby Trustees, a mail-out, as well as a digital public meeting. The comment period was extended and there will be additional opportunities for engagement this year.

There should be at least one **in-person meeting** on Hornby Island for island residents to be adequately informed about the proposal, and to voice their concerns.

We are reviewing options for potential additional engagement in the new year. With that said, the prior meeting on Hornby Island for TELUS was not very friendly and we were subject to some very aggressive behaviors including people cursing at us, people crossing out our materials on our poster boards with permanent ink markers (including writing curse words over top of our content), people yelling at us on a megaphone, people not respecting the format of the meeting and taking over control of the meeting, etc. The former meeting was effectively a protest and not an information exchange or public meeting and we left feeling very trampled. Thus, we will need to carefully consider next steps as safety and respect will be critical for any additional engagement.

We will be discussing this with the Islands Trust and other relevant stakeholders.

I have been a Hornby Islander since 1958. I do not own a cell-phone; I do not want to own a cell-phone; there is no cell-phone reception where I live, and that is fine with me. I see no need for cell-phone reception at every location on this island.

I am concerned about the effects of ever-proliferating electro-magnetic radiation on the health of the natural environment and on the health of humans.

Rogers attests that its proposed installation will comply with Health Canada's Safety Code 6.

Therefore, on the basis of the limited information that I have received about this proposed tower, I am

opposed to the proposed Rogers tower on Hornby Island. Please take note of these comments.

Robert P. LeBaron

[REDACTED] Hornby Island [REDACTED] [REDACTED] [REDACTED]

Thanks Robert. Please be advised that as per ISED protocols you will have 21 days if you wish to comment further via the federal portion of the consultation process.

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 28, 2022 at 1:20 PM Robear LeBaron [REDACTED] wrote:
28 Dec 2022

Brian Gregg, SitePath Consulting

Mr. Gregg:

This letter concerns the proposed Rogers cell-tower on Hornby Island.

Rogers has not adequately consulted with the general public about this proposed tower. The information presented in miniscule print and the very limited opportunity to comment by Zoom are not enough.

There should be at least one **in-person meeting** on Hornby Island for island residents to be adequately informed about the proposal, and to voice their concerns.

I have been a Hornby Islander since 1958. I do not own a cell-phone; I do not want to own a cell-phone; there is no cell-phone reception where I live, and that is fine with me. I see no need for cell-phone reception at every location on this island.

I am concerned about the effects of ever-proliferating electro-magnetic radiation on the health of the natural environment and on the health of humans.

Therefore, on the basis of the limited information that I have received about this proposed tower, I am opposed to the proposed Rogers tower on Hornby Island. Please take note of these comments.

Robert P. LeBaron

[REDACTED] Hornby Island [REDACTED] [REDACTED] [REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Need meaningful consultation re Rogers tower

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Jan 3, 2023 at 9:41 AM

To: Jan Bevan [REDACTED]

Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Dear Jan:

Please find below our responses in green text.

To: Brian Gregg, SitePath Consulting,
concerning proposed cell-tower on Hornby Island

Mr. Brian Gregg:

I am writing in response to the "Public Notice" advertisement concerning the proposed Rogers tower on Hornby Island.

1. **The "public consultation" has been very insufficient.** A few notices in small print, with a location drawing 6 x 7 cm, and a "digital public meeting"—this does not amount to full disclosure to the affected residents. I strongly urge you to arrange one or more in-person public meetings on Hornby Island. Residents need to be fully informed, and be allowed to ask questions and receive answers, before they can properly make comments about the proposal.

Rogers has consulted the public on the basis of the Innovation, Science and Economic Development (ISED) Canada Default Process as is required in such instances. Many months of pre-consultation occurred with Islands Trust planning staff, the province (since the proposal is on crown land), relevant First Nations and now most recently with residents on Hornby Island via newspaper notices in four (4) publications as requested by the Hornby Trustees, a mail-out welcoming public comments, as well as a digital public meeting. The comment period was extended and there will be additional opportunities for engagement this year.


2. Has there been meaningful consultation with the local land-use authority, the Islands Trust? The primary duty of Islands Trust is to "preserve and protect" these islands. Where can I see a statement from the Islands Trust Council, or our Local Trust Committee, about this proposal?

In our view, the Islands Trust planning staff and recently the Trustees have been consulted and we continue to welcome their engagement. You are welcome to ask the Islands Trust for their comments directly if you wish to do so.

Regarding land use, the proposed tower is to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).

Below is an image showing the adjacent land uses including the fire hall and local radio station, both of which have existing radio communications infrastructure in place. Other adjacent uses include a recycling depot, road maintenance yard, Joe King Ball Park, vacant crown land and other mixed commercial and public service uses. There are no immediately adjacent residences.

Proposed Tower Location - Aerial Photo and Summary of Adjacent Land Uses



ADJACENT LAND USES

- Hornby Island Fire Rescue property
- CHFR Hornby Community Radio Society including an existing radiocommunication facility
- Hornby Island Recycling Depot
- Hornby Island Road Maintenance Yard
- Joe King Ball Park
- Provincial Crown land
- Other mixed commercial and public service uses.

3. Has there been an environmental assessment by a neutral body? Where can I read the report?

Before setting out on any public consultation, Rogers always shares all the required consultation materials with Innovation, Science and Economic Development (ISED) Canada (cc'd) for each proposal. Typically, ISED advises us that such tower proposals will not cause significant adverse effects, so there is no additional investigation or determination that would be required by ISED and the Impact Assessment Agency. There are two general reasons as summarized below however we welcome input from ISED if they wish to top up.

- Our proposed cell tower uses are not usually considered a "Designated Project" under the Impact Assessment Act (IAA). In most cases, cell towers do not meet the definition of a "designated project" under the IAA as cell towers are generally not considered major projects and the impacts are quite minimal (e.g. we need minimal ground space for a cell tower -- often less than a single family home). I was advised that typical examples of designated projects are larger projects such as oil and gas pipelines, mines or other major developments that have larger impacts on the land.
- Land Ownership - we were advised that since our tower is not on federal land, there is no need for an environmental assessment. I was advised that if we were on federal land we would need to go through a public notice for a 30 day period on the IAA registry as we have done elsewhere.

4. Have applicable First Nations been consulted? Where can I see their response?

Yes. Referrals were sent to all First Nations identified in the province's First Nation Consultation Areas Database. The province will also send referrals to the relevant First Nations however we have proactively done so already.

We will plan to share a report with all public comments with the province and Islands Trust at the end of the comment period.

5. Without having received full disclosure and answers to whatever other questions I might have, I give you some preliminary comments:

- I am generally opposed to further sources of electro-magnetic radiation, on the grounds that they have multiple known deleterious effects on plants, animals, and other forms of life, including human beings. **Rogers attests that its proposed installation will comply with Health Canada's Safety Code 6.**
- I am concerned about the possibility of fire caused by malfunction of the tower's electronics. If an electrical fire spreads to the surrounding forest on our very vulnerable summer-dry island, it will immediately be a severe island-wide emergency. **We are not aware that cell towers are a significant or common source of fires. You may want to check in with your local fire department and/or subject matter experts, however it is our understanding that in most communities other uses such as residential uses, commercial uses, smoking cigarettes, camp fires, etc. are more common sources of fire than**

utility structures. Indeed, emergency responders including the local fire hall often express a desire for improved cell service since greater than 80% of calls to emergency responders are placed via cell phones.

c) I am concerned about the proximity of the proposed tower to the Hornby Island Fire / Rescue's Fire-Hall. In a 2004 resolution, the International Association of Firefighters opposed cell towers on or near Fire-Halls. **As noted above, Rogers must comply with Health Canada's Safety Code 6. This is the applicable requirement.**

Very sincerely,

Jan Bevan, Hornby Islander since 1958.

[REDACTED] Hornby Island [REDACTED] [REDACTED]

Please kindly note that per ISED protocols that you will have 21 days if you wish to comment further. You are welcome to call me anytime at 778 870 1388.

Your comments have been saved on file for ISED, the Islands Trust, Rogers and the province (land management authority) to consider.

Kind Regards,

**Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.**

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Wed, Dec 28, 2022 at 2:38 PM Jan Bevan [REDACTED] wrote:

To: Brian Gregg, SitePath Consulting,
concerning proposed cell-tower on Hornby Island

Mr. Brian Gregg:

I am writing in response to the "Public Notice" advertisement concerning the proposed Rogers tower on Hornby Island.

1. **The "public consultation" has been very insufficient.** A few notices in small print, with a location drawing 6 x 7 cm, and a "digital public meeting"—this does not amount to full disclosure to the affected residents. I strongly urge you to arrange one or more in-person public meetings on Hornby Island. Residents need to be fully informed, and be allowed to ask questions and receive answers, before they can properly make comments about the proposal.

2. Has there been meaningful consultation with the local land-use authority, the Islands Trust? The primary duty of Islands Trust is to "preserve and protect" these islands. Where can I see a statement from the Islands Trust Council, or our Local Trust Committee, about this proposal?



Brian Gregg <briangregg@sitepathconsulting.com>

Cell tower on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Jan 3, 2023 at 5:01 PM

To: Marcia Singer [REDACTED]

Dear Marcia:

We are exploring opportunities for additional engagement with the Islands Trust and ISED. The prior session was well attended and engaging.

Please note that per ISED protocols you will have 21 days if you wish to comment further.

Please kindly provide your civic address for the purposes of this consultation.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Jan 3, 2023 at 2:56 PM Marcia Singer [REDACTED] wrote:

Hello Brian,

I am writing you to urge you to host an in person meeting on Hornby island with local residents about Roger's proposed cell tower.

Unfortunately, the zoom meeting in December didn't work for many residents since we have such poor internet service. To really get your information out there and hear residents concerns and answer their questions, you need to have an in person on island meeting.

Hope to see you at one soon

Marcia Singer



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers Comment Sheet - W6420 - Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Jan 5, 2023 at 5:44 PM

To: [REDACTED]

Dear Bill:

I am writing to acknowledge receipt of your comment sheet as attached. All comments including yours will be saved on file for the decision makers at the Islands Trust, ISED and Rogers.

Please kindly note that as per ISED protocols you will have 21 days if you wish to submit further comments.

Thanks and please feel free to contact me if you have any questions.

Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com**Comment - Bill Havens.pdf**

3240K

Comment Sheet
Proposed Telecommunications Tower
Coordinates: 49.535055, -124.672134
Rogers File: W6420 – Hornby Island

1. Are you a cell phone or wireless device user?

Yes

No

2. Do you feel this is an appropriate location for the proposed facility?

Yes

No

Comments

3. Are you satisfied with the appearance/design of the proposed facility? If not, what changes would you suggest?

Yes

No

Comments:

Additional comments

4. Please provide your name and full mailing address if you would like to be informed about the status of this proposal. This information will not be used for marketing purposes

Name

BILL HAVENS

Mailing address

[REDACTED]

Email Address

[REDACTED]

HORNBY ISLAND

[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers proposed tower

Brian Gregg <briangregg@sitepathconsulting.com>

Sat, Jan 7, 2023 at 10:22 AM

To: anna zielinski [REDACTED]

Dear Anna:

Rogers pre-consulted the Island Trust planning staff, ISED, province (land management authority since the proposal is on crown land) for many months before starting this process and has made all best efforts to meet and exceed the federally mandated consultation requirements. For instance, a public meeting is not part of the required process however we hosted one to enable broader engagement opportunities. Another example of us expanding the process is the fact that we expanded the public comment period and posted public notices in four (4) local publications and on social media despite the fact that posting in only one publication is required. This is not to suggest that there are not ways to still improve, however it is not accurate to suggest that we have done the bare minimum or not made reasonable efforts to welcome input.

Further, there will be additional referral and public engagement opportunities via the upcoming provincial referral process. As of this time, we have only commenced the federal portion of the process.

A couple notes in response to your input:

- Please note that Rogers attests that its proposal will comply with Health Canada's Safety Code 6;
- The proposed land use appears to be a permitted use in the Islands Trust land use by-law in the PU zone. This is why the radio station and fire hall (directly adjacent uses) also have communication sites. We are not aware of a more suitable location however we are welcoming all ideas.

If you wish to comment further, please be advised that as per ISED protocols you will have 21 days to do so.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Sat, Jan 7, 2023 at 9:57 AM anna zielinski [REDACTED] wrote:

Re. Rogers proposed communication tower

The 1-hour digital information meeting does not constitute an extensive public consultation, which is a requirement for this project. The local Island Trust carried the motion on Sept 9, 2022 to adopt the Islands Trust Model Strategy for Antenna Systems. The model Strategy federally compels companies to engage in extensive public consultation before installation of a cell tower.

All property owners and renters need more consultation and effort on your behalf to contact them.

We were told the tower would not carry 5G frequency. At least not immediately. Since the aim of Rogers is to cover Canada with 5G, as stated on their webpage, it is probably that you plan to implement 5G the future.

Safety code 6 is totally outdated.

The area around the tower at the moment has no residences but it is well used by the islanders and our visitors who can increase our population to 5000 during the summer months. **Many are concerned about the electrical radio magnetic frequency that this tower will omit.**

The organizations that are located near this proposed tower are:

The Firehall with 24 members.

The Recycling Depot has 7 employes and 3-4 volunteers with 50 to 150+ users per day depending on the time of year.

Joe King has 300 active members but there many others who use the gymnasium, pump track, disk golf, ball diamond, tennis court and radio station.

“The Kitchen” also uses Joe King facilities. It is self-supporting group that serves 55+ people a full healthy meal 3 times a week plus 12 – 15 people who receive these meals delivered to their homes. There 5-6 volunteers. It also provide a food bank for anyone in need. All this is free of charge.

Spark has 5 – 10 persons use their facilities per day.

My message to Rogers is: **The tower is not wanted.**

Sincerely, Anna Zielinski, Hornby Island



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers File: W6420 – Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Jan 10, 2023 at 5:31 PM

To: [REDACTED]

Thanks Amanda.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.comFax: 604-829-6424 | www.sitepathconsulting.com

On Tue, Jan 10, 2023 at 3:02 PM Hornby Regional Parks and Trails [REDACTED]

[REDACTED] wrote:

Hi Brian,

Thank you for the information. The 21 days for further comment will be enough time. We will submit further comment after our meeting on Jan 17.

Best regards,

Amanda Zielinski
Volunteer member
Hornby Regional Parks and Trails Committee
[REDACTED]
[REDACTED]

On Sat, Jan 7, 2023 at 10:46 PM Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Amanda:

Rogers worked with the province and Islands Trust to notify pertinent parties regarding this proposal. Indeed, we have only commenced the federal portion of the consultation process and subsequently there will be a provincial referral process since this proposal is on crown land.

We do not plan on extending the federal portion of the consultation process; however the provincial referral process has not yet commenced and the province will determine who to send referrals to subsequently.

We will be meeting with the Islands Trust and ISED this week to confirm next steps for the consultation as well.

You are welcome to submit any comments. Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Kind Regards,

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Sat, Jan 7, 2023 at 4:45 PM Hornby Regional Parks and Trails [REDACTED]

[REDACTED] wrote:

Hi Brian,

I hope all is well with you.

I am a member of the Hornby Island Regional Parks and Trails Committee. We are an advisory committee that receives community feedback on the topic of trails within Mt Geoffrey Regional Park and the adjacent Crown Land, as well as the roadside trails on Hornby Island.

Although the trails we advise on are within 189m of the proposed cel tower, neither our committee nor the Parks division of the Comox Valley Regional District were made directly aware of the proposal.

We request that the comment period be extended to the end of January 2023, to give us time for our committee to discuss, solicit community feedback, and provide comments on the proposal.

Many thanks for considering our request.

Amanda Zielinski
Volunteer member
Hornby Regional Parks and Trails Committee

[REDACTED]
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Cell Tower proposal on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Tue, Jan 10, 2023 at 5:08 PM

To: innes hood [REDACTED]



Dear Innes:

Below is the reply received from Rogers' engineering team.

The highest Power density at ground level is $\sim 0.2\text{W}/\text{m}^2$. That means that anywhere on the island at ground level will be less than $0.2\text{W}/\text{m}^2$

The screenshots below show the power density and power percentages surrounding the tower at ground level. The grid shows how the power changes with 50m step increments.

Note that ISED allows up to 50% power percentage for public areas. The maximum percentage at ground level you see in the screenshot is 3.13% which is below the limit.



Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Jan 9, 2023 at 1:49 PM innes hood [REDACTED] wrote:

Hi Brian

Thank you for the prompt note. My address is [REDACTED] Hornby Island.

Yes please to asking rogers for a map of RF intensity. I did review the safety code 6 however it is not possible with the information I have to interpret the exposure limits relative to the current proposal

Regards

Innes

From: Brian Gregg <briangregg@sitepathconsulting.com>

Sent: Monday, January 9, 2023 12:58 PM

To: innes hood [REDACTED]

Subject: Re: Cell Tower proposal on Hornby

Dear Innes:

At this time, as we are only in the land use consultation stage we do not have full construction drawings with all antenna models and specifications. I will ask Rogers if they have the information you are seeking in the interim.

Rogers attests that its proposed installation will comply with Health Canada's Safety Code 6. This is a regulatory requirement. Licensed radiofrequency spectrum will be deployed.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Please kindly provide your legal address for the purposes of this consultation.

Kind Regards,

Brian Gregg, RPP, MCIP

SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Jan 9, 2023 at 10:22 AM innes hood [REDACTED] wrote:

Hello Brian

I am a resident on Hornby Island.

There is some discussion on the risk of the RF signal related to the tower. As such are you able to provide documentation on the RF strength and perhaps a map to show ground level signal strength as one moves away from the tower (in increments of 250 meters?)

Thank you

Innes Hood Consulting Inc.
[REDACTED]
[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

comment sheet from the Hornby Island Recycling Depot

Brian Gregg <briangregg@sitepathconsulting.com>

Mon, Jan 9, 2023 at 1:53 PM

To: Hornby Island Recycling [REDACTED]


Dear Stani:

Thanks for sharing your comment sheet. Your input will be saved on file for the Islands Trust, ISED and Rogers.

Based on your enclosed comments, please note the following:

- Rogers attests that its proposed installation will comply with Health Canada's Safety Code 6. This is a regulatory requirement and is the same safety standard that the adjacent radiocommunication sites the fire hall and local radio station must adhere to.
- We are not clear what you mean by "high intensity frequencies". Rogers is proposing the same type of infrastructure that is in many similar communities such as Saltspring Island, Sonora Island, Quadra Island, Gabriola Island, etc. The tower will be tied into a 200 amp service and will primarily service the local Hornby area. This is not a particularly high powered broadcasting station.
- The proposed tower appears to be approximately 300 meters (just under 1000 ft) and separated by dense forest from your closest building at the recycling depot property. This appears to be a reasonably large setback from a public utility type use. Below is a measurement map.

Distance to Recycling Depot Buildings



- Presumably, since your lot has similar or the same type of zoning and also on crown land, you are aware that the proposed facility is a permitted use in the Islands Trust own land use by-law. I am not clear as to any other such location that offers this land use designation where Rogers would be prepared to propose such a facility from a technical perspective. Are you aware of such a location?
- Specifically, the proposed tower is proposed to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).
- As context, and as you know better than we do as a local, the surrounding land uses include a fire hall (*including an existing radiocommunication facility*) directly to the east on Crown Grant land, the Hornby Island Recycling Depot to

the West on a Crown Lease, the Hornby Island Radio Station (CHFR) also to the east (*including an existing radiocommunication facility*), public trails to the south that enter Mt Geoffrey Regional Nature Park and crown land to the north also with trails. There are also a number of recreational facilities (Hornby Island Disc Golf course) and commercial establishments including the Hornby Island Farmer's Market along Central Road. There do not appear to be any residences in the immediate vicinity which we hope represents respectful tower siting.
- Rogers' proposed 15 m x 15 m compound is a small footprint -- less than most adjacent single family homes for instance.

We are sharing the above land use as context only.

Another consideration that you may find to be of interest is that this proposed infrastructure will be important for public safety since over 80% of calls to emergency responders are now placed via cell phones. You may wish to inquire with your local emergency responders such as the fire hall staff across the street, for instance.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Best Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.
PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Mon, Jan 9, 2023 at 11:25 AM Hornby Island Recycling [REDACTED] wrote:

Good Day, Mr. Gregg.....

Please find attached our comment sheet regarding the proposed telecommunications tower on Hornby Island.

....Thank you

Stani Veselinovic'
Manager
Hornby Island Recycling

The HIWMC respectfully acknowledges the land on which it operates is on the unceded traditional territory of the K'ómoks First Nation, the traditional keepers of this land.



Brian Gregg <briangregg@sitepathconsulting.com>

Proposed Rogers Cell tower on Hornby Island

Alf Bangert [REDACTED]
To: Brian Gregg <briangregg@sitepathconsulting.com>

Wed, Jan 11, 2023 at 9:40 AM

Hello Brian,

My legal address is:

[REDACTED]
Hornby Island BC
[REDACTED]

-Alf Bangert

On 1/10/23, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

> Dear Alf:

>
> Thanks for sharing your input. Your comments will be saved on file for the
> Islands Trust, ISED and Rogers.
>
> Please kindly note that as per ISED protocols you will have 21 days if you
> wish to comment further.

> Below are our responses in green text.

> _____

> Dear Mr. Gregg,

> I am writing to voice my strong objection to a 63 metre Rogers cell
> tower to be built on Hornby Island. My home of 43 years is 680 meters
> east of the proposed location.
> Thanks Alf. Please kindly provide your legal address for the purposes of
> this consultation process.

> Given the very small number of existing and potential Rogers customers
> in the area that would be covered by the proposed tower, it seems
> that the primary function must be to serve as a backhaul for the
> Rogers network.
> The intent is to deliver mobile service to customers.
> This is not only important for connectivity but also public safety since
> greater than 80% of calls to emergency responders are placed via cell
> phones.

> There are not enough subscribers here to otherwise
> justify the expense of this installation. It would thus be a
> technological overkill, and an unsightly industrial intrusion onto our
> pristine island while being of little or no benefit to
> locals...

> Thanks for sharing this. You may find it noteworthy that the proposed
> facility is a permitted use in the Islands Trust own land use by-law. I am
> not clear as to any other such location that offers this land use
> designation where Rogers would be prepared to propose such a facility from
> a technical perspective. Are you aware of such a location?
>
> Specifically, the proposed tower is proposed to be sited on land that is
> zoned PU-Public Use. The PU zone specifically permits Public Use facilities
> (utilities) as well as radio stations. Further, Public Service Uses are
> permitted in all zones and are defined to include telephone or emergency
> services as well as uses regulated under the *Radio Communication Act*
> (cell
> towers fall under this legislation).
>
> As context, the surrounding land uses include a fire hall directly to the
> east on Crown Grant land (including an existing radiocommunication
> facility),
> the Hornby Island Recycling Depot to the West on a Crown Lease, the Hornby
> Island Radio Station (CHFR) also to the east (including an existing
> radiocommunication facility), public trails to the south that enter Mt
> Geoffrey Regional Nature Park and crown land to the north also with trails.
> There are also a number of recreational facilities (Hornby Island Disc Golf
> course) and commercial establishments including the Hornby Island Farmer's
> Market along Central Road. There do not appear to be any residences in the
> immediate vicinity which we hope represents respectful tower siting.
>
> particularly in view of the fact we will soon have fiber
> optic cable service here.
> Fibre optic service will be excellent; however, fibre will only deliver
> fixed internet to one's home or place of business. Rogers' proposal is for
> mobile service.
>
> Having a fibre connection at one's house will not be of much help out on
> the waterways or if people are not at home when they need to call for help,
> for example.
>
> Also, the site would be better used for the
> affordable housing it has been earmarked for.
> The subject crown land property is several hundred acres in size. Rogers'
> compound is only 15 m x 15 m -- less than most single family homes. There
> will be plenty of space for both the proposed use and housing if desired.
>
> Rogers may need that
> tower, but we do not.
> This is a matter of opinion. Some people align with your views and other
> stakeholders desire improved service.
>
> And there are health concerns. The recent amendments to Canada's Code
> 6 regulations appear arbitrary, being based on measurable tissue
> heating, as though there are no other possible effects below those
> allowable levels. Harm to DNA and sub-cellular processes could occur
> at levels well below those stated in the Code. Human populations have
> not been exposed to millimeter frequencies for long enough, under
> controlled conditions, for anyone to be able to state with authority
> that these technologies pose no danger. I am not interested in having
> such an experiment imposed on me, against my will.
> Rogers attests that the proposed facility will comply with Health Canada's

> Safety Code 6. This is a regulatory requirement and the same safety code
> that the adjacent radio station and fire hall communication sites must
> comply with, for example.

>
>
> Sincerely,

>
> Alf Bangert
> Thanks Alf.

>
> *Brian Gregg, RPP, MCIP*
> *SitePath Consulting Ltd.*
> PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
> Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
> Fax: 604-829-6424 | www.sitepathconsulting.com

>
>
>
>
> On Tue, Jan 10, 2023 at 8:25 PM Alf Bangert [REDACTED] wrote:

>> Dear Mr. Gregg,

>>
>> I am writing to voice my strong objection to a 63 metre Rogers cell
>> tower to be built on Hornby Island. My home of 43 years is 680 meters
>> east of the proposed location.

>>
>> Given the very small number of existing and potential Rogers customers
>> in the area that would be covered by the proposed tower, it seems
>> that the primary function must be to serve as a backhaul for the
>> Rogers network. There are not enough subscribers here to otherwise
>> justify the expense of this installation. It would thus be a
>> technological overkill, and an unsightly industrial intrusion onto our
>> pristine island while being of little or no benefit to
>> locals...particularly in view of the fact we will soon have fiber
>> optic cable service here. Also, the site would be better used for the
>> affordable housing it has been earmarked for. Rogers may need that
>> tower, but we do not.

>>
>> And there are health concerns. The recent amendments to Canada's Code
>> 6 regulations appear arbitrary, being based on measurable tissue
>> heating, as though there are no other possible effects below those
>> allowable levels. Harm to DNA and sub-cellular processes could occur
>> at levels well below those stated in the Code. Human populations have
>> not been exposed to millimeter frequencies for long enough, under
>> controlled conditions, for anyone to be able to state with authority
>> that these technologies pose no danger. I am not interested in having
>> such an experiment imposed on me, against my will.

>>
>>
>> Sincerely,
>>
>> Alf Bangert



Brian Gregg <briangregg@sitepathconsulting.com>

Letter to CTRC

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Jan 12, 2023 at 3:46 PM

To: Shareen Witt [REDACTED]

Cc: "spectrum_victoria / victoria_spectre (IC)" <ic.spectrumvictoria-victoriaspectre.ic@canada.ca>

Hil Shareen:

I do not think that CRTC is the applicable entity for this application. It would likely be ISED (cc'd).

In any case, similar to the existing radio station tower and fire hall communication site, Rogers attests that its proposed facility will comply with Health Canada's Safety Code 6. This is a regulatory requirement.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Jan 12, 2023 at 3:04 PM Shareen Witt [REDACTED] wrote:

Hi Phil, please find attached a copy of the signed letter that was sent to the CTRC by fax today and the confirmation sheet attached. As per your request, we have copied in Brian Gregg.

Cheers,

Shareen Witt

[REDACTED]

(Preferred pronouns: she/her/hers)

CUPE Comox Valley Area Office

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

We respectfully acknowledge that we live, work and play on the unceded traditional territory of the K'omoks First Nation Gila 'kasla...Hay ch q' a'



 **Scanned from a Xerox Multifunction Printer.pdf**
59K



CUPE 556

Comox Valley Municipal Workers

REPRESENTING MEMBERS IN COURTENAY, COMOX, CUMBERLAND, CVRD AND
HORNBY ISLAND

CUPE Local 556 (Hornby Island)
c/o Phil Bailey

Sent Via Fax Only

ATT: CTRC COMPLAINTS AND ENQUIRIES

To Whom It May Concern:

RE: SCHEDULED COMMUNICATIONS TOWER INSTALLATION ON HORNBY ISLAND

As long-term residents of Hornby Island we recognize the significance of the project to install a communications tower on our island.

We would like assurance that all safety measures have been taken by the CTRC to protect the inhabitants of the island from any adverse effects that the use of and transmission by the tower may cause to residents, both short- and long-term.

We live and work in close proximity to the tower site and would like to have our concerns addressed by the CTRC before installation of the tower takes place.

Sincerely,


Phil Bailey

L.556 Unit V.P. (Hornby Island)

Cope491

Transmission Report

Date/Time
Local ID 1

01-12-2023

02:59:05 p.m.

Transmit Header Text
Local Name 1

CUPE

This document : Confirmed
(reduced sample and details below)
Document size : 8.5"x11"



CUPE 556
Comox Valley Municipal Workers

REPRESENTING MEMBERS IN COURTENAY, COMOX, CUMBERLAND, CVRD AND
HORNBY ISLAND

CUPE Local 556 (Hornby Island)
c/o Phil Bailey

Sent Via Fax Only
819 994-0218

ATT: CTRC COMPLAINTS AND ENQUIRIES

To Whom It May Concern:

RE: SCHEDULED COMMUNICATIONS TOWER INSTALLATION ON HORNBY ISLAND

As long-term residents of Hornby Island we recognize the significance of the project to install a communications tower on our Island.

We would like assurance that all safety measures have been taken by the CTRC to protect the inhabitants of the Island from any adverse effects that the use of and transmission by the tower may cause to residents, both short- and long-term.

We live and work in close proximity to the tower site and would like to have our concerns addressed by the CTRC before installation of the tower takes place.

Sincerely,

Phil Bailey
L.556 Unit V.P. (Hornby Island)

Case#21

Total Pages Scanned : 1

Total Pages Confirmed : 1

| No. | Job | Remote Station | Start Time | Duration | Pages | Line | Mode | Job Type | Results |
|-----|-----|----------------|--------------------------|----------|-------|------|------|----------|---------|
| 001 | 434 | Fax Server | 02:58:10 p.m. 01-12-2023 | 00:00:31 | 1/1 | 1 | EC | HS | CP14400 |

Abbreviations:

HS: Host send
HR: Host receive
WS: Waiting send

PL: Polled local
PR: Polled remote
MS: Mailbox save

MP: Mailbox print
RP: Report
FF: Fax Forward

CP: Completed
FA: Fall
TU: Terminated by user

TS: Terminated by system
G3: Group 3
EC: Error Correct



Brian Gregg <briangregg@sitepathconsulting.com>

Rogers tower Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Jan 12, 2023 at 4:26 PM

To: Hallie Osborne [REDACTED]

Thanks Hallie.

Rogers attests that its proposed facility will comply with Health Canada's Safety Code 6. This is the same safety standard that the local radio station tower and fire hall tower across the same street must also comply with.

Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Jan 12, 2023 at 11:21 AM Hallie Osborne [REDACTED] wrote:

Hello Brian,

We are writing in regards to the proposed cell tower on Hornby Island. We want you to know that We are strongly opposed to it. I, Hallie, have lived on Hornby on and off for my entire 38 year life, and I am now choosing to raise my children here.

I will not feel safe if there is a cell tower on this Island. Both for the radio frequencies being sent out into the skies, and for the fact that cell phones, devices and screens will be a bigger part of life here. I want us to maintain the distance we have from all that. Focusing on nature as our TV's, cell phones and enjoyment!

Part of why I have chosen to raise my kids here is because it's remote and away from the technology of the city.

I am concerned that if the cell tower does go through, I will be under a constant state of stress due to it. I have thought that my family will consider selling our property and moving even more remotely if this does happen. I'd rather not have to up and rearrange our entire life so that a cell phone tower can be erected!

Please consider the needs and wants of the residents of Hornby Island. WE DO NOT WANT THIS!!!!!!

Please feel free to reach out me if you want to discuss this further.

sincerely, Hallie May and Ryan May of [REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

Fwd: Rogers cell tower on Hornby

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Jan 13, 2023 at 4:53 PM

To: Hornby Radio [REDACTED]

Cc: Claudia Castro [REDACTED]

Good Evening Hornby Radio Society Board:

It would be more appropriate for Rogers to comment directly. I've cc'd Claudia accordingly.

As you may know, Rogers' tower will deploy licensed radiofrequency spectrum. There should be no engineering or scientific basis for Rogers proposed facility (all the way across Central Road setback into the crown land property by > 100 meters) to interfere with your tower on a separate radiofrequency band. With that said, we defer to Rogers' input and response.

Please note that as per ISED protocols you will have 21 days if you desire to comment further.

Thanks,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Jan 13, 2023 at 4:38 PM Hornby Radio [REDACTED] wrote:

Hello Brian,

Please see attached letter from the Hornby Community Radio Society Board.



Hornby Community Radio Society

[Redacted] Hornby Island [Redacted]

E-mail: [Redacted]

January 12, 2023

To: Brian Gregg of SitePath Consulting Ltd

Re: Potential impacts of proposed Rogers cell tower on Hornby Island

As a neighbour, the Hornby Community Radio Society Board received a consultation package regarding a proposal by Rogers to install a cell tower near the CHFR Radio Studio located at 3875-B Central Road, Hornby Island.

After research and discussion, we are notifying you of our concern about the potential for interference and degradation of the community radio's CHFR 96.5FM signal from the proximity of a cell tower to the radio transmission tower.

We understand that the cell signal itself is on a different wavelength than the FM radio signal and would not likely cause any interference. However, it is possible that the size and proximity of a large metal cell tower could negatively impact the radio transmission.

We request your assurance that should the Rogers cell tower project proceed and we discover that it negatively impacts our transmission of CHFR 96.5FM, Rogers will take responsibility for resolving and mitigating all these impacts to our satisfaction to ensure that Hornby's community radio transmission remains at its current quality.

Sincerely,

Hornby Community Radio Society Board

[Redacted signature]



Brian Gregg <briangregg@sitepathconsulting.com>

Shaw's Tower - Hornby Island

Brian Gregg <briangregg@sitepathconsulting.com>

Fri, Jan 13, 2023 at 11:35 PM

To: derek ward [REDACTED]

Good Evening Derek:

Thanks for your input. Ultimately, as you can imagine, we are required to respond to all reasonable and relevant concerns as defined by ISED; however, debating Health Canada's Safety Code 6 and certain other topics are outside the scope of this consultation process. For your information and knowledge, you may wish to review the ISED CPC, section 4.2, which notes:

<https://ised-isde.canada.ca/site/spectrum-management-telecommunications/en/learn-more/key-documents/procedures/client-procedures-circulars-cpc/cpc-2-0-03-radiocommunication-and-broadcasting-antenna-systems>

Examples of concerns that proponents are to address may include:

- *Why is the use of an existing antenna system or structure not possible?*
- *Why is an alternate site not possible?*
- *What is the proponent doing to ensure that the antenna system is not accessible to the general public?*
- *How is the proponent trying to integrate the antenna into the local surroundings?*
- *What options are available to satisfy aeronautical obstruction marking requirements at this site?*
- *What are the steps the proponent took to ensure compliance with the general requirements of this document, including the Impact Assessment Act, Safety Code 6, etc.?*

*Concerns that are **not** relevant include:*

- *disputes with members of the public relating to the proponent's service, but unrelated to antenna installations*
- *potential effects that a proposed antenna system will have on property values or municipal taxes*
- *questions whether the Radiocommunication Act, this document, Safety Code 6, locally established by-laws, other legislation, procedures or processes are valid or should be reformed in some manner*

Thanks and please note that I am required to advise you that as per ISED protocols you will have 21 days if you wish to comment further.

Please feel free to reach out if you have any questions. My cell number is 778 870 1388.

Finally, if you are able to kindly share your civic address for the purposes of this consultation that would be appreciated.

Thanks again, Derek, for taking the time to submit your comments.

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Jan 13, 2023 at 10:56 AM derek ward <[REDACTED]> wrote:

Please ignore the tinfoil hat brigade. They are a very vocal minority. We need better cell service on Hornby.



Brian Gregg <briangregg@sitepathconsulting.com>

Questions and concerns regarding the proposed Rogers Communications Radiocommunications Tower

Brian Gregg <briangregg@sitepathconsulting.com>
To: Erin Towson [REDACTED]

Sat, Jan 14, 2023 at 3:36 AM

Dear Erin:

Please find below Rogers' responses in green text. Please note that as per ISED protocols you will have 21 days if you wish to comment further.

Dear Brian Gregg,

I am writing to you in regards to the proposed 63.0 meter Rogers Communications Radio communications Tower for Hornby Island.

You are asking to build this tower on Crown Land on Hornby. It has come to my attention that this land has been in discussions for year round housing for the community which is one of the most critical needs for residents on the island. Have you looked at other locations on Hornby? Possibly one that isn't also so close to where many of the community gather?

Upon review of the proposed tower location with the province (land management authority for the property), we were advised that there have been no applications made for other uses that would conflict with this proposal. Multiple locations were reviewed and this is one that appeared potentially feasible.

Additionally, the subject property is very large so there is plenty of space for housing or other uses. Rogers' proposed footprint is nominal and less than a single family house. There are many instances wherein communication sites are in proximity to other uses such as housing.

The other aspect to consider is land use. Are you aware that the proposed facility is a permitted use in the Islands Trust own land use by-law? I am not clear as to any other such location that offers this land use designation where Rogers would be prepared to propose such a facility from a technical perspective. Are you aware of such a location?

Specifically, the proposed tower is proposed to be sited on land that is zoned PU-Public Use. The PU zone specifically permits Public Use facilities (utilities) as well as radio stations. Further, Public Service Uses are permitted in all zones and are defined to include telephone or emergency services as well as uses regulated under the *Radio Communication Act* (cell towers fall under this legislation).

As context, the surrounding land uses include a fire hall directly to the east on Crown Grant land (including an existing communication site), the Hornby Island Recycling Depot to the West on a Crown Lease, the Hornby Island Radio Station (CHFR) also to the east (including an existing radiocommunication facility), public trails to the south that enter Mt Geoffrey Regional Nature Park and crown land to the north also with trails. There are also a number of recreational facilities (Hornby Island Disc Golf course) and commercial establishments including the Hornby Island Farmer's Market along Central Road. There do not appear to be any residences in the immediate vicinity which we hope represents respectful tower siting.

I would like to request that you come to Hornby for an in person meeting to present to us what Rogers is proposing. Having one online meeting is just not conducive to most residents on the island. December 8th at 5pm was just not a convenient time. If given enough notice at a better time of year, I feel like the community would have a chance to meet you in person and find out what this proposal is all about. If the community consultation process is 120 days and it started on November 14th, 2022 then you should have another 60 days to come up with a way to meet with the community in person.

We already hosted a digital public meeting. Our prior experience with an in person meeting on Hornby Island was very problematic. It was a protest and not an information sharing session. I faced a lot of aggression including people cursing at us on a megaphone, people crossing out with permanent ink markers the materials on our poster boards (someone even wrote curse words on top of our boards), people refusing to respect the format of the meeting and setting up chairs in the middle of the room to host their own event, etc. We have also been advised by certain leadership figures in your community that our security and safety cannot be ensured at such a meeting given some of the people potentially involved. Thus, we will need to carefully consider how to best welcome additional input. Certainly, we have tried to offer a digital public meeting that was well attended and have been responsive to all who have commented or called us for information. We will continue to explore creative ways to enable people to get their opinions heard.

We are discussing with the Islands Trust and their staff shared similar experiences.

I have taken a quick look at the Model Strategy for Antenna Systems. It mentions the consultation process should inform, incorporate local knowledge, harmonize with ISED regulations and guidelines, be transparent, be consistent, be predictable and be expeditious. I do not feel that providing only an online meeting with the community is following those guidelines.

First of all, the ISED process has no requirement for a public meeting. Second, we have discussed the model protocol with Islands Trust planning staff and are working

cooperatively to harmonize. One item we will be doing is sharing the proposal with the LTC, though they are already aware of it. We are not aware of other substantive requirements in the model protocol that we have not already commenced.

Rogers remains open to working with the Islands Trust.

Regarding public consultation, you are required to notify all property owners and residents within a notification distance of 10 metre for every one metre of height of the tower. From what I understand the proposed tower location is within the list of discouraged locations. The tower will not share land with, but is within the vicinity of, the school, day care, playground, recycle depot/free store, library, community health centre, medical clinic, bank, farmer's market, community hall, Joe King Ball Park, radio station, fire hall and Spark. These are all places where residents in the community gather or work for numerous hours per week. Was this something that Rogers took into consideration when choosing the location?

We will discuss with the Islands Trust and province. Refer to our comments above re: land use. We are of the understanding that this is a reasonable location for the facility to be proposed relative to other options in the community.

The last revised update of Safety Code 6 that I could find online was in 2015. It is currently 2023. It states that the radio frequency EMF exposure to the residents of Hornby is safe. With the rapid change of technology and this clearly outdated exposures guidelines, does Roger's feel confident that they are willing to take any risk of liability for the community in case it turns out to be wrong? Government once stated that cigarette and asbestos were safe for its citizens, and with time those proved to be incorrect. What benefits other than better cell service does this cell tower provide Hornby residents where we should take any risk of it affecting our health?

Rogers attests that its proposed facility will comply with Health Canada's Safety Code 6. This is a regulatory requirement.

It is outside the scope of my role to comment on any legal matters. You are welcome to inquire with ISED or Rogers' regulatory team directly if you wish to have those types of discussions.

I think the community should be aware of how many year round Rogers cell phone customers are on Hornby Island. In the peak summer months of tourism what does that amount of daily users go up to that would require use of a Rogers cell tower? Would the tower be able to service that many new customers at one time? I am a Telus cellular customer. Will I benefit from having the tower at that location on Hornby Island? Will Telus or other cell service providers be leasing space on the tower as well, so that I and others

in the community will benefit from better cellular reception? Has Rogers done any research on smaller communities, specifically islands to see whether or not insurance on our properties would be impacted if there is the potential risk of a fire from the tower? These are things a small community like us, needs to know.

TELUS has been made aware of the tower and has preliminarily expressed interest in co-locating. We are awaiting their formal input however Rogers will share the tower in accordance with ISED protocols for tower sharing and co-location.

I still own property on the mainland but I also now co-own property here on Hornby Island near my family. My brother, his wife and young family live, work, go to school and play most of the year on Hornby. My sister-in law who just went through a battle with cancer works up at the Depot. She will be working very close to where the potential tower is, so I have concerns for her health. The family is not a member of the Spark Maker-space but they do spend time there and I am sure that as my little nephews grow older they will be spending more time there. My brother is on the board of Joe King Ball Park and the entire family spends many hours there spring, summer and fall. I, myself, have spent more time on Hornby in the last year. I am sensitive to EMF and find my body functions a lot better when I am away from the city where it is all around me. I have enjoyed not having cell service at my property on Hornby. If I need to use my cell phone I can walk to the local beach where there is a booster.

Thanks for your perspective. Having wireless service is a matter of public safety since greater than 80% of calls to emergency responders are placed via cell phones.

We are not medical experts so cannot comment on your stated medical concerns. Rogers' duty is to comply with Health Canada's safety protocols.

As I was unable to attend the December 8th session, was it recorded and can I please have access to it so I can feel more informed?

We do not record people or sessions without their permission.

With all of the feed back and questions you have received from the community, what is the next step and how will the Hornby residents be apprised of it?

We will be discussing at the January 20 LTC meeting, I believe, though I am still awaiting my formal invite from the planner.

Today is the last day to send you concerns, so what happens now?

We will submit a consultation summary report at some point but we intend to discuss at the Jan 20 meeting first. There are some details we would like to confirm and ensure alignment on process expectations. There is plenty of time to discuss as we still need to go through the provincial referral process for crown land. No decisions

will be made or sought for some time.

I am a cellular phone or wireless device user with Telus. Once my contract is over, I plan to not have cell phone and will use only my land line.

I do not feel it is an appropriate location for the proposed facility as it is way too close to numerous community gathering locations and where a large majority of residents earn their income.

Thanks Erin. Truthfully, there is a desire to have the supporting infrastructure in reasonable proximity to the end users that the tower will service. If the tower is located where nobody lives or work then there will be service limitations.

You might consider that there are two existing radiocommunication facilities in the same area already, for instance. Nonetheless, we appreciate your comments and concerns and will save them in the consultation file.

I thank you for your time listening to my concerns and in advance for answering my questions.

Thanks Erin. Please call me at 778 870 1388 if you wish to discuss. I'll be pleased to follow up in email but it can be a challenge to keep up with my inbox so I'd welcome a call if you have a lot more questions and I'd be pleased to give you all the information I know both verbally and subsequently in writing.

In regards,
Erin Towson

[REDACTED]
Hornby Island, BC
[REDACTED]
[REDACTED]

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.

PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1

Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com

Fax: 604-829-6424 | www.sitepathconsulting.com

On Fri, Jan 13, 2023 at 4:50 PM Erin Towson [REDACTED] wrote:

Dear Brian Gregg,

I am writing to you in regards to the proposed 63.0 meter Rogers Communications

Radio communications Tower for Hornby Island.

You are asking to build this tower on Crown Land on Hornby. It has come to my attention that this land has been in discussions for year round housing for the community which is one of the most critical needs for residents on the island. Have you looked at other locations on Hornby? Possibly one that isn't also so close to where many of the community gather?

I would like to request that you come to Hornby for an in person meeting to present to us what Rogers is proposing. Having one online meeting is just not conducive to most residents on the island. December 8th at 5pm was just not a convenient time. If given enough notice at a better time of year, I feel like the community would have a chance to meet you in person and find out what this proposal is all about. If the community consultation process is 120 days and it started on November 14th, 2022 then you should have another 60 days to come up with a way to meet with the community in person.

I have taken a quick look at the Model Strategy for Antenna Systems. It mentions the consultation process should inform, incorporate local knowledge, harmonize with ISED regulations and guidelines, be transparent, be consistent, be predictable and be expeditious. I do not feel that providing only an online meeting with the community is following those guidelines.

Regarding public consultation, you are required to notify all property owners and residents within a notification distance of 10 metre for every one metre of height of the tower. From what I understand the proposed tower location is within the list of discouraged locations. The tower will not share land with, but is within the vicinity of, the school, day care, playground, recycle depot/free store, library, community health centre, medical clinic, bank, farmer's market, community hall, Joe King Ball Park, radio station, fire hall and Spark. These are all places where residents in the community gather or work for numerous hours per week. Was this something that Rogers took into consideration when choosing the location?

The last revised update of Safety Code 6 that I could find online was in 2015. It is currently 2023. It states that the radio frequency EMF exposure to the residents of Hornby is safe. With the rapid change of technology and this clearly outdated exposures guidelines, does Roger's feel confident that they are willing to take any risk of liability for the community in case it turns out to be wrong? Government once stated that cigarette and asbestos were safe for its citizens, and with time those proved to be incorrect. What benefits other than better cell service does this cell tower provide

Hornby residents where we should take any risk of it affecting our health?

I think the community should be aware of how many year round Rogers cell phone customers are on Hornby Island. In the peak summer months of tourism what does that amount of daily users go up to that would require use of a Rogers cell tower? Would the tower be able to service that many new customers at one time? I am a Telus cellular customer. Will I benefit from having the tower at that location on Hornby Island? Will Telus or other cell service providers be leasing space on the tower as well, so that I and others in the community will benefit from better cellular reception? Has Rogers done any research on smaller communities, specifically islands to see whether or not insurance on our properties would be impacted if there is the potential risk of a fire from the tower? These are things a small community like us, needs to know.

I still own property on the mainland but I also now co-own property here on Hornby Island near my family. My brother, his wife and young family live, work, go to school and play most of the year on Hornby. My sister-in law who just went through a battle with cancer works up at the Depot. She will be working very close to where the potential tower is, so I have concerns for her health. The family is not a member of the Spark Maker-space but they do spend time there and I am sure that as my little nephews grow older they will be spending more time there. My brother is on the board of Joe King Ball Park and the entire family spends many hours there spring, summer and fall. I, myself, have spent more time on Hornby in the last year. I am sensitive to EMF and find my body functions a lot better when I am away from the city where it is all around me. I have enjoyed not having cell service at my property on Hornby. If I need to use my cell phone I can walk to the local beach where there is a booster.

As I was unable to attend the December 8th session, was it recorded and can I please have access to it so I can feel more informed? With all of the feed back and questions you have received from the community, what is the next step and how will the Hornby residents be apprised of it? Today is the last day to send you concerns, so what happens now?

I am a cellular phone or wireless device user with Telus. Once my contract is over, I plan to not have cell phone and will use only my land line.

I do not feel it is an appropriate location for the proposed facility as it is way too close to numerous community gathering locations and where a large majority of residents earn their income.

I thank you for your time listening to my concerns and in advance for answering my

questions.

In regards,
Erin Towson

[REDACTED]

Hornby Island, BC

[REDACTED]

[REDACTED]



Brian Gregg <briangregg@sitepathconsulting.com>

tower proposal Hornby Island

Jo Harrlson [REDACTED]
To: Brian Gregg <briangregg@sitepathconsulting.com>

Thu, Jan 19, 2023 at 4:05 PM

Thanks for this info.

J

On Jan 19, 2023, at 3:29 PM, Brian Gregg <briangregg@sitepathconsulting.com> wrote:

Dear Jo Ann:

Thank you for submitting your input. I will save this in the consultation file.

However, I should kindly note that the comment deadline was January 13, 2023 as you can see at the bottom of the comment sheet. Nonetheless, it has been my practice to save all comments -- including late comments -- and to let the decision makers know that it is up to them as to whether or not to include any late comments in their decision making process.

We greatly appreciate that you have taken the time to submit your input in any case.

Also, I should mention that since this proposal is on provincial crown land, there will be an additional opportunity for public comments via a provincially managed public notice and referral process. As of this time, the comment deadline has only passed for the federally mandated consultation process for cell towers.

Kind Regards,

Brian Gregg, RPP, MCIP
SitePath Consulting Ltd.
PO Box 20138, Vancouver RPO, Fairview, BC V5Z 0C1
Cell: 778-870-1388 | Email: briangregg@sitepathconsulting.com
Fax: 604-829-6424 | www.sitepathconsulting.com

On Thu, Jan 19, 2023 at 1:47 PM Jo Harrlson [REDACTED] wrote:

MODEL STRATEGY FOR ANTENNA SYSTEMS

LOCAL PLANNING COMMITTEE



Islands Trust



Photo Credit: Beacon Wireless – <http://www.beaconwireless.ca/#high-speed-internet>

May 3, 2018

V A N H E M E R T & C O .

Planning Healthy Communities

Table of Contents

| | | |
|-----|--|----|
| 1 | Introduction | 3 |
| 2 | Interviews and Review of Literature..... | 4 |
| 2.1 | Introduction | 4 |
| 2.2 | Local Trust Committee Jurisdiction and ISED’s Requirements and Recommendations..... | 4 |
| 2.3 | Islands Trust Experience | 5 |
| 3 | Model Consultation Program..... | 7 |
| 3.1 | Information Science & Economic Development Canada (ISED) Application & Default Public Consultation Process | 7 |
| 3.2 | Model Public Consultation Protocol for Local Trust Areas | 14 |
| 4 | Land Use Siting Criteria | 30 |
| 4.1 | Introduction | 30 |
| 4.2 | Criteria | 30 |
| 5 | Model Official Community Plan Policies | 34 |
| 5.1 | Advocacy Policies | 34 |
| 5.2 | Land Use Policy | 34 |
| 6 | On-line Brochure on the Default ISED Public Consultation & Approval Process and the Role of Islands Trust | 37 |
| 7 | Definitions..... | 38 |
| 8 | Appendix: Antenna Design Matrix..... | 40 |

1 INTRODUCTION

Local Trust Committees (LTC) have recently been grappling with how best to consult with the public and to address local concerns around proposed cellular and radio communication towers. At the same time Innovation Science and Economic Development Canada (ISED) notes that there is a growing demand for denser wireless connectivity by citizens generally, as well as students, public service providers including 911 services, and small business. While people enjoy the relatively remote Gulf Island life, it also means they need to have adequate wireless access, including emergency services. This is especially true for the aging population on the islands who require access to health care more often and may avail of e-health services in communities with limited specialized medical staff.

The model *protocol* within this document has been prepared to help Local Trust Areas (LTA) effectively and efficiently assess antenna system proposals within their own unique contexts. The document provides a description of ISED’s default public consultation process, a model public consultation *protocol*, model siting criteria, model Official Community Plan policies, and definitions. The model *protocol* may be adopted in its current form as a stand-alone document; or it may be customized for local considerations. The model siting criteria and the Official Community Plan policies may be incorporated into the *protocol* or included within an Official Community Plan. Existing processes and by-laws for each separate Local Trust Area should be reviewed in light of adopting the model *protocol* and be revised or rescinded.

The *protocol* has been developed with input and insight from Islands Trust planning staff, Local Trust Area Trustees, ISED, other land use authorities and representatives from the telecommunications industry. It should be noted, however, that input from the industry does not necessarily constitute support.

Note that words in *italics*, and not otherwise a document, legislative act or agency, are words defined in Section 7 Definitions.

2 INTERVIEWS AND REVIEW OF LITERATURE

2.1 Introduction

The model consultation *protocol* is informed by the department of Innovation Science and Economic Development (ISED) Canada's foundational guides, the Federation of Canadian Municipalities *protocol* template¹, and Health Canada's Safety Code 6 (2009) regarding limits to human exposure to radiofrequency electromagnetic fields. A discussion on the respective roles of federal government and local land use authorities sets the foundation for a defensible and effective *protocol*. Documents and telephone interviews with staff and a trustee served as an overview of the Islands Trust experience in reviewing antenna system proposals. This information provides a practical and experiential foundation of the local context. Rounding out the review, interviews were conducted with IEDC, other local government jurisdictions, and representatives of the telecommunications industry.

2.2 Local Trust Committee Jurisdiction and ISED's Requirements and Recommendations

The ISED's *Radiocommunication and Broadcasting Antenna Systems Client Protocol Circular CPC 2-0-03* (CPC) (hereinafter referred to as the CPC) is the foundation for understanding public consultation requirements and the appropriate role of the land use authority. It identifies the **mandate**, established in Section 5 of the *Radiocommunications Act* states that the Minister (of ISED) may, taking into account all matters considered relevant for ensuring the **orderly development** and **efficient** operation of radiocommunication in Canada, issue radio authorization, and approve each site on which radio apparatus, including *antenna systems*, may be located. A certain measure of flexibility is required in siting *antenna systems* in order to achieve adequate coverage for service areas.

The CPC emphasizes the importance of considering **local surroundings** in deploying *antenna systems*. Accordingly, the default public consultation process requires *proponents* of certain *antenna systems* to engage land-use authorities with regard to **site options, local public engagement and review processes, addressing reasonable and relevant concerns**, and ultimately obtain **land-use authority concurrence** in writing. Land-use authorities are encouraged to establish **reasonable, relevant, and predictable** consultation processes specific to *antenna systems* and consider matters such as designation of suitable contacts or responsible officials, proposal submission requirements, public consultation, documentation of concurrence process, and the establishment of milestones to ensure consultation process completion within 120 days. To that end, the ISED publishes the *Guide to Assist Land-use*

¹ *Antenna System Siting Protocol* template published by the Federation of Canadian Municipalities in consultation with the telecommunications industry. Available online at https://fcm.ca/Documents/reports/FCM/Antenna_System_Siting_Protocol_Template_EN.pdf Accessed on October 2017.

Authorities in Developing Antenna System Siting Protocols which was referred to in developing this model strategy.

Certain types of proposals (listed below) are excluded from land-use authority and public consultation requirements; however, all *proponents* must consider whether or not it is prudent to undertake consultation for an excluded proposal on the basis of:

- the proposal's physical dimensions, including the antenna, mast, and tower, compared to the local surroundings;
- the location and proximity to neighbouring residents;
- the likelihood of an area being a community sensitive location; and
- Transport Canada's marking and lighting requirements for the proposed structure.

Exclusions include the following:

- new *antenna systems* where height is less than 15 metres, but does not apply to *antenna systems* proposed by telecommunications carriers, broadcasting undertakings or third-party tower owners;
- existing *antenna systems* where modifications are made, antenna added or the tower replaced, including to facilitate sharing, provided that the total cumulative height increase is no greater than 25% of the height of the initial *antenna system* installation;
- non-tower structure antenna on buildings, water towers, lamp posts, etc. may be excluded provided the height of the ground of the site of the non-tower structure, exclusive of appurtenances, is not increased by more than 25%; and
- temporary *antenna systems* used for special events or emergency operations.

The CPC provides examples of relevant concerns that may be raised during public consultation, including, for example, why use of existing *antenna systems* may not be used, alternative sites, and what is being done to integrate antenna into local surroundings. Concerns that are **not** relevant include disputes with members of the public relating to *proponent's* service, potential effects that proposed *antenna system* will have on property values or municipal taxes, and questions whether or not *Safety Code 6*, locally established by-laws, other legislation, procedures or processes are valid or should be reformed in some manner.

2.3 Islands Trust Experience

Information about Islands Trust experience was gleaned from special studies, staff reports and *protocol* documents from the following Local Trust Areas: Galiano Island, Gabriola Island, Hornby Island, and Salt Spring Island. Documents reviewed included:

- Local Planning Committee briefing of January 28, 2015
- Galiano Island LTA:
 - Rogers Cell Tower referral, April 24, 2015
 - Telecommunications Strategy staff report to LTC, March 30, 2016
 - Telecommunication Strategy Project staff report, March 27, 2017

- Antenna System and Siting Consultation Protocol, March 2017
- Hornby Island LTA--TELUS tower, public consultation package, staff reports of November 22, 2016 and May 5, 2017
- Gabriola Island LTA--Resolution GB-025-2010 regarding Communication Towers and Antennae
- Salt Spring Island:
 - Cellular Antennae Proposal Form
 - Procedural Guideline, April 26, 2001

Interviews for gaining insights and information were conducted with current and former Islands Trust planning staff with experience managing *antenna system* proposals. These included Marnie Eggen, Justine Starke, Aleksandra Brzozowski, and Robert Kojima. Tony Law, a trustee for Hornby Island LTA was also interviewed for his perspective on dealing with a particularly controversial application.

Additionally, to round out the perspective from other stakeholders, representatives from the telecommunication industry (Doug Anastos, TELUS) and their process consultant, Brian Gregg (SitePath), were interviewed. Industry input, however, does not necessarily mean support for the draft *protocol* as presented.

ISED representative, Jeff Stanhope, was interviewed and he also provided comments on a draft of the public consultation *protocol*. No red flags were raised regarding consistency with the CPC, the foundational guiding document of ISED.

Following an initial review of this protocol by the Local Planning Committee further input from the telecommunication Industry was received via a roundtable discussion in January of 2018. Representatives included Doug Anastos (TELUS), Kiersten Enemark (Shaw), and Samuel Sugita (Rogers Communications).

Experience in Other Jurisdictions included the following:

- Regional District of Nanaimo
- District of North Saanich
- District of Saanich
- District of Maple Ridge
- City of North Vancouver
- Village of Pemberton

3 MODEL CONSULTATION PROGRAM

3.1 Information Science & Economic Development Canada (ISED) Application & Default Public Consultation Process

A. Description of ISED's Application and Default Public Consultation Process

ISED provides on its website a user-friendly text summary and infographic about how decisions are made regarding cell towers. The five-step process applies to all *telecommunication antenna systems* that are not expressly excluded from public consultation.

1. **Share**

Is a new tower necessary? Rules require companies to share towers, whenever possible, instead of building new ones.

2. **Propose**

Companies must submit a plan to the local municipality.

3. **Notify**

Once a company has a plan, it must notify local residents of the upcoming consultation. Rules require notifications be clearly marked – no confusion with junk mail. All residents within an area three times the height of the tower must be notified.

4. **Consult**

The company must consider the community's views.

Impasses are rare. <0.1% of cases require Industry Canada's decision.

5. **Build**

Following the consultation, and once the company and local municipality agree, the tower must be built within three years.

CELL TOWERS IN YOUR COMMUNITY: HOW THE DECISION IS MADE

The Government of Canada regulates tower siting decisions, settles disputes, and sets health and safety standards.

New towers give wireless customers better, more reliable mobile service.



1 SHARE

Is a new tower necessary? Rules require companies to share towers, whenever possible, instead of building new ones



2 PROPOSE

Companies must submit a plan to the local municipality.



3 NOTIFY

Once a company has a plan, it must notify local residents of the upcoming consultation.

* Rules require notifications be clearly marked – no confusion with junk mail. All residents within an area 3x the height of the tower must be notified.



4 CONSULT

The company must consider the community's views

* Impasses are rare. <0.1% of cases require Industry Canada's decision.



BUILD 5

Following the consultation, and once the company and local municipality agree, the tower must be built within three years.



Proponents of siting and constructing an *antenna system* are required to present their plans and consult with the local land use authority; they are not required to make a formal application to ISED for siting an antenna facility. They are required, however, to provide information and notify ISED at the following points in the process in order to proceed:

- **public notification**: provide notification package;
- **responding to the public**: copy of all public reply comments; and
- **concluding consultation**: if applicable--for example, in cases where a land use authority does not provide a clear form of land-use concurrence, --the *proponent* may request ISED to confirm its concurrence that the public consultation process requirements have been met.

The ISED Default Public Consultation Process applies to *proponents* if the land-use authority does not have its own established and documented consultation process for antenna siting. ISED's default process has three steps for consultation with the public and land-use authority whereby the *proponent*:

- provides **written public notification** of the proposed *antenna system* installation or modification;
- engages and **responds to the public** to address relevant questions, comments and concerns; and
- provides an opportunity for **public reply** in writing to the *proponent* regarding measures taken to address reasonable and relevant concerns.

Details on timing, content, communication channels, and style of communication for each step are summarized below.

1. *Public Notification*

- a) *Proponent* must provide a **notification package** to the following within a **radius of three times the tower height**:
 - the local public (including residences, community gathering areas, public institutions, schools, etc.);
 - neighbouring land-use authorities, and
 - businesses, and property owners.
- b) The notice of an upcoming consultation must be clearly marked, making reference to the proposed *antenna system*.
- c) Must provide at least **30 days** for written public comment.
- d) In areas of **seasonal residence**, the *proponent* must work with the land-use authority to determine the best manner to notify such residents to ensure their engagement.

- e) In addition, for *antenna system* of 30 metres or greater in height, notice must be placed in a local community newspaper circulating in the proposed area. Timing must be synchronized with the distribution of the public notification package, must be legible and placed in the public notice section of the newspaper. Further, it must include:
- description of proposed installation;
 - location and street address;
 - *proponent* contact information and mailing address; and
 - invitation to provide public comments to *proponent* within 30 days of the notice.
- f) In areas without a local newspaper, other effective means of public notification must be implemented.

2. *Responding to the Public*

Proponents must address all reasonable and relevant concerns, make all reasonable efforts to resolve them in a mutually acceptable manner and must keep a record of all associated communications. When a question comment or concern is raised the *proponent* is required to:

- respond to the party in writing within **14 days** acknowledging receipt;
- address in writing all reasonable and relevant concerns within **60 days** of receipt or explain why concerns are not reasonable or relevant; and
- in written communication referred to above clearly note that the party has **21 days** from date of correspondence to reply to *proponent's* response.

The *proponent* may respond to a party via telephone, engaging in a community meeting or having an informal personal discussion.

3. *Public Reply Comments*

Examples of relevant concerns to address may include:

- Why is the use of an existing *antenna system* or structure not possible?
- How is the *proponent* trying to integrate the antenna into the local surroundings?
- What is the *proponent* doing to ensure that the *antenna system* is not accessible to the general public?
- What options are available to satisfy aeronautical obstruction making requirements at this site?
- What are the steps the *proponent* is taking to ensure compliance with the general requirements of the *Innovation Science Economic Development Canada's Client Procedures*

CPC 2-0-03, the *Canadian environmental Assessment Act* (CEAA), and *Safety Code 6* of the *Health Act*?

Concerns that are **not relevant** include:

- Disputes with members of the public relating to the *proponent's* service, but unrelated to antenna installations;
- Potential effects that a proposed *antenna system* will have on property values or municipal taxes;
- Questions whether the *Radiocommunication Act*, this document, *Safety Code 6*, locally established bylaws, other legislation, procedures or processes are valid or should be reformed in some manner.

4. *Concluding Consultation*

Installation or modification of an *antenna system* may only be commenced after the consultation process has been completed by the land-use authority, or ISED confirms concurrence of the consultation portion of the default process, and after all other process requirements have been met by the *proponent*.

B. Analysis and Observations of ISED's Default Public Consultation Process

1. *ISED Limits of Public Consultation*

The limits of ISED's CPC include the following matters on which it is either silent or does not have a requirement:

- application requirements to the land use authority;
- cost recovery;
- pre-consultation; and
- a means for community based dialogue beyond providing public information.

Further, the time restrictions on notice, responses, as well as the overall consultation time frame could be restrictive in addressing controversial proposals and the efforts needed to mitigate and search for alternatives. In practice, however, some consultation takes longer than the timeframes set out in the Default process. Carriers appreciate a predictable process, but understand that certain sites may require more time.

2. *Analysis*

The CPC clearly notes that its default consultation process is a **minimum** process and anticipates through direct reference that local land-use authorities may **augment** the process by developing its own *protocol* which can address, for example, notification of additional entities, expanded

minimum prescribed notification distances, pre-consultation meetings, and community information sessions.

The CPC also contains an important clause suggesting that even though a proposal may otherwise be exempt from public consultation, there are cases where "it may be prudent for the *proponent* to consult even though the proposal meets an exclusion." Considerations for this decision include:

- the *antenna system's* physical dimensions, including the antenna, mast, and tower, compared to the local surroundings;
- the location of the proposed *antenna system* on the property and its proximity to neighbouring residents;
- the likelihood of an area being a community-sensitive location; and
- NAV Canada and Transport Canada's marking and lighting requirements for the proposed structure.

The companion *Guide to Assist Land-Use Authorities in Developing Antenna Siting Protocols* complements the CPC and addresses the role *land use authorities* (LUA)s can play in effectively participating and influencing decisions with respect to the proposed *antenna system* within the ISED's siting procedures and sets out elements that LUAs might wish to include in establishing their own local *protocol*. These elements are incorporated in the model *protocol* described in this document.

Local knowledge is valued, particularly with regard to amenities, cultural or environmental sensitivities, Local Trust Area planning priorities such as those related to telecommunication connectivity, and other relevant characteristics of the area.

Although recognizing that the LUA or public's preferred locations for siting may not always be feasible for strategic and technical reasons, the guide notes:

LUAs are encouraged to develop protocols that are clear and within their area of responsibility. Protocols can include promoting the placement of antennas in optimal locations from a land-use point of view, or excluding certain types of installations from protocol requirements. Through protocols, an LUA can highlight its local knowledge and expertise related to area sensitivities, including environmental or cultural concerns, and land-use compatibility.²

It is appropriate, therefore, for a local government to establish by way of policy in its Official Community Plan or Land Use Bylaw, and a *protocol* document, land use preferences, land use

² Guide to Assist Land-use Authorities in Developing antenna system Siting Protocols, Industry Canada (now Innovation, Science, Economic Development Canada), Issue 2, August 2014, Section 2.1, page 3.

sensitivities, and *design guidelines*. for siting of an *antenna system*. This conclusion has been confirmed in a conversation with an ISED representative.³

The guide suggests LUAs may consider preliminary consultation which will serve to inform, advise, guide, and indicate preferences to *proponents*. Communities such as the Regional District of Nanaimo have established a preliminary consultation step in the form of a site investigation meeting.

Further, the guide acknowledges that a LUA can set the format for public consultation in its *protocol*. These formats may take the form of a community open house, town hall style meeting, or another format preferred by the LUA. Ideally, the LUA and *proponent* will arrive at a mutually agreeable format.

In its outline template, the guide provides a set of considerations and suggested principles for a community in developing its own local *protocol*. The Regional District of Nanaimo, for example, has used this template effectively for establishing a *protocol* for all its Electoral Areas.

C. Addressing the Limitations of the ISED's Default Process

A model *protocol* for the Local Trust Areas can effectively compliment and address the inherent limitations of ISED's default process in the following manner:

- specify application requirements in detail;
- require pre-consultation;
- require information to the Local Trust Area, even if public consultation is not required;
- address cost recovery separately through an application fee;
- establish the desired format for public consultation beyond information packages;
- increase written notification area;
- identify specific groups to notify;
- establish siting criteria via OCP policy or via incorporation within a separate *protocol* document; and
- establish its own time frames, provided they do not exceed limitations of the CPC; however, the CPC provides for an opportunity to extend time frames under certain circumstances, particularly if there is an opportunity to mitigate and review options.

³ Conversation with Jeff Stanhope, Spectrums Operations Manager, Spectrum Management Operations Branch, ISED, September 29, 2017.

3.2 Model Public Consultation Protocol for Local Trust Areas

A. Introduction

Telecommunications systems that provide full coverage and service are essential to for a healthy and well-connected community. This protocol serves as a foundation to ensure that communities benefit from high quality, dependable telecommunication services that effectively support daily life activities, emergency services, citizen engagement, tourism, and local business all of which are important to the Islands Trust.

B. Objectives

The objectives of this *protocol* are:

1. to acknowledge that ISED has exclusive jurisdiction over the approval of the siting and installation of telecommunication infrastructure in Canada;
2. to establish a siting and consultation process for use by all Local Trust Areas (LTA)s that is harmonized with ISED's *Radiocommunication and Broadcasting Antenna Systems Client Procedures Circular (CPC-2-0-03)* and *Guide to Assist Land-use Authorities in Developing Antenna Siting Protocols* for reviewing land use issues associated with *antenna system* siting proposals;
3. to set out an objective process, criteria and guidelines that are transparent, consistent and predictable for the evaluation of *antenna system* siting proposals that:
 - minimize the number of new antenna sites by encouraging co-location;
 - encourage designs that integrate with the surrounding land use and public realm;
 - establish when local public consultation is required; and
 - allow ISED and *proponents* to identify and resolve any potential land use, siting or design concerns with the LTA at an early stage in the process.
4. to provide an expeditious review process for *antenna system* siting proposals;
5. to establish a local land use consultation framework that ensures the LTA and members of the public contribute local knowledge that facilitates and influences the siting--location, development and design (including aesthetics) --of *Antenna system* within LTA boundaries;
6. to contribute to the orderly development and efficient operation of a reliable, strong radiocommunication network within all LTAs;
7. to provide LTAs with the information required to satisfy the requirements of ISED regarding local land use consultation, resulting in an informed statement of concurrence, concurrence with conditions, or non-concurrence from the LTA at the end of the process; and

8. to establish administrative fees to be paid by telecommunication *proponents* with consideration given to the costs to Islands Trust to evaluate and process proposals.

C. Jurisdiction

1. Role of Innovation, Science and Economic Development Canada

Under the *Radiocommunication Act*, the Minister of ISED has sole jurisdiction over inter-provincial and international communication facilities. The final decision to approve and license the location of *telecommunication antenna system* is made only by ISED. All technical aspects and siting of telecommunication and broadcasting services are regulated by the Federal government under the *Radiocommunication Act*. ISED has an established procedure, the *CPC*, which prescribes the process and review of proposed telecommunication structures. As part of the process, *proponents* are required to notify the local land-use authority and nearby residents. Moreover, the *proponent* is required to address the public's questions, concerns and comments through ISED's prescribed public consultation process.

2. Other Federal Legislation

Public Health

With regard to public health, ISED refers to the standards set by Health Canada for determining acceptable levels of radiofrequency electromagnetic energy produced by telecommunication infrastructure. All telecommunication *proponents* are required to follow the guidelines outlined in Health Canada's *Safety Limits of Human Exposure to Radiofrequency Electromagnetic Fields in the Frequency Range from 3 kHz to 300 GHz – Safety Code 6 (2009)*.⁴ This code is accompanied by the *Technical Guide for Interpretation and Compliance Assessment of Health Canada's Radiofrequency Exposure Guidelines*, to assist users in understanding and assessing the safety of electromagnetic exposures in working and living environments. This code is also accompanied by a fact sheet, *What is Safety Code 6?* (available online at <https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/radiation/fact-sheet-what-safety-code-6.html>). The document is self described as 'busting myths' with a summary of facts. The introduction to this document, cited in the following paragraphs, provides a clear summary.

The Government of Canada is committed to protecting the health and safety of Canadians from environmental risks, including those posed by exposure to radiofrequency (RF)

⁴ LTAs do not assess any submission for an Antenna System with respect to health and radiofrequency exposure issues or any other non-placement or non-design related issues. Any questions or comments the public may wish to make regarding health issues related to cell phones, cell towers and radiofrequency exposure guidelines (Safety Code 6) should be directed to Health Canada on-line at healthcanada.gc.ca and to the *proponent's* representative. The document is available online at <https://www.canada.ca/en/health-canada/services/environmental-workplace-health/consultations/limits-human-exposure-radiofrequency-electromagnetic-energy-frequency-range-3-300.html> (accessed October 27, 2017).

electromagnetic energy - the kind of energy given off by various electronic devices such as cell phones and Wi-Fi, as well as broadcasting and cell phone towers.

Health Canada has a guideline, known as Safety Code 6, which recommends limits for safe human exposure to RF electromagnetic energy. The limits established in Safety Code 6 incorporate large safety margins to provide a significant level of protection for all Canadians, including those working near RF sources.

Health Canada scientists monitor the scientific literature on this issue on an ongoing basis. Safety Code 6 is reviewed on a regular basis to verify that the guideline provides protection against all known potentially harmful health effects.

While Health Canada recommends limits for safe human exposure, Health Canada does not regulate the general public's exposure to electromagnetic RF energy. However, many provinces and territories apply the exposure limits in Safety Code 6 for general public exposure. Wireless devices and their associated infrastructure (such as cell towers) are regulated by Industry Canada, and are required to comply with Safety Code 6.

Canada's limits are consistent with the science-based standards used in other parts of the world (e.g., the United States, the European Union, Japan, Australia and New Zealand) and provide protection against all known adverse health effects from RF energy.

Environmental and Aeronautical Legislation

In addition to Health Canada's requirements, *proponents* must comply with the Canadian Environmental Assessment Act and any painting and lighting requirements for aeronautical safety prescribed by NAV Canada and Transport Canada.

3. Role of Local Government

Local governments are referred applications for proposed towers and are given the opportunity to comment on the proposal. Ultimately, the role of the Local Trust Committee (LTC) is to issue a statement of concurrence or non-concurrence to the *proponent* and ISED.⁵ The statement considers the land-use compatibility of the antenna structure, the responses of the impacted residents and the *proponent's* adherence to this *protocol*. In addition, local government can communicate and provide guidance to the *proponent* on the particular sensitivities, planning priorities, and characteristics of an area, and establish siting guidelines. Local government may adopt the default public consultation process as defined in ISED's CPC or augment the process with its own consultation process, subject to the time limitations established in the CPC.

D. Antenna Structures for which Public Consultation is Required

⁵ Regardless of whether the LTA issues a statement of concurrence or non-concurrence, ISED has exclusive jurisdiction over the approval of the siting and installation of telecommunication infrastructure in Canada.

- **New antenna systems:** where the height is greater than 15 metres
- **New antenna systems:** where the height is less than 15 metres proposed by telecommunication carriers, broadcasting undertakings or third-party owners
- **Existing antenna systems:** where modifications exceed a cumulative height increase of greater than 25%
- **Non-Tower Structures:** where the height above ground of the non-tower structure, exclusive of appurtenances, is increased by more than 25%

E. Excluded Antenna Structures & Information Requirements

This section outlines the criteria for identifying *Antenna system* excluded from the consultation process by ISED, the need to consider local circumstances for all exempt structures, and the process for *proponents* to notify and discuss proposed exempt structures with the LTA.

1. Exemptions from Antenna System Siting Proposal Review and Public Consultation

For the following types of installations, *proponents* are generally excluded by ISED from the requirement to consult with the LTA and the public, **but must still fulfill the General Requirements outlined in Section 7 of the CPC.**

- **New antenna system:** where the height is **less than 15 metres** above ground level proposed by business, government, Crown agencies, general public; this exclusion does not apply to *antenna system* proposed by telecommunications carriers, broadcasting undertakings or third-party tower owners;
- **Existing antenna system:** where modifications are made, antennas added or the tower replaced⁶, including to facilitate sharing, provided that the total cumulative height increase is no greater than 25% of the height of the initial *antenna system* installation⁷. No increase in height may occur within one year of completion of the initial construction. This exclusion does not apply to *antenna system* using purpose built antenna supporting structures with a height of less than 15 metres above ground level operated by telecommunications carriers, broadcasting undertakings or third-party tower owners;
- **Non-tower structure:** antennas on buildings, water towers, lamp posts, and similar structures, **are excluded** from consultation provided that the height above ground of the non-tower structure, exclusive of appurtenances, is not increased by more than 25% and have been reviewed by Islands Trust staff who will provide comment in accordance with LTA *design guidelines*; and
- **Temporary antenna systems:** used for special events or emergency operations and must be removed within three months after the start of the emergency or special event.

No consultation is required prior to performing maintenance on an existing *antenna system*

⁶ The exclusion for the replacement of existing antenna systems applies to replacements that are similar to the original design and location.

⁷ Initial antenna system installation refers to the system as it was first consulted on, or installed.

2. *Design Guidelines for Antenna Systems*

The appendix in Chapter 8 of this protocol document is a matrix of telecommunication design illustrating typical tower designs, rooftop antennas, utility poles and light standards. An LTA may choose to further exempt from public consultation any of the specific antenna systems illustrated in the matrix. Note that antennas affixed to buildings, utility poles and light standard are already exempt from public consultation, unless they exceed a 25% increase in height.

3. *Voluntary Public Consultation*

The CPC states that:

Individual circumstances vary with each antenna system installation and modification, and the exclusion criteria above should be applied in consideration of local circumstances. Consequently, it may be prudent for the proponents to consult the LTA and the public even though the proposal meets an exclusion noted above.

Therefore, when applying the criteria for exclusion, *proponents* are encouraged to consult the LTA when it is **prudent** to do so in consideration of any of the following:

- The *antenna system's* physical dimensions, including the antenna, mast, and tower, is significant compared to the local surroundings,
- The relative location of the proposed *antenna system* on the property and its proximity to neighbouring residents;
- The likelihood of an area being in a community-sensitive location; and
- The nature of Transport Canada's marking and lighting requirements for the proposed structure.

F. Notification and LTA Review of Exempt Antenna system

Notwithstanding ISED's exemption criteria for certain *Antenna system*, LTAs should be informed of all new *antenna system* installations within their boundaries so they can:

- be prepared to respond to public inquiries once construction/installation has begun;
- be aware of site *co-location* within the LTA;
- maintain records to refer to in the event of future modifications and additions; and
- engage in meaningful dialogue with the *proponent* with respect to the appearance of the *antenna system* and structure prior to the *proponent* confirming a final design.

Therefore, *proponents* are required to undertake the following steps for **all exempt antenna system installations before commencing construction**.

1. *Building/Structure-Mounted Antenna System:*

The *proponent* will in all cases provide the following **information** for all new *antenna system* or modifications⁸ to existing *antenna system* that are mounted to an existing structure, including (but not limited to) a building/rooftop, water tower, utility pole or light standard, and which are exempted from public consultation in sub-section 3.2 D. 1.:

- a) the location of the *antenna system* (address, name of building, rooftop or wall mounted);
- b) description of proposed **design** with respect to the measures used by existing systems on that site;
- c) the height of the *antenna system*;
- d) the height of any modifications to existing systems.

The Islands Trust staff may notify the *proponent* of any inconsistency with the preferences and sensitivities expressed in the siting criteria and /or design preferences and the parties (proponent and Islands Trust staff) will work towards a solution that minimizes visibility.

2. *Additions that Increase the Height of Freestanding Antenna system:*

The *proponent* will confirm to the LTA that an addition that extends the height of an existing *freestanding antenna system* meets the exclusion criteria in subsections 3.2 D. 1 by providing the following:

- a) the location, including its address and location on the lot or structure;
- b) a short summary of the proposed addition including a preliminary set of drawings or visual rendering of the proposed system; and
- c) a description of how the proposal meets one or more of the Article 3.2 D. 1 exclusion criteria.

The Islands Trust staff will review the documentation and will contact the *proponent* where there is a site-specific basis for modifying the exemption criteria based on the siting criteria preferences and discouragements expressed of the *protocol*. In such cases, the Islands Trust staff and the *proponent* will work toward a mutually agreeable solution, which may include the Islands Trust staff requesting the proposal be subject to all or part of the pre-consultation, proposal submission and public consultation process defined in Subsections F. 2. a) b) and F. 2. of this *protocol*, as applicable, concluding with a letter of concurrence or non-concurrence.

3. *Additional Exemptions*

Local Trust Areas may exclude from all or part of the consultation process any *antenna system* installation in addition to ISED's basic exemptions listed in articles 3.2 B. 1. & 3.

⁸ Providing information is required for modifications that materially or noticeably change the appearance of the system. Maintenance works that do not result in such changes are excluded from the information requirement.

- a) A new *antenna system* proposed to be located outside the LTA’s preferred distance from the nearest lot line;
- b) Notwithstanding Subsection E. 1. Building/ Structure Mounted Antenna System, the Islands Trust staff may additionally, on a case-by-case basis, exempt a *proponent* from all or part of the consultation requirements under Section F of this *protocol*.⁹ For example, exemptions may be granted where the proposed location is separated from a *residential area* or heritage area or structure by an arterial roadway, and/or is buffered by substantial tree cover, topography, or buildings.
- c) Antenna system greater than 15 metres in height proposed by government agencies such as police, fire protection, ambulance, other emergency services, BC ferries, and BC Hydro who maintain their own two-way telecommunication networks, except, however, such systems are not exempt if they are proposed in partnership with a commercial telecommunication service provider.

G. Consultation Process

1. Consultation Objectives

The *protocol* for public consultation is designed to:

- inform;
- incorporate local knowledge;
- harmonize with ISED regulations and guidelines;
- be transparent;
- be consistent;
- be predictable; and
- be expeditious.

2. Process Steps, Requirements and Time lines

a) Pre-Consultation with the LTA

Commentary

For free-standing towers, pre-consultation is one of the most important elements in the antenna siting process as it generally occurs at a point before the proponent is committed to a site or design.

⁹ For example, a LTA may decide to exclude certain proposals from the requirement to hold a public meeting, but not from issuing a public notification to affected property owners/tenants within the *Prescribed Notification Distance*.

As a result, it represents the best opportunity to influence the siting decision since the proponent will more likely become committed to a site once the detailed engineering has been completed. While a discussion of submission requirements is appropriate, the proposal will benefit most from early direction on matters of siting and design. Proponents are strongly encouraged to initiate pre-consultation as early as possible in the antenna siting process for exempt and non-exempt structures. The process of building a good working relationship with telecommunication providers may begin even before a proposal is considered: Local Trust Areas are encouraged to invite potential proponents for a conversation about telecommunication at any time, the earlier the better.

Prior to submitting an *antenna system* proposal that does not meet any of the exemptions listed in Subsection D. 1. 3. the *proponent* will undertake the following preliminary consultations with the LTA:

Step 1: Pre-Consultation

i. Pre-Consultation

The purpose of the pre-consultation phase is for the proponent to share with the LTA representative the network objectives, provide possible site options and receive preliminary feedback. The pre-consultation steps include:

- the *proponent* notifies the LTA representative that locations in the community are being assessed for potential *antenna system* siting;
- the proponent provides the LTA representative potential locations and invites feedback on preferred locations and/or designs; and
- the proponent may offer to host a community workshop to provide options and invite feedback on possible solutions, although not necessary.

ii. Site Investigation Meeting

Based on comments from the pre-consultation step, the proponent will provide a summary of a site-specific location, including:

- **Site Location:** location, type and height of the proposed *telecommunication antenna system*;
- **Alternative Locations:** summary of what other alternative locations were considered, including options to co-locate on existing structures;
- **Site Design:** preliminary drawings and/or visual renderings of the proposed *telecommunication antenna system*;
- **Co-location:** summary of efforts proponent has made to allow other companies to co-locate on the tower, as well as indication from other companies regarding interest in co-locating on new telecommunications structure.

The purpose of the site investigation meeting is to:

- identify preliminary issues of concern;
- give opportunity for the *proponent* to outline the proposal to the LTA;
- give opportunity for the LTA to provide initial feedback to the *proponent*;
- identify any potential *sensitive community locations* as defined by this policy;
- identify any potential *neighbouring land-use jurisdictions, school districts, emergency service providers and community associations* that may be required to provide comment on the proposal as outlined in this policy;
- guide the proponent on creating *localized content* for public notification and distribution; and
- Inform the *proponent* of the LTA's preference of taller towers over shorter towers and supporting future *Co-location* opportunities.

iii. *LTA Preferences and Requirements*

Following the Site Investigation Meeting, planning staff will provide the proponent with an information package within a timeframe determined by the Islands Trust that includes:

- **Public consultation:** confirmation if, (a) public consultation is required, and if so, the process the proponent needs to follow, including a list of any other agencies, jurisdictions, and First Nations to be consulted, and if a Public Information Meeting is required or, (b) public consultation is not required;
- **Site design:** comments on proposed location and design; and
- **Studies and permits:** a list of plans, studies and/or permits that may be required (i.e. environmental impact statements) as well as any fees that need to be paid to the LTA for processing application.

Step 2: Application

b) *Application Submission to the LTA: Initial Application Proposal*

Except for specific waivers granted for amateur operators (see Subsection 3) the *proponent* must include the following information when submitting a *telecommunication antenna system* siting proposal to the LTA that does not meet the exemption criteria for the proposal review and public consultation requirement:

- i. **Site Rationale:** a letter or report from the *proponent* indicating the need for the proposed site, the rationale for site selection, and a summary of opportunities for *co-location* potentials on existing or proposed *antenna system* within the LTA;

- ii. **Co-location:** (a) a summary of effort proponent has made to encourage others to co-locate on the proposed new infrastructure, as well as a list of parties who have expressed an interest in co-locating, and (b) a written and signed attestation that there are no *co-location* opportunities within the LTA;
- iii. **Site Design:** Preliminary engineering plans of the proposed structure which includes information outlining the number of antennas proposed on the structure, and the structure's ability to accommodate future antennas (including *co-location*). Proponents are encouraged to provide site design options;
- iv. **Visual Renderings:** visual rendering(s) of the proposed *antenna system* with best effort to superimpose to scale;
- v. **Site Plan:** a site plan showing the proposed development situated on the site;
- vi. **Site Distance to Surrounding Areas:** a map showing the horizontal distance between the proposed antenna system and the nearest residential, commercial and institutional uses;
- vii. **Letter of Authorization:** confirmation of legal ownership of the lands subject to the proposal, or a signed letter of authorization from the registered property owner of the land, their agent or other person(s) having legal or equitable interest in the land;
- viii. **Title Search:** a copy of a title search (dated within the past 30 days of proposal submission) and any restrictions, restrictive covenants, easements or rights-of-way registered against the lands the *telecommunication antenna system* is proposed on;
- ix. **Safety Code 6:** a written and signed attestation that the *telecommunication antenna system* will respect Health Canada's *Safety Code 6* which sets safe radiofrequency emission levels for these devices including the cumulative effects of multiple *telecommunication antenna system* at the location and in the immediate area;
- x. **Supplemental Documentation:** any other documentation as reasonably identified by the LTC following the site investigation meeting; and
- xi. **Fee:** the application fee as required by Local Trust Area Bylaw No. ____.
- xii. **Draft Notification:** Based on required consultation process as directed by LTA, the proponent is to provide, (a) a draft of all public notices to be delivered by mail to the public, *School Districts*, *community associations* and *neighbouring land-use jurisdictions*, which is to be approved by LTA staff prior to mail out; (b) an address list and map indicating all properties **and residents** which are to be notified by mail of the proposal, (c) a draft of newspaper advertisements indicating the time and date of any public information meeting, which is to be reviewed by LTA staff prior to publication (if a public information meeting is required); and
- xiii. **Comments from Emergency Services:** a copy of written correspondence indicating that the *proponent* has referred the proposal to local fire, police and ambulance

services, and if given, any comments received emergency services should be submitted to LTA staff prior to mail out.

3. *Waivers to Application Submissions*

- ⊕ The LTA may waive any of the Initial Application or Public Notification requirements for amateur radio operators on a case by case basis.

Step 3: Public Consultation

In addition to ISED’s public consultation requirements as prescribed in *Radiocommunication and Broadcasting Antenna Systems Client Procedures Circular (CPC-2-0-03)*, the LTA has incorporated into the requirements a number of **augmentations** to the public consultation process. Itemization of the augmented elements may be found in Table A: “Consultation and Information –Process Steps and Requirements: ISECD & Augmentation.”

a) *Notification Requirements for Non-exempt Antenna Systems*

- i. The *proponent* will provide written notice, sent by regular mail or hand delivered, to all property owners and residents with a *notification distance* of 10 metres for every one metre in height from the base of the structure for a *freestanding antenna system*
- ii. The *proponent* will provide written notice, sent by regular mail or hand delivered, to all *neighbouring land-use jurisdictions, emergency service providers and school districts* with a *notification distance* of 1000 metres from the base of the structure.
- iii. The *proponent* will provide notice to ISED’s regional office.
- iv. The *proponent* will provide written notification to Community Associations identified at the site investigation meeting.
- v. The proponent will place notice of the *telecommunication antenna system* proposal in at least two editions of a local newspaper.
- vi. Where a public information meeting is to be held for a proposed *telecommunication antenna system*, a notice of the meeting shall be placed in at least two editions of a local newspaper and the proponent will provide written notice of the meeting sent by regular mail or hand delivered, to all property owners, *land-use jurisdictions, emergency service providers and school districts* with a *notification distance* of 10 metres for every one metre in height for a *freestanding antenna system* and for a *building/structure-mounted antenna system*.

b) *Notice Content Requirements*¹⁰

¹⁰ These requirements are those of Appendix 1 of the CPC as well as additional requirements suitable for the Islands Trust.

The *proponent* shall include at a minimum the following information in any mailed or otherwise delivered public notice:

- i. The proposed antenna system's purpose, the reasons why existing antenna systems or other infrastructure cannot be used, a list of other structures that were considered unsuitable and future sharing possibilities for the proposal;
- ii. Information on the location within the community, the geographic coordinates and the specific property or rooftop, height, type, design and colour of the proposed telecommunication antenna system, including a copy of the site plan submitted with the application;
- iii. Description of the antenna that may be mounted on the supporting structure and simulated images of the proposal;
- iv. Identification of areas accessible to the general public and the access/demarcation measures to control public access;
- v. An attestation that the general public will be protected in compliance with Health Canada's Safety Code 6 including combined effects within the local radio environment at all times;
- vi. An attestation that the installation will respect good engineering practices including structural adequacy;
- vii. Transport Canada's aeronautical obstruction marking requirements (whether painting, lighting or both) if available; if not available, the proponent's expectation of Transport Canada's requirements together with an undertaking to provide Transport Canada's requirements once they become available;
- viii. Information on the environmental status of the project, including any requirements under the Canadian Environmental Assessment Act, 2012;
- ix. Clear information on the role of ISED as the sole approving authority for the siting of telecommunication Antenna system and that the LTA only provides a statement of siting concurrence/non-concurrence at the request of the proponent;
- x. Notice that general information relating to antenna systems is available on ISED Canada's Spectrum Management and Telecommunications website (<http://www.ic.gc.ca/towers>);
- xi. Reference to any applicable local land-use requirements such as local processes, protocols, etc.;
- xii. Information that comments and responses should be directed to the proponent and that all submissions received by the proponent will be forwarded to the LTA for their records;
- xiii. Information that citizens may request their name and contact information be kept confidential within the published records;

- xiv. The name and contact information of a contact person for the *proponent*;
- xv. The name and contact information of ISED;
- xvi. The name and contact information of the LTAs planner;
- xvii. An attestation that the *telecommunication antenna system* will respect Health Canada's *Safety Code 6* which sets safe radiofrequency emission levels for these devices; and
- xviii. The date, time and location of the public information meeting where required.
- xix. closing date for submission of written public comments (not less than 30 days from receipt of notification).
- xx. The notification shall be sent in an envelope addressed to the "Occupant" and/or "Tenants" and shall clearly show in bold type on the face of the envelope the statement: "NOTICE FOR RESIDENTS: NEW PROPOSED CELL TOWER - INFORMATION IS ENCLOSED."

5. *Public Information Session*

The LTA requests the *proponent* chair a public information meeting for all proposed *telecommunication Antenna system* exceeding 15 metres in height **or where there is significant public interest in the new free standing proposed telecommunication antenna system**. The type of public meeting to be conducted is up to the discretion of the proponent, however:

- an appropriate date, time and location for the public information meeting will be determined in consultation with the LTA's Island Planner;
- the *proponent* will make available at the public information meeting an appropriate visual display of the proposal, including a copy of the site plan submitted with the application and an aerial photograph of the proposed site;
- all information and materials presented should consist of *localized content*;
- the *proponent* shall not schedule a public information meeting less than seven day prior to the close of the public consultation period; and
- the *proponent* may request LTA staff attendance and participation in the meeting.

6. *Online Community Engagement*

- A proponent may augment the public information session with an online forum to allow information sharing and feedback from people who may not be able to attend a public forum

| Table A: Consultation and Information –Process Steps and Requirements: ISED & Augmentation | | |
|---|---|--|
| Step | Default ISED Requirement | LTA Augmentation |
| Pre-consultation | | |
| Informal meetings | None | Yes |
| Information about exempt antenna systems | None | Yes |
| Notification | None | Yes |
| Site investigation meeting | None | In some cases |
| Confirmation of LTA preferences and requirements | None | Yes |
| Application | | |
| Initial application proposal | None | Yes |
| Submission Prior to Notification –for staff review and approval | None | <ul style="list-style-type: none"> ○ Draft of all public notices ○ Address list and map of all property owners and residents to be notified ○ Draft of newspaper ads ○ Copy of written notice referencing emergency services providers referral comments |
| Public Consultation | | |
| Written notice | Property owners within 3 X tower height prescribed distance | <ul style="list-style-type: none"> ○ Include property owners and all residents, including seasonal residents |
| | Neighbouring land use jurisdictions, emergency service providers, and school districts within 3 X tower or building/ structure height | <ul style="list-style-type: none"> ○ Community associations |
| Newspaper notice | Notice regarding proposal in one edition of a local newspaper | <ul style="list-style-type: none"> ○ Proposal and information meeting ○ Optional community workshop ○ Two editions of local newspaper ○ Website and/or social media notification ○ Optional online forum |
| Notice content | 12 points of the CPC Appendix 1 ‘Public Notification Package’ | <ul style="list-style-type: none"> ○ Site plan ○ Statement on respective roles of ISED and LTA |
| Public information session | None | <ul style="list-style-type: none"> ○ For all proposals exceeding 15 m in height or where there is significant public interest |

7. **Step 4: Request for Concurrence**

a) *Submission to the LTA: Request for Concurrence*

Prior to submitting a formal request for siting concurrence, the proponent must include the following information to the LTA:

- i. A summary of and a copy of all public submissions and responses, as well as the proponent's response to public submissions as outlined in ISED's *Radiocommunication and Broadcasting Antenna Systems Client Procedures Circular* (CPC-2-0-03);
- ii. A letter outlining any NAV Canada and Transport Canada requirements for lighting and painting on the proposed *telecommunication antenna system*;
- iii. A copy of all plans and studies (i.e. Environmental Review) required for the construction of the proposed *telecommunication antenna system*;
- iv. A package summarizing the results of the public information meeting containing at a minimum, the following:
 - The time, date, location and number of people in attendance of any public information meeting held;
 - A List of attendees, including names, addresses and phone numbers (where provided voluntarily);
 - Copies of all letters and other written communications received; and
 - A letter outlining how all the concerns and issues raised by the public were addressed.

b) *Statement of Concurrence or Non-concurrence*

Commentary

The purpose of this protocol is to provide the LTC with consistent procedures and information with which to evaluate the siting of a telecommunication antenna system. Following the commencement of the consultation period, the proponent may request a statement of concurrence from the LTC. Once a request is received, Islands Trust staff will prepare a report with a recommendation to the LTC. The staff report will include information on the proposed telecommunication antenna system, a site plan, the location of the proposal, an overview of the application and all public consultation materials submitted by the proponent for the Committee's review. It is the discretion of the LTC to provide a statement of siting concurrence or non-concurrence or- The proponent can ask for a decision from the LTC. If nothing is forthcoming, after a certain amount of time, they can ask ISED what to do next. Should a proposal ever go to impasse (rare), ISED will look at the default process as a minimum and also consider the LTC's protocol. In reaching a decision

the ISED will consider such questions as 'Did the proponent address all requirements?', 'Did the proponent adequately address all reasonable and relevant concerns?' and 'Can the proponent argue that the LTC's process was overly onerous and unrealistic?'

The statement of concurrence or non-concurrence shall occur within 120 days of acceptance of a complete application, unless otherwise agreed to by the proponent and ISED.

c) Duration of Concurrence

- i. Concurrence remains in effect for a maximum period of 3 years from the date it was issued by the LTC. If construction has not commenced within this time period, the concurrence expires and a new submission and review process, including public consultation as applicable, is necessary prior to any construction activity.
- ii. Request notification of intent to construct 60 days prior commencement of construction activity (OR, building permit).
- iii. Once concurrence has been issued, it may be transferred from the original proponent to another proponent without the need for further consultation provided that:
 - All information gathered by the original *proponent* is transferred to the new *proponent*;
 - The structure and *antenna system* for which the concurrence was issued to the original *proponent* is what the new *proponent* builds, and
 - Construction of the structure is begun within the duration of the concurrence period.

d) Letter of Undertaking

The Proponent may be required by the LTC to provide a Letter of Undertaking which may include the following requirements:

- i. posting of a security for the construction of any proposed fencing, screening or landscaping or
- ii. building permit requirements determined by the regulations of the _____Regional District.

H. Terms of Use of This Policy

The LTA is not in any way bound by this policy and is free to apply, or not apply, any evaluation criterion it deems appropriate in its consideration of applications.

4 LAND USE SITING CRITERIA

4.1 Introduction

Antenna systems should be sited and designed to respect local sensitivities and preferences as identified by the LTA, including making efforts to being unobtrusive and inconspicuous, minimizing visual impact, avoiding disturbance to natural features and reduce the need for future facilities in the same area, where appropriate.

Commentary

An outright ban on any type of antenna system is not defensible and may ultimately not be in the LTA's best interest as the ISED has the ultimate approval authority; better to have a progressive policy that recognizes telecommunication antenna systems need to go "somewhere" and use siting criteria to help proponents find the "least worst" spot. Siting criteria puts the LTA in a position of having some control, rather than being ultimately powerless.

These criteria address co-location, re-use, use of existing infrastructure, and new *antenna systems*.

Consideration is requested in the following order of priority:

1. **Co-location** on an existing Antenna System
2. **Re-use** of an existing telecommunication facility
3. Use of **existing infrastructure** such as a building rooftop or utility pole
4. **Stealth design** of a new antenna system
5. **New antenna system** structure

The proponent should review the guidelines identified below as early as possible and should attempt to resolve any outstanding issues prior to submitting its *antenna system* siting proposal and undertaking the public consultation, where required by the LTC. Because expressed preferences may be location or site specific, the proponent is encouraged to discuss the guidelines fully with Islands Trust planning staff during a preliminary meeting.

Proponents are also required to obtain all applicable building permits for additions and/or modifications to existing buildings.

4.2 Criteria

Before submitting a proposal for an *antenna system* on a new site, the *proponent* must explore the following options:

- consider *co-location* by sharing an existing *antenna system*;
- explore modifying or replacing a structure if necessary; and

- locate, analyze and attempt to use any feasible **existing infrastructure**, including (but not limited to) rooftops, water towers, utility poles or light standards; and
- explore the feasibility of designing a new antenna system where the visibility of the equipment is minimized from street level, including shrouding or stealth design.

Where *co-location*, re-use, modification, use of existing infrastructure, or a *stealth design* of a new structure is not feasible, a new *antenna system* should be designed with *co-location* capacity, including in *residential areas* when identified as the LTA’s preference.

The LTA recognizes that the objective of promoting *co-location* and the objective of making *antenna systems* less noticeable may sometimes come into conflict. Nevertheless, the LTA intends to review each submission on its merits with a view to promoting both objectives and, where necessary, will determine the appropriate balance between them. The *proponent* should, in all cases, verify the LTA’s site-specific criteria preferences during the pre-submission consultation process before investing in a final design or site.

A. Preferred locations

When new *Antenna systems* must be constructed, **where technically feasible**, the following locations are preferred:

1. Buildings & Infrastructure

- Existing buildings and/or structure mounted *antenna systems*
- Areas that can access fiber optic networks to allow for backhauling into the fiber optic network

2. Land Use Preferences

- Industrial use land
- Agricultural use land
- Highway or service commercial use land (excluding mixed residential use)
- Land owned by the Islands Trust or another government entity
- Utility institutional use land were appropriate, but not limited to those institutions that require telecommunications technology, emergency services, hospitals, colleges
- BC Hydro utility corridor rights of way
- Low density *residential areas* as defined by the Local Trust Area

B. Distance Considerations

- Distance of new free-standing towers from existing Safety shall be at least one (1) times the height of the proposed tower.
- Notwithstanding the distance of one (1) times the height of a proposed tower from property lines, the distance may be increased by the Local Trust Committee to a maximum of (3) times the height of the proposed tower. The LTC should consider a guideline of increasing the setback by up to 25% if it is reasonably anticipated that the tower may be **increased** in height by up to 25% in the future and otherwise be exempt from any public consultation process.
- Notwithstanding the distance of one (1) times the height of a proposed tower from property lines, the distance may be **decreased** if the location is consistent with the land use preferences of Article 4.2 A. 2 Preferred Locations and avoids discouraged locations of Article 4.2 C Discouraged Locations.
- Setbacks from property lines adjacent non-residential uses may invite special consideration in the Land Use Bylaw. The setbacks should serve to separate *Antenna systems* from adjacent development without unduly affecting the development potential of the lot over the lease period.

C. **Discouraged Locations**

All Antenna Systems

- Locations directly in front of doors, windows, balconies or residential frontages
- Land zoned for nature protection
- Environmentally sensitive ecosystems as defined in the Official Community Plan

Free-standing Antenna Systems

- Medium and high density *residential areas* as defined by the Local Trust Area
- Schools, daycare facilities, playgrounds and similar facilities
- Areas that adversely impact view corridors
- Heritage areas (unless visibly unobtrusive) or on heritage structures unless it forms an integrated part of the structure's overall design (i.e. through the use of stealth structures).
- Sites of topographical and geographic prominence
- Sites that detrimentally affect the scenic quality of a corridor.
- Sites that detrimentally affect the foreground views of residents;

D. **Incentives**

All or part of the public consultation requirements may be waived for *antenna systems* proposed on sites that are consistent with OCP policy, preferred siting locations, that exceed setback considerations, feature innovative design to a high standard and embrace infrastructure as art, included shrouded or internal antennae, and avoid discouraged locations.

In all cases, however, the *proponent* is required to provide **information** regarding the proposed antenna system in accordance with Section 3.2 E. Notification and Municipal Review of Exempt Antenna system.

E. Criteria not to address

As described in the CPC, *proponents* have specific obligations subject to federal requirements. Additional obligations may not be imposed; however, it is appropriate to ask questions and seek clarification concerning their steps and alternatives available to satisfy these requirements.

Proponents must comply with the following:

- Health Canada’s public radio frequency exposure guidelines – Safety Code 6 (Limits of Human Exposure to Radio Frequency Electromagnetic Energy in the Frequency Range from 3 kHz to 300 GHz – Safety Code (2009));
- Radio Frequency Interference and Immunity – EMCAB-2—Criteria for Resolution of Immunity Complaints Involving Fundamental Emissions of Radiocommunications Transmitters;
- Canadian Environmental Assessment Act, 2012 –CEAA 2012; and
- Aeronautical Safety –Transport Canada and NAV CANADA requirements for aeronautical safety.

5 MODEL OFFICIAL COMMUNITY PLAN POLICIES

5.1 Advocacy Policies

1. Health Canada should continue to evaluate health impacts of electromagnetic radiofrequencies from telecommunication facilities, including towers, to ensure that detrimental effects on human health do not occur.
2. Support efforts to expand electronic communications and infrastructure within the community provided it can be demonstrated that such is in compliance *with the Canadian Environmental Assessment Act (CEAA), and the Safety Code 6 of the Health Act.*
3. Support multi-Island public organizations such the Southern Gulf Islands Economic Sustainability Commission in its objective of improving the telecommunications services in the Gulf Islands.
4. Endorse the Canadian Radio and Television Commission policy statement on high speed broadband, especially by cable, as a basic service.
5. Encourage telecommunication providers to retain and increase the number of pay telephones in areas with poor cell coverage as an emergency back-up.
6. Encourage telecommunication providers to re-assess its fibre optic cable within the Local Trust Area (LTA) for public and institutional access and to allow third party access.
7. Promote the role of public and private wireless “hot spot” providers in improving connectivity.
9. Establish a fee schedule to recover reasonable staff and process expenditures to recover costs from telecommunication *proponents* with consideration given to the costs to Islands Trust to evaluate and process proposals.

5.2 Land Use Policy

A. Siting Objectives

1. Antenna Systems should be sited and designed to respect local sensitivities and preferences as identified by the LTA, including being unobtrusive and inconspicuous, minimizing visual impact, avoiding disturbance to natural features and reduce the need for future facilities in the same area, where appropriate.
2. Where *antenna systems* are proposed consideration is requested in the following order of priority:
 - a) **co-location** on an existing antenna system;
 - b) **re-use** of an existing telecommunication facility;

- c) use of **existing infrastructure** such as a building rooftop or utility pole;
 - d) *stealth design* of a new antenna system; and
 - e) **new** antenna system structure.
3. Where *co-location*, re-use, modification, or use of existing infrastructure is not feasible, a new *antenna system* should be designed with *co-location* capacity, including in *residential areas* when identified as the LTA's preference.
 4. The LTA recognizes that the objective of promoting *co-location* and the objective of making *Antenna systems* less noticeable may sometimes come into conflict. Nevertheless, the LTA intends to review each submission on its merits with a view to promoting both objectives and, where necessary, will determine the appropriate balance between them.

B. Land Use Preferences

1. When new *antenna systems* must be constructed; **where technically feasible**, and such systems are not of *stealth design* or otherwise exempt from public consultation, they should be sited in the following land use categories:
 - industrial use land;
 - highway or service commercial use land (excluding mixed residential use);
 - utility institutional use land is appropriate, but not limited to those institutions that require telecommunications technology, emergency services, hospitals, colleges;
 - BC Hydro utility corridor rights of way;
 - low density *residential areas*; and
 - agricultural use land.
2. In all land use designations, the following building and infrastructure considerations are preferred:
 - use of existing buildings and/or structure mounted *antenna systems*; and
 - siting in areas that can access fiber optic networks to allow for backhauling into the fiber optic network.

C. Setback Considerations

1. Preferred *setbacks* between antenna systems and lot lines should be at least 1 (one) times the height of the free-standing tower; the Local Trust Area may choose to adjust this preferred setback to reflect local conditions and preferences.
2. Notwithstanding a preferred *setback* distance of a proposed tower from residential uses, the setback distance may be **decreased** if the location is consistent with the land use

preferences of Article 5.2 B. 2 Land Use Preferences and avoids *discouraged locations of Article 5.2 D Discouraged Locations*.

3. Setbacks from non-residential uses may be determined on a case by case basis and should serve to separate *antenna systems* from adjacent development without unduly affecting the development potential of the lot over the lease period.

D. Discouraged Locations

1. Land use

- Medium and high density *residential areas*
- Schools, daycare facilities, playgrounds and similar facilities
- Areas that adversely impact view corridors
- Heritage areas (unless visibly unobtrusive) or on heritage structures unless it forms an integrated part of the structure's overall design (i.e. through the use of stealth structures).
- Nature protection areas
- Environmentally sensitive ecosystems

2. Other considerations, irrespective of land use designation

- Locations directly in front of doors, windows, balconies or residential frontages
- Community gathering places such as community halls, churches, commercial eating & drinking establishments
- Sites of topographical and geographic prominence

6 ON-LINE BROCHURE ON THE DEFAULT ISED PUBLIC CONSULTATION & APPROVAL PROCESS AND THE ROLE OF ISLANDS TRUST

Pending – in design phase

7 DEFINITIONS

Antenna system (also telecommunication antenna system) means an exterior transmitting device – or group of devices – used to receive and/or transmit radio-frequency (RF) signals, microwave signals, or other federally-licensed communications energy transmitted from, or to be received by, other antennas. *antenna system* includes the antenna, and may include a supporting tower, mast or other supporting structure, and an equipment shelter. This *protocol* refers to the following three types of *telecommunication antenna system*, defined below;

Building/structure-mounted antenna system means a *telecommunication antenna system* mounted on an existing structure or building and for the purposes of height calculations, height shall be measured from the base of any building or structure to the most elevated portion of any antenna system.

Freestanding antenna system means a structure built from the ground for the expressed purpose of hosting transmitting devices; and

Tree-mounted antenna system: means an antenna system mounted on a tree.

Co-location means the placement of antennas and equipment operated by one or more *proponents* on a *telecommunication antenna system* owned by a different party, thereby creating a shared facility;

Community association means an active area or neighbourhood specific group or association within a LTA;

Distance the horizontal distance measured from the lot line to the base of a proposed freestanding antenna system or the base of any building or structure to which an antenna system is mounted to a structure, building, or facility.

Emergency service providers means any police, fire, ambulance or search and rescue organization with a typical response area within the *notification distance* of a proposed *telecommunication antenna system*;

Localized content means any public consultation materials, supporting documentation and/or other relevant promotional material provided by a *proponent* for a proposed *telecommunication antenna system* which has been tailored specifically to the context of the LTA;

Neighbouring land-use jurisdiction means any land-use authority or First Nations within a *Prescribed Notification Distance* of any proposed *telecommunication antenna system*;

Prescribed notification distance: measured horizontally from the outside perimeter of the supporting structure of the proposed *freestanding* or *building/structure-mounted antenna system*. The outside perimeter begins at the furthest point of the supporting mechanism, be it the outermost guy line, building edge, face of the self-supporting tower;

Proponent: means a company or organization, including contractors or agents undertaking work for telecommunication carriers, for the purpose of providing commercial telecommunication services;

Protocol: means any written local guideline, policy or process that addresses the issue of antenna placement;

Residential area: means lands used or zoned to permit residential uses, including mixed uses (i.e. where commercial use is permitted with residential use on the same lot).

School District: means an area created or constituted as a school district under the *School Act*;

Sensitive community locations: means institutions and services, such as schools, daycares, recreation facilities, public parks, or other sensitive locations;

Stealth design: means a design of an antenna system that camouflages the antenna and supporting structure as something else such as a tree, water tower, flag pole, component of a building, or similar means.

Telecommunications antenna system: see antenna system definition.

8 APPENDIX: ANTENNA DESIGN MATRIX

Telecommunication Design

Typical Towers Designs



| | | | |
|--------------------|------------------------------|--|--|
| Height | 30-120 m | 45-60 m | 14.9-45 m |
| Application | Rural | Rural/Suburbs/City | Rural/Suburbs/City |
| Compound Footprint | 100m x 100m (H x 0.8 x 2) | Min. 20m x 20m | 10m x 10m |
| Tower Diameter | Base of Pole min. 1m | Base min 10% height (H x .1 = face width) | Base footprint dependent on loading, geotechnical, environmental |

Monopole Tower Designs


**Monopole 1
(pin wheel)**



**Monopole 2
(flush mount)**



**Monopole 3
(shrouded)**



| | | |
|--|--|---|
| Pin wheel allows tower to accommodate a larger number of antennas for futures &/or other carriers. | Flush mounted antennas minimize overall massing of the tower, but limit opportunity for future antennas, or space for other carriers | Antennas fully hidden, but diameter of the pole is wider to accommodate microwave. Can be slimmer if there is fibre to site. *Note: shrouded design does not currently support AIR antenna w. integrated RRU's |
|--|--|---|


Telecommunication Design

Tripole Tower Designs



| | |
|--------------------|--|
| Height | 14.9m-60m |
| Application | Rural/Suburbs/City |
| Compound Footprint | Medium footprint 20m x 20m |
| Tower Diameter | * Note: Base footprint dependent on loading, geotechnical, environmental |

Rooftop antennas



Telecommunication Design

Utility Poles



Light Standards

